

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX071318\
 Data File : VX003378.D
 Acq On : 13 Jul 2018 22:54
 Operator : JC/MD
 Sample : J3821-02
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 HR-05-071218-A

Quant Time: Jul 14 03:21:21 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X071318W.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 13 17:01:02 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.67	168	295526	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.87	114	440954	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.12	117	399050	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.08	152	215358	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.07	65	182337	56.51	ug/l	0.00
Spiked Amount 50.000			Recovery	=	113.02%	
35) Dibromofluoromethane	5.51	113	161860	49.87	ug/l	0.00
Spiked Amount 50.000			Recovery	=	99.74%	
50) Toluene-d8	8.72	98	617707	58.30	ug/l	0.00
Spiked Amount 50.000			Recovery	=	116.60%	
62) 4-Bromofluorobenzene	11.14	95	207493	45.91	ug/l	0.00
Spiked Amount 50.000			Recovery	=	91.82%	
Target Compounds						
16) Acetone	2.45	43	27401	16.52	ug/l	86
18) Methyl Acetate	2.78	43	24449	4.75	ug/l	94
20) Methylene Chloride	2.86	84	22660	5.24	ug/l	92
25) 2-Butanone	4.71	43	3706	1.44	ug/l	92
84) 1,2,4-Trimethylbenzene	11.81	105	20517	1.64	ug/l	98
95) Naphthalene	13.83	128	67541	4.48	ug/l	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX071318\
Data File : VX003378.D
Acq On : 13 Jul 2018 22:54
Operator : JC/MD
Sample : J3821-02
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
HR-05-071218-A

Quant Time: Jul 14 03:21:21 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X071318W.M
Quant Title : SW846 8260
QLast Update : Fri Jul 13 17:01:02 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 5.67 min Scan# 833

Delta R.T. 0.00 min

Lab File: VX003378.D

Acq: 13 Jul 2018 22:54

Instrument :

MSVOA_X

ClientSampleId :


HR-05-071218-A

Tot Ion:168 Resp: 295526

Ion Ratio Lower Upper

168 100

99 48.9 39.3 58.9



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.67

120000

100000

80000



60000

40000

20000

0

Time--> 5.50 5.60 5.70 5.80



#16

Acetone

Concen: 16.52 ug/l

RT: 2.45 min Scan# 305

Delta R.T. -0.01 min

Lab File: VX003378.D


Acq: 13 Jul 2018 22:54

Tgt Ion: 43 Resp: 27401

Ion Ratio Lower Upper

43 100

58 35.2 22.1 33.1#



Abundance Ion 43.00 (42.70 to 43.70): VX0

Ion 58.00 (57.70 to 58.70): VX0

2.45

20000


15000


10000

5000

0

Time--> 2.35 2.40 2.45 2.50 2.55









#18
Methyl Acetate
Concen: 4.75 ug/l
RT: 2.78 min Scan# 360
Delta R.T. 0.00 min
Lab File: VX003378.D
Acq: 13 Jul 2018 22:54




Instrument :
MSVOA_X
ClientSampleId :
HR-05-071218-A


Tot Ion: 43 Resp: 24449
Ion Ratio Lower Upper
43 100
74 23.5 16.7 25.1



#20
Methylene Chloride
Concen: 5.24 ug/l
RT: 2.86 min Scan# 373
Delta R.T. 0.01 min
Lab File: VX003378.D
Acq: 13 Jul 2018 22:54

Tgt Ion: 84 Resp: 22660
Ion Ratio Lower Upper
84 100
49 119.3 107.8 161.6
51 38.6 32.8 49.2
86 66.0 52.5 78.7





#25

2-Butanone

Concen: 1.44 ug/l

RT: 4.71 min Scan# 676

Delta R.T. 0.00 min

Lab File: VX003378.D

Acq: 13 Jul 2018 22:54

Instrument :

MSVOA_X

ClientSampleId :


HR-05-071218-A

Tot Ion: 43 Resp: 3706

Ion Ratio Lower Upper




43 100

72 26.8 18.5 27.7



Abundance Ion 43.00 (42.70 to 43.70): VX0

Ion 72.00 (71.70 to 72.70): VX0



#33

1,2-Dichloroethane-d4

Concen: 56.51 ug/l

RT: 6.07 min Scan# 900

Delta R.T. 0.00 min

Lab File: VX003378.D


Acq: 13 Jul 2018 22:54

Tgt Ion: 65 Resp: 182337

Ion Ratio Lower Upper



65 100


67 54.4 0.0 102.6



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0





#34

1,4-Difluorobenzene

Concen: 50.00 ug/l

RT: 6.87 min Scan# 1030

Delta R.T. 0.00 min

Lab File: VX003378.D

Acq: 13 Jul 2018 22:54

Instrument :

MSVOA_X

ClientSampleId :

HR-05-071218-A


Tot Ion:114 Resp: 440954

Ion Ratio Lower Upper

114 100

63 18.6 0.0 41.4




88 14.9 0.0 30.0



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 49.87 ug/l

RT: 5.51 min Scan# 807

Delta R.T. 0.00 min

Lab File: VX003378.D

Acq: 13 Jul 2018 22:54


Tgt Ion:113 Resp: 161860

Ion Ratio Lower Upper

113 100

111 102.2 81.4 122.0



192 24.0 19.1 28.7




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 58.30 ug/l

RT: 8.72 min Scan# 1334

Delta R.T. 0.00 min

Lab File: VX003378.D

Acq: 13 Jul 2018 22:54

Instrument :

MSVOA_X

ClientSampleId :


HR-05-071218-A

Tot Ion: 98 Resp: 617707

Ion Ratio Lower Upper


98 100

100 63.8 50.9 76.3





Abundance Ion 98.00 (97.70 to 98.70): VX0

Ion 100.00 (99.70 to 100.70): VX



Time-->



#62

4-Bromofluorobenzene

Concen: 45.91 ug/l

RT: 11.14 min Scan# 1731

Delta R.T. 0.00 min

Lab File: VX003378.D

Acq: 13 Jul 2018 22:54


Tgt Ion: 95 Resp: 207493

Ion Ratio Lower Upper

95 100

174 93.7 0.0 187.4


176 90.9 0.0 181.0




Abundance Ion 94.90 (94.60 to 95.60): VX0


Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V



Time-->









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 10.12 min Scan# 1563
Delta R.T. 0.00 min
Lab File: VX003378.D
Acq: 13 Jul 2018 22:54




Instrument :
MSVOA_X
ClientSampleId :
HR-05-071218-A


Tot Ion:117 Resp: 399050
Ion Ratio Lower Upper
117 100
82 53.3 45.0 67.4
119 32.8 25.8 38.6



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 12.08 min Scan# 1885
Delta R.T. 0.00 min
Lab File: VX003378.D
Acq: 13 Jul 2018 22:54

Tgt Ion:152 Resp: 215358
Ion Ratio Lower Upper
152 100
115 55.4 40.1 120.2
150 156.2 0.0 347.2









#84
 1,2,4-Trimethylbenzene
 Concen: 1.64 ug/l
 RT: 11.81 min Scan# 1841
 Delta R.T. 0.00 min
 Lab File: VX003378.D
 Acq: 13 Jul 2018 22:54

Instrument :
 MSVOA_X
 ClientSampleId :
 HR-05-071218-A

Tot Ion:105 Resp: 20517
 Ion Ratio Lower Upper
 105 100
 120 45.6 22.3 66.8



#95
 Naphthalene
 Concen: 4.48 ug/l
 RT: 13.83 min Scan# 2173
 Delta R.T. 0.00 min
 Lab File: VX003378.D
 Acq: 13 Jul 2018 22:54

Tgt Ion:128 Resp: 67541
 Ion Ratio Lower Upper
 128 100
 127 13.0 10.4 15.6
 129 11.1 8.6 13.0

