

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX071321\
 Data File : VX023267.D
 Acq On : 13 Jul 2021 17:08
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 14 05:23:08 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X070221W.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 02 14:29:42 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	98	0.00
2 T	Dichlorodifluoromethane	50.000	47.276	5.4	86	0.00
3 P	Chloromethane	50.000	42.951	14.1	84	0.00
4 C	Vinyl Chloride	50.000	44.829	10.3#	84	0.00
5 T	Bromomethane	50.000	36.400	27.2#	72	0.00
6 T	Chloroethane	50.000	43.469	13.1	82	0.00
7 T	Trichlorofluoromethane	50.000	45.141	9.7	84	0.00
8 T	Diethyl Ether	50.000	47.228	5.5	91	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	49.739	0.5	95	0.00
10 T	Methyl Iodide	50.000	47.481	5.0	91	0.00
11 T	Tert butyl alcohol	250.000	230.411	7.8	94	0.00
12 CM	1,1-Dichloroethene	50.000	47.718	4.6#	90	0.00
13 T	Acrolein	250.000	167.946	32.8#	66	0.00
14 T	Allyl chloride	50.000	49.877	0.2	94	0.00
15 T	Acrylonitrile	250.000	244.867	2.1	93	0.00
16 T	Acetone	250.000	224.753	10.1	91	0.00
17 T	Carbon Disulfide	50.000	41.120	17.8	81	0.00
18 T	Methyl Acetate	50.000	49.105	1.8	94	0.00
19 T	Methyl tert-butyl Ether	50.000	52.307	-4.6	99	0.00
20 T	Methylene Chloride	50.000	45.434	9.1	95	0.00
21 T	trans-1,2-Dichloroethene	50.000	48.040	3.9	93	0.00
22 T	Diisopropyl ether	50.000	49.343	1.3	93	0.00
23 T	Vinyl Acetate	250.000	249.834	0.1	92	0.00
24 P	1,1-Dichloroethane	50.000	49.906	0.2	95	0.00
25 T	2-Butanone	250.000	236.687	5.3	90	0.00
26 T	2,2-Dichloropropane	50.000	52.228	-4.5	98	0.00
27 T	cis-1,2-Dichloroethene	50.000	49.678	0.6	95	0.00
28 T	Bromochloromethane	50.000	46.029	7.9	91	0.00
29 T	Tetrahydrofuran	250.000	233.165	6.7	88	0.00
30 C	Chloroform	50.000	50.383	-0.8#	96	0.00
31 T	Cyclohexane	50.000	44.667	10.7	88	0.00
32 T	1,1,1-Trichloroethane	50.000	51.400	-2.8	97	0.00
33 S	1,2-Dichloroethane-d4	50.000	48.525	3.0	98	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	97	0.00
35 S	Dibromofluoromethane	50.000	49.259	1.5	100	0.00
36 T	1,1-Dichloropropene	50.000	47.018	6.0	91	0.00
37 T	Ethyl Acetate	50.000	48.242	3.5	91	0.00
38 T	Carbon Tetrachloride	50.000	52.529	-5.1	98	0.00
39 T	Methylcyclohexane	50.000	48.208	3.6	93	0.00
40 TM	Benzene	50.000	48.968	2.1	93	0.00
41 T	Methacrylonitrile	50.000	48.790	2.4	93	0.00
42 TM	1,2-Dichloroethane	50.000	50.631	-1.3	94	0.00
43 T	Isopropyl Acetate	50.000	48.073	3.9	91	0.00
44 TM	Trichloroethene	50.000	50.888	-1.8	97	0.00
45 C	1,2-Dichloropropane	50.000	49.846	0.3#	95	0.00
46 T	Dibromomethane	50.000	50.666	-1.3	96	0.00
47 T	Bromodichloromethane	50.000	53.472	-6.9	98	0.00
48 T	Methyl methacrylate	50.000	48.137	3.7	91	0.00
49 T	1,4-Dioxane	1000.000	968.436	3.2	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX071321\
 Data File : VX023267.D
 Acq On : 13 Jul 2021 17:08
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 14 05:23:08 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X070221W.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 02 14:29:42 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)

50 S	Toluene-d8	50.000	47.984	4.0	96	0.00
51 T	4-Methyl-2-Pentanone	250.000	238.350	4.7	88	0.00
52 CM	Toluene	50.000	49.646	0.7#	94	0.00
53 T	t-1,3-Dichloropropene	50.000	47.254	5.5	97	0.00
54 T	cis-1,3-Dichloropropene	50.000	48.192	3.6	97	0.00
55 T	1,1,2-Trichloroethane	50.000	51.480	-3.0	97	0.00
56 T	Ethyl methacrylate	50.000	51.128	-2.3	95	0.00
57 T	1,3-Dichloropropane	50.000	50.136	-0.3	95	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	236.784	5.3	91	0.00
59 T	2-Hexanone	250.000	236.057	5.6	87	0.00
60 T	Dibromochloromethane	50.000	47.654	4.7	99	0.00
61 T	1,2-Dibromoethane	50.000	51.924	-3.8	94	0.00
62 S	4-Bromofluorobenzene	50.000	50.193	-0.4	99	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	95	0.00
64 T	Tetrachloroethene	50.000	54.431	-8.9	103	0.00
65 PM	Chlorobenzene	50.000	51.085	-2.2	96	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	54.541	-9.1	98	0.00
67 C	Ethyl Benzene	50.000	50.438	-0.9#	93	0.00
68 T	m/p-Xylenes	100.000	103.476	-3.5	95	0.00
69 T	o-Xylene	50.000	51.479	-3.0	95	0.00
70 T	Styrene	50.000	52.407	-4.8	94	0.00
71 P	Bromoform	50.000	47.091	5.8	99	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	95	0.00
73 T	Isopropylbenzene	50.000	50.528	-1.1	94	0.00
74 T	N-amyl acetate	50.000	47.918	4.2	88	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	47.884	4.2	92	0.00
76 T	1,2,3-Trichloropropane	50.000	51.423	-2.8	94	0.00
77 T	Bromobenzene	50.000	51.085	-2.2	96	0.00
78 T	n-propylbenzene	50.000	50.214	-0.4	93	0.00
79 T	2-Chlorotoluene	50.000	50.055	-0.1	94	0.00
80 T	1,3,5-Trimethylbenzene	50.000	51.075	-2.2	94	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	49.118	1.8	98	0.00
82 T	4-Chlorotoluene	50.000	51.017	-2.0	93	0.00
83 T	tert-Butylbenzene	50.000	51.092	-2.2	94	0.00
84 T	1,2,4-Trimethylbenzene	50.000	51.823	-3.6	94	0.00
85 T	sec-Butylbenzene	50.000	51.298	-2.6	93	0.00
86 T	p-Isopropyltoluene	50.000	52.247	-4.5	95	0.00
87 T	1,3-Dichlorobenzene	50.000	51.183	-2.4	95	0.00
88 T	1,4-Dichlorobenzene	50.000	51.060	-2.1	96	0.00
89 T	n-Butylbenzene	50.000	51.334	-2.7	92	0.00
90 T	Hexachloroethane	50.000	48.048	3.9	99	0.00
91 T	1,2-Dichlorobenzene	50.000	50.915	-1.8	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	46.031	7.9	93	0.00
93 T	1,2,4-Trichlorobenzene	50.000	54.395	-8.8	101	0.00
94 T	Hexachlorobutadiene	50.000	53.692	-7.4	101	0.00
95 T	Naphthalene	50.000	48.501	3.0	94	0.00
96 T	1,2,3-Trichlorobenzene	50.000	54.066	-8.1	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX071321\
Data File : VX023267.D
Acq On : 13 Jul 2021 17:08
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jul 14 05:23:08 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X070221W.M
Quant Title : SW846 8260
QLast Update : Fri Jul 02 14:29:42 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------

(#) = Out of Range SPCC's out = 0 CCC's out = 6