

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX071824\
 Data File : VX042387.D
 Acq On : 18 Jul 2024 22:01
 Operator : JC/MD
 Sample : P3263-15ME
 Misc : 5.24g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 A4CK3ME

Quant Time: Jul 19 05:35:25 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML070324WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jul 19 05:29:00 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :John Carlone 07/19/2024
 Supervised By :Mahesh Dadoda 07/22/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.757	114	206207	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	190212	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	97335	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.374	65	53513	44.585	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	89.160%		
7) Chloroethane-d5	1.648	69	37393m	49.480	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	98.960%		
11) 1,1-Dichloroethene-d2	2.276	65	25731	48.983	ug/L	-0.02
Spiked Amount 50.000	Range 60 - 125		Recovery =	97.960%		
21) 2-Butanone-d5	4.495	46	124183	143.572	ug/L	0.03
Spiked Amount 100.000	Range 40 - 130		Recovery =	143.570%#		
24) Chloroform-d	5.056	84	145023	60.093	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	120.180%		
26) 1,2-Dichloroethane-d4	5.952	65	93384	65.559	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	131.120%#		
32) Benzene-d6	5.964	84	298810	60.776	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	121.560%		
36) 1,2-Dichloropropane-d6	7.306	67	96474	65.203	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	130.400%#		
41) Toluene-d8	8.647	98	268004	58.495	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	116.980%		
43) trans-1,3-Dichloroprop...	8.952	79	36003	56.302	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	112.600%		
47) 2-Hexanone-d5	9.391	63	99753	148.527	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	148.530%#		
56) 1,1,2,2-Tetrachloroeth...	11.195	84	147795	67.566	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	135.140%#		
66) 1,2-Dichlorobenzene-d4	12.323	152	127791	67.594	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	135.180%#		
Target Compounds					Qvalue	
15) Methyl Acetate	2.721	43	32732	21.833	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX071824\
Data File : VX042387.D
Acq On : 18 Jul 2024 22:01
Operator : JC/MD
Sample : P3263-15ME
Misc : 5.24g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
ALS Vial : 27 Sample Multiplier: 1


Instrument :
MSVOA_X
ClientSampleId :
A4CK3ME

Quant Time: Jul 19 05:35:25 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM070324WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 19 05:29:00 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :John Carlone 07/19/2024
Supervised By :Mahesh Dadoda 07/22/2024





#15
Methyl Acetate
Concen: 21.833 ug/L
RT: 2.721 min Scan# 20
Delta R.T. 0.012 min
Lab File: VX042387.D
Acq: 18 Jul 2024 22:01

Instrument :
MSVOA_X
ClientSampleId :
A4CK3ME

Tgt Ion: 43 Resp: 3273
Ion Ratio Lower Upper
43 100
74 24.0 20.1 30.1

Manual Integrations
APPROVED

Reviewed By :John Carlone 07/19/2024
Supervised By :Mahesh Dadoda 07/22/2024

