

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX072018\  
 Data File : VX003509.D  
 Acq On : 20 Jul 2018 15:13  
 Operator : JC/SP  
 Sample : J4010-02  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 Z5TB09-180713

Quant Time: Jul 20 16:43:36 2018  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X071918W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 19 17:09:44 2018  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.67  | 168  | 280303   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.87  | 114  | 414239   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.12 | 117  | 390240   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 213096   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |         |      |
|-----------------------------|--------|-----|----------|-------|---------|------|
| 33) 1,2-Dichloroethane-d4   | 6.07   | 65  | 170994   | 51.54 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 103.08% |      |
| 35) Dibromofluoromethane    | 5.51   | 113 | 154721   | 49.04 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 98.08%  |      |
| 50) Toluene-d8              | 8.72   | 98  | 589363   | 49.70 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 99.40%  |      |
| 62) 4-Bromofluorobenzene    | 11.14  | 95  | 201063   | 46.46 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 92.92%  |      |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX072018\  
Data File : VX003509.D  
Acq On : 20 Jul 2018 15:13  
Operator : JC/SP  
Sample : J4010-02  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 14 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
Z5TB09-180713

Quant Time: Jul 20 16:43:36 2018  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X071918W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 19 17:09:44 2018  
Response via : Initial Calibration

