

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX072018\
 Data File : VX003518.D
 Acq On : 20 Jul 2018 19:11
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 20 23:40:36 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X071918W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jul 19 17:09:44 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	87	0.00
2 T	Dichlorodifluoromethane	0.458	0.428	6.6	96	0.00
3 P	Chloromethane	0.566	0.562	0.7	100	0.00
4 C	Vinyl Chloride	0.635	0.616	3.0#	84	0.00
5 T	Bromomethane	0.358	0.278	22.3#	99	0.00
6 T	Chloroethane	0.376	0.395	-5.1	96	0.00
7 T	Trichlorofluoromethane	0.847	0.864	-2.0	96	0.00
8 T	Diethyl Ether	0.364	0.377	-3.6	94	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.555	0.546	1.6	94	0.00
10 T	Methyl Iodide	0.666	0.712	-6.9	95	0.00
11 T	Tert butyl alcohol	0.117	0.133	-13.7	99	0.00
12 CM	1,1-Dichloroethene	0.511	0.520	-1.8#	95	0.00
13 T	Acrolein	0.053	0.050	5.7	84	0.00
14 T	Allyl chloride	0.904	0.947	-4.8	96	0.00
15 T	Acrylonitrile	0.298	0.325	-9.1	101	0.00
16 T	Acetone	0.224	0.249	-11.2	104	0.00
17 T	Carbon Disulfide	1.516	1.394	8.0	90	0.00
18 T	Methyl Acetate	0.705	0.792	-12.3	103	0.00
19 T	Methyl tert-butyl Ether	1.668	1.784	-7.0	97	0.00
20 T	Methylene Chloride	0.629	0.599	4.8	96	0.00
21 T	trans-1,2-Dichloroethene	0.568	0.570	-0.4	95	0.00
22 T	Diisopropyl ether	1.701	1.811	-6.5	98	0.00
23 T	Vinyl Acetate	1.401	1.499	-7.0	98	0.00
24 P	1,1-Dichloroethane	0.998	1.055	-5.7	97	0.00
25 T	2-Butanone	0.375	0.419	-11.7	102	0.00
26 T	2,2-Dichloropropane	0.758	0.653	13.9	78	0.00
27 T	cis-1,2-Dichloroethene	0.633	0.657	-3.8	96	0.00
28 T	Bromochloromethane	0.436	0.466	-6.9	97	0.00
29 T	Tetrahydrofuran	0.248	0.283	-14.1	105	0.00
30 C	Chloroform	0.975	1.051	-7.8#	99	0.00
31 T	Cyclohexane	0.892	0.938	-5.2	96	0.00
32 T	1,1,1-Trichloroethane	0.835	0.906	-8.5	100	0.00
33 S	1,2-Dichloroethane-d4	0.592	0.642	-8.4	100	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	88	0.00
35 S	Dibromofluoromethane	0.381	0.397	-4.2	96	0.00
36 T	1,1-Dichloropropene	0.540	0.547	-1.3	94	0.00
37 T	Ethyl Acetate	0.511	0.555	-8.6	100	0.00
38 T	Carbon Tetrachloride	0.530	0.566	-6.8	96	0.00
39 T	Methylcyclohexane	0.639	0.652	-2.0	95	0.00
40 TM	Benzene	1.630	1.688	-3.6	97	0.00
41 T	Methacrylonitrile	0.300	0.320	-6.7	102	0.00
42 TM	1,2-Dichloroethane	0.514	0.559	-8.8	103	0.00
43 T	Isopropyl Acetate	0.813	0.904	-11.2	102	0.00
44 TM	Trichloroethene	0.486	0.494	-1.6	96	0.00
45 C	1,2-Dichloropropane	0.414	0.442	-6.8#	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX072018\
 Data File : VX003518.D
 Acq On : 20 Jul 2018 19:11
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 20 23:40:36 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X071918W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jul 19 17:09:44 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.266	0.286	-7.5	99	0.00
47 T	Bromodichloromethane	0.488	0.533	-9.2	98	0.00
48 T	Methyl methacrylate	0.410	0.474	-15.6	105	0.00
49 T	1,4-Dioxane	0.009	0.010	-11.1	95	0.00
50 S	Toluene-d8	1.431	1.514	-5.8	96	0.00
51 T	4-Methyl-2-Pentanone	0.513	0.605	-17.9	106	0.00
52 CM	Toluene	1.026	1.079	-5.2#	97	0.00
53 T	t-1,3-Dichloropropene	0.600	0.645	-7.5	94	0.00
54 T	cis-1,3-Dichloropropene	0.540	0.584	-8.1	95	0.00
55 T	1,1,2-Trichloroethane	0.408	0.429	-5.1	96	0.00
56 T	Ethyl methacrylate	0.575	0.644	-12.0	97	0.00
57 T	1,3-Dichloropropane	0.660	0.713	-8.0	99	0.00
58 T	2-Chloroethyl Vinyl ether	0.280	0.305	-8.9	97	0.00
59 T	2-Hexanone	0.380	0.455	-19.7	105	0.00
60 T	Dibromochloromethane	0.404	0.438	-8.4	95	0.00
61 T	1,2-Dibromoethane	0.423	0.456	-7.8	98	0.00
62 S	4-Bromofluorobenzene	0.522	0.554	-6.1	96	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	93	0.00
64 T	Tetrachloroethene	0.609	0.598	1.8	93	0.00
65 PM	Chlorobenzene	1.288	1.285	0.2	96	0.00
66 T	1,1,1,2-Tetrachloroethane	0.443	0.460	-3.8	96	0.00
67 C	Ethyl Benzene	2.071	2.158	-4.2#	98	0.00
68 T	m/p-Xylenes	0.812	0.848	-4.4	96	0.00
69 T	o-Xylene	0.785	0.821	-4.6	96	0.00
70 T	Styrene	1.292	1.382	-7.0	96	0.00
71 P	Bromoform	0.344	0.361	-4.9	93	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	92	0.00
73 T	Isopropylbenzene	3.458	3.606	-4.3	96	0.00
74 T	N-amyl acetate	1.468	1.563	-6.5	102	0.00
75 P	1,1,2,2-Tetrachloroethane	1.013	1.082	-6.8	102	0.00
76 T	1,2,3-Trichloropropane	0.898	1.103	-22.8#	115	0.00
77 T	Bromobenzene	0.995	0.972	2.3	93	0.00
78 T	n-propylbenzene	3.844	4.059	-5.6	97	0.00
79 T	2-Chlorotoluene	2.333	2.399	-2.8	97	0.00
80 T	1,3,5-Trimethylbenzene	2.842	2.986	-5.1	96	0.00
81 T	trans-1,4-Dichloro-2-butene	0.281	0.305	-8.5	94	0.00
82 T	4-Chlorotoluene	2.734	2.810	-2.8	97	0.00
83 T	tert-Butylbenzene	2.783	2.872	-3.2	95	0.00
84 T	1,2,4-Trimethylbenzene	2.892	3.056	-5.7	96	0.00
85 T	sec-Butylbenzene	3.380	3.519	-4.1	96	0.00
86 T	p-Isopropyltoluene	3.034	3.190	-5.1	95	0.00
87 T	1,3-Dichlorobenzene	1.828	1.773	3.0	94	0.00
88 T	1,4-Dichlorobenzene	1.883	1.793	4.8	95	0.00
89 T	n-Butylbenzene	2.576	2.667	-3.5	95	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX072018\
Data File : VX003518.D
Acq On : 20 Jul 2018 19:11
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jul 20 23:40:36 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X071918W.M
Quant Title : SW846 8260
QLast Update : Thu Jul 19 17:09:44 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.431	0.449	-4.2	99	0.00
91 T	1,2-Dichlorobenzene	1.802	1.787	0.8	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.197	0.224	-13.7	104	0.00
93 T	1,2,4-Trichlorobenzene	1.321	1.273	3.6	92	0.00
94 T	Hexachlorobutadiene	0.635	0.591	6.9	89	0.00
95 T	Naphthalene	3.470	3.673	-5.9	95	0.00
96 T	1,2,3-Trichlorobenzene	1.307	1.294	1.0	93	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6