

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX072020\  
 Data File : VX017431.D  
 Acq On : 20 Jul 2020 11:10  
 Operator : JC/SP  
 Sample : VX0720WBL01  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VX0720WBL01

Quant Time: Jul 21 02:16:10 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X071320W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Jul 14 02:59:51 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.62  | 168  | 254034   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.83  | 114  | 426594   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.10 | 117  | 434635   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.06 | 152  | 235986   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds | R.T.  | QIon | Response | Conc  | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|-------|---------|----------|
| 33) 1,2-Dichloroethane-d4   | 6.03  | 65   | 163672   | 51.33 | ug/l    | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 102.66% |          |
| 35) Dibromofluoromethane    | 5.46  | 113  | 145141   | 50.51 | ug/l    | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 101.02% |          |
| 50) Toluene-d8              | 8.70  | 98   | 518729   | 50.04 | ug/l    | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 100.08% |          |
| 62) 4-Bromofluorobenzene    | 11.12 | 95   | 217671   | 52.87 | ug/l    | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 105.74% |          |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX072020\  
Data File : VX017431.D  
Acq On : 20 Jul 2020 11:10  
Operator : JC/SP  
Sample : VX0720WBL01  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VX0720WBL01

Quant Time: Jul 21 02:16:10 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X071320W.M  
Quant Title : SW846 8260  
QLast Update : Tue Jul 14 02:59:51 2020  
Response via : Initial Calibration

