

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072224\
 Data File : VX042454.D
 Acq On : 22 Jul 2024 19:02
 Operator : JC/MD
 Sample : P3264-15
 Misc : 5.03g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 A4CM1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML070324WMA.M

Title : VOC Analysis

Signal : TIC: VX042454.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.257	22	28	38	rBV2	22173	31399	5.05%	0.616%
2	1.404	43	52	69	rVB	17780	69926	11.24%	1.371%
3	2.269	189	194	212	rBV	84726	165308	26.57%	3.241%
4	2.721	261	268	285	rBV	28111	70212	11.28%	1.376%
5	3.324	365	367	372	rBV2	222	337	0.05%	0.007%
6	3.385	375	377	379	rVV2	146	147	0.02%	0.003%
7	3.409	379	381	382	rVV2	177	137	0.02%	0.003%
8	3.440	385	386	388	rBV	180	142	0.02%	0.003%
9	3.598	407	412	413	rBV2	569	846	0.14%	0.017%
10	3.848	445	453	462	rVB3	1224	3425	0.55%	0.067%
11	4.001	473	478	480	rBV2	211	265	0.04%	0.005%
12	4.501	550	560	577	rBV	34224	124393	19.99%	2.438%
13	5.056	640	651	668	rBV2	73339	233024	37.45%	4.568%
14	5.360	699	701	703	rBV	164	207	0.03%	0.004%
15	5.385	703	705	707	rBV2	202	255	0.04%	0.005%
16	5.513	725	726	728	rBV	155	145	0.02%	0.003%
17	5.543	728	731	732	rVV2	189	232	0.04%	0.005%
18	5.665	749	751	754	rVB	142	154	0.02%	0.003%
19	5.708	754	758	759	rBV2	114	137	0.02%	0.003%
20	5.964	787	800	816	rBV2	217714	622257	100.00%	12.198%
21	6.378	866	868	870	rBV2	346	402	0.06%	0.008%
22	6.549	893	896	899	rVB2	146	177	0.03%	0.003%
23	6.659	911	914	915	rBV2	317	308	0.05%	0.006%
24	6.756	921	930	956	rBV	203530	504356	81.05%	9.887%
25	7.122	982	990	996	rVB7	1284	3621	0.58%	0.071%
26	7.232	1002	1008	1012	rBV2	586	1093	0.18%	0.021%
27	7.311	1012	1021	1041	rBV	121823	282153	45.34%	5.531%
28	7.488	1047	1050	1051	rBV2	391	320	0.05%	0.006%
29	7.768	1095	1096	1098	rBV2	188	137	0.02%	0.003%
30	8.061	1141	1144	1149	rBV2	228	329	0.05%	0.006%
31	8.104	1149	1151	1155	rVV2	128	179	0.03%	0.004%
32	8.165	1158	1161	1164	rVB2	215	270	0.04%	0.005%
33	8.207	1166	1168	1170	rBV	155	156	0.03%	0.003%
34	8.329	1182	1188	1205	rBV	61094	110369	17.74%	2.164%
35	8.518	1215	1219	1222	rBV3	513	777	0.12%	0.015%
36	8.646	1234	1240	1250	rBV	304362	488210	78.46%	9.570%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072224\
 Data File : VX042454.D
 Acq On : 22 Jul 2024 19:02
 Operator : JC/MD
 Sample : P3264-15
 Misc : 5.03g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 A4CM1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML070324WMA.M
 Title : VOC Analysis

37	8.908	1279	1283	1286	rBV3	669	1018	0.16%	0.020%
38	8.951	1286	1290	1303	rVV	44560	70773	11.37%	1.387%
39	9.110	1314	1316	1318	rVB	247	142	0.02%	0.003%
40	9.274	1338	1343	1351	rBV	31541	47652	7.66%	0.934%
41	9.396	1357	1363	1374	rBV	137509	300768	48.34%	5.896%
42	9.713	1411	1415	1420	rBV	1540	2225	0.36%	0.044%
43	9.847	1435	1437	1440	rVB3	192	155	0.02%	0.003%
44	9.896	1443	1445	1450	rVB2	149	206	0.03%	0.004%
45	10.012	1461	1464	1465	rBV2	146	175	0.03%	0.003%
46	10.055	1465	1471	1489	rBV	414384	577108	92.74%	11.313%
47	10.305	1509	1512	1515	rBV3	657	997	0.16%	0.020%
48	10.640	1565	1567	1570	rBV2	352	450	0.07%	0.009%
49	10.878	1601	1606	1614	rVB5	1237	3125	0.50%	0.061%
50	10.969	1617	1621	1626	rBV3	782	1508	0.24%	0.030%
51	11.061	1633	1636	1640	rVB3	530	562	0.09%	0.011%
52	11.115	1643	1645	1648	rBV	214	192	0.03%	0.004%
53	11.195	1652	1658	1669	rVV	247573	324610	52.17%	6.363%
54	11.317	1673	1678	1681	rBV3	645	898	0.14%	0.018%
55	11.396	1688	1691	1694	rBV	139	185	0.03%	0.004%
56	11.439	1694	1698	1702	rVV4	2149	3093	0.50%	0.061%
57	11.481	1702	1705	1711	rVV2	3656	5812	0.93%	0.114%
58	11.554	1715	1717	1719	rBV2	164	197	0.03%	0.004%
59	11.628	1727	1729	1733	rVB	214	244	0.04%	0.005%
60	11.682	1736	1738	1741	rBV2	323	370	0.06%	0.007%
61	11.749	1746	1749	1754	rVV5	971	1443	0.23%	0.028%
62	11.932	1775	1779	1784	rBV3	2913	4456	0.72%	0.087%
63	12.024	1789	1794	1805	rVB	435765	538734	86.58%	10.561%
64	12.182	1818	1820	1822	rVB	299	168	0.03%	0.003%
65	12.225	1824	1827	1831	rBV2	554	762	0.12%	0.015%
66	12.323	1837	1843	1851	rBV	346370	449353	72.21%	8.809%
67	12.536	1876	1878	1881	rBV2	149	134	0.02%	0.003%
68	12.676	1900	1901	1906	rBV2	224	262	0.04%	0.005%
69	12.737	1909	1911	1912	rBV	192	135	0.02%	0.003%
70	12.761	1913	1915	1919	rVB2	689	781	0.13%	0.015%
71	12.865	1927	1932	1938	rBV5	5615	10493	1.69%	0.206%
72	13.036	1956	1960	1965	rBV2	505	542	0.09%	0.011%
73	13.121	1971	1974	1976	rVB2	262	306	0.05%	0.006%
74	13.170	1978	1982	1985	rVV2	496	620	0.10%	0.012%
75	13.231	1989	1992	1994	rVV3	400	373	0.06%	0.007%
76	13.267	1994	1998	2001	rVB3	558	599	0.10%	0.012%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072224\
 Data File : VX042454.D
 Acq On : 22 Jul 2024 19:02
 Operator : JC/MD
 Sample : P3264-15
 Misc : 5.03g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 A4CM1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML070324WMA.M
 Title : VOC Analysis

77	13.353	2010	2012	2014	rBV2	184	143	0.02%	0.003%
78	13.402	2017	2020	2024	rBV	5791	7108	1.14%	0.139%
79	13.481	2031	2033	2035	rVB	248	189	0.03%	0.004%
80	13.548	2041	2044	2047	rVB2	125	138	0.02%	0.003%
81	13.597	2047	2052	2053	rBV2	425	420	0.07%	0.008%
82	13.694	2063	2068	2071	rBV3	1220	1759	0.28%	0.034%
83	13.737	2071	2075	2077	rVB3	574	654	0.11%	0.013%
84	13.780	2077	2082	2089	rVB	1729	2403	0.39%	0.047%
85	13.883	2093	2099	2104	rBV3	2570	3855	0.62%	0.076%
86	13.932	2104	2107	2109	rBV2	893	1120	0.18%	0.022%
87	13.993	2114	2117	2119	rVV3	666	672	0.11%	0.013%
88	14.017	2119	2121	2122	rVV	261	207	0.03%	0.004%
89	14.036	2122	2124	2128	rVB3	475	477	0.08%	0.009%
90	14.127	2135	2139	2144	rBV2	1580	1983	0.32%	0.039%
91	14.219	2152	2154	2156	rVB2	207	188	0.03%	0.004%
92	14.273	2158	2163	2166	rBV3	182	362	0.06%	0.007%
93	14.426	2185	2188	2191	rBV3	700	827	0.13%	0.016%
94	14.456	2191	2193	2197	rVB2	668	668	0.11%	0.013%
95	14.639	2221	2223	2228	rVB2	527	693	0.11%	0.014%
96	14.755	2238	2242	2244	rBV4	550	610	0.10%	0.012%
97	14.792	2244	2248	2250	rBV3	434	584	0.09%	0.011%
98	15.176	2307	2311	2318	rBV3	3239	4441	0.71%	0.087%
99	15.956	2435	2439	2446	rVB5	2169	3805	0.61%	0.075%
100	16.255	2487	2488	2490	rBV	589	478	0.08%	0.009%

Sum of corrected areas: 5101215

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072224\
Data File : VX042454.D
Acq On : 22 Jul 2024 19:02
Operator : JC/MD
Sample : P3264-15
Misc : 5.03g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
A4CM1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML070324WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072224\
Data File : VX042454.D
Acq On : 22 Jul 2024 19:02
Operator : JC/MD
Sample : P3264-15
Misc : 5.03g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
A4CM1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML070324WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc