

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072824\
 Data File : VX042645.D
 Acq On : 27 Jul 2024 18:28
 Operator : JC/MD
 Sample : P3388-03
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :

Quant Time: Jul 29 02:45:53 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Jul 29 02:34:37 2024
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	179123	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	162198	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	61905	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.374	65	38897	35.743	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	71.480%
7) Chloroethane-d5	1.648	69	18450	41.144	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	82.280%
11) 1,1-Dichloroethene-d2	2.300	65	21895	40.835	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.660%
21) 2-Butanone-d5	4.471	46	69950	86.727	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.730%
24) Chloroform-d	5.068	84	100979	42.393	ug/L	0.01
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.780%
26) 1,2-Dichloroethane-d4	5.964	65	66662	43.380	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.760%
32) Benzene-d6	5.977	84	200301	44.496	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.000%
36) 1,2-Dichloropropane-d6	7.312	67	61030	45.809	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	91.620%
41) Toluene-d8	8.647	98	176555	43.744	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.480%
43) trans-1,3-Dichloroprop...	8.952	79	25392	40.727	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.460%
47) 2-Hexanone-d5	9.385	63	49700	83.437	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	83.440%
56) 1,1,2,2-Tetrachloroeth...	11.189	84	84545	44.074	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.140%
66) 1,2-Dichlorobenzene-d4	12.317	152	56860	48.601	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.200%
Target Compounds						
13) Acetone	2.398	43	2608	4.137	ug/L	Qvalue 94
37) 1,2-Dichloropropane	7.306	63	6858	5.316	ug/L #	86
61) 1,2,3-Trichloropropane	12.024	75	7433	5.190	ug/L #	64


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072824\
Data File : VX042645.D
Acq On : 27 Jul 2024 18:28
Operator : JC/MD
Sample : P3388-03
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :


Quant Time: Jul 29 02:45:53 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Jul 29 02:34:37 2024
Response via : Initial Calibration








#13
Acetone
Concen: 4.137 ug/L
RT: 2.398 min Scan# 214
Delta R.T. 0.006 min
Lab File: VX042645.D
Acq: 27 Jul 2024 18:28

Instrument :
MSVOA_X
ClientSampleId :







Tgt Ion: 43 Resp: 2608
Ion Ratio Lower Upper
43 100
58 34.6 0.0 62.4



#37
1,2-Dichloropropane
Concen: 5.316 ug/L
RT: 7.306 min Scan# 1020
Delta R.T. -0.128 min
Lab File: VX042645.D
Acq: 27 Jul 2024 18:28


Tgt Ion: 63 Resp: 6858
Ion Ratio Lower Upper
63 100
112 0.0 3.7 5.5#





#61
1,2,3-Trichloropropane
Concen: 5.190 ug/L
RT: 12.024 min Scan# 11
Delta R.T. 0.787 min
Lab File: VX042645.D
Acq: 27 Jul 2024 18:28

Instrument :
MSVOA_X
ClientSampleId :



Tgt Ion: 75 Resp: 7433
Ion Ratio Lower Upper
75 100
77 36.3 26.2 39.4
110 4.0 33.0 49.4#

