

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072824\
 Data File : VX042611.D
 Acq On : 26 Jul 2024 20:25
 Operator : JC/MD
 Sample : P3334-12
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 E20G9

Quant Time: Jul 27 01:35:57 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jul 27 01:23:37 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	190109	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	164101	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	63552	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	45433	39.337	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	78.680%
7) Chloroethane-d5	1.648	69	20265	42.580	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.160%
11) 1,1-Dichloroethene-d2	2.294	65	25285	44.432	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.860%
21) 2-Butanone-d5	4.465	46	76218	89.037	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	89.040%
24) Chloroform-d	5.056	84	108944	43.094	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.180%
26) 1,2-Dichloroethane-d4	5.958	65	72616	44.523	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.040%
32) Benzene-d6	5.970	84	222995	48.963	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.920%
36) 1,2-Dichloropropane-d6	7.312	67	66673	49.464	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.920%
41) Toluene-d8	8.647	98	193301	47.338	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.680%
43) trans-1,3-Dichloroprop...	8.952	79	26893	42.635	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.260%
47) 2-Hexanone-d5	9.384	63	55646	92.336	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	92.340%
56) 1,1,2,2-Tetrachloroeth...	11.189	84	90909	46.842	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.680%
66) 1,2-Dichlorobenzene-d4	12.317	152	61541	51.239	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.480%
Target Compounds						
					Qvalue	
13) Acetone	2.392	43	4602	6.878	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072824\
Data File : VX042611.D
Acq On : 26 Jul 2024 20:25
Operator : JC/MD
Sample : P3334-12
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
E20G9

Quant Time: Jul 27 01:35:57 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Jul 27 01:23:37 2024
Response via : Initial Calibration

