

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072824\
 Data File : VX042656.D
 Acq On : 27 Jul 2024 22:41
 Operator : JC/MD
 Sample : P3388-06 50X
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 E20R7

Quant Time: Jul 29 04:24:46 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Jul 29 03:03:42 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	169468	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	150560	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	57708	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	36516	35.467	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	70.940%
7) Chloroethane-d5	1.648	69	16681	39.318	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	78.640%
11) 1,1-Dichloroethene-d2	2.294	65	20794	40.991	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.980%
21) 2-Butanone-d5	4.465	46	71485	93.679	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.680%
24) Chloroform-d	5.056	84	97630	43.323	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.640%
26) 1,2-Dichloroethane-d4	5.952	65	64505	44.368	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.740%
32) Benzene-d6	5.971	84	190943	45.696	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.400%
36) 1,2-Dichloropropane-d6	7.306	67	58137	47.010	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.020%
41) Toluene-d8	8.647	98	165894	44.280	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.560%
43) trans-1,3-Dichloroprop...	8.952	79	23731	41.005	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.020%
47) 2-Hexanone-d5	9.385	63	52051	94.138	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.140%
56) 1,1,2,2-Tetrachloroeth...	11.189	84	81673	45.868	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.740%
66) 1,2-Dichlorobenzene-d4	12.323	152	54270	49.761	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.520%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072824\
Data File : VX042656.D
Acq On : 27 Jul 2024 22:41
Operator : JC/MD
Sample : P3388-06 50X
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
E20R7

Quant Time: Jul 29 04:24:46 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Jul 29 03:03:42 2024
Response via : Initial Calibration

