

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072924\
 Data File : VX042693.D
 Acq On : 29 Jul 2024 16:13
 Operator : JC/MD
 Sample : P3388-20DL 10X
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :

Quant Time: Jul 30 01:10:37 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 30 00:49:01 2024
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	160182	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	142809	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	50575	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	35554	36.535	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	73.060%
7) Chloroethane-d5	1.648	69	18978	47.325	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.660%
11) 1,1-Dichloroethene-d2	2.300	65	19944	41.595	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.180%
21) 2-Butanone-d5	4.465	46	81571	113.094	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	113.090%
24) Chloroform-d	5.056	84	104580	49.097	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.200%
26) 1,2-Dichloroethane-d4	5.958	65	74576	54.268	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.540%
32) Benzene-d6	5.971	84	196952	49.692	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.380%
36) 1,2-Dichloropropane-d6	7.306	67	63432	54.076	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	108.160%
41) Toluene-d8	8.647	98	168904	47.530	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.060%
43) trans-1,3-Dichloroprop...	8.952	79	25640	46.708	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.420%
47) 2-Hexanone-d5	9.385	63	58152	110.881	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	110.880%
56) 1,1,2,2-Tetrachloroeth...	11.189	84	95076	56.294	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	112.580%
66) 1,2-Dichlorobenzene-d4	12.317	152	54738	57.269	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	114.540%
Target Compounds						
20) cis-1,2-Dichloroethene	4.489	96	14088	11.606	ug/L	95
34) Trichloroethene	7.123	95	52684	45.121	ug/L	95
61) 1,2,3-Trichloropropane	12.018	75	7350	6.282	ug/L #	64


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072924\
Data File : VX042693.D
Acq On : 29 Jul 2024 16:13
Operator : JC/MD
Sample : P3388-20DL 10X
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :

Quant Time: Jul 30 01:10:37 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 30 00:49:01 2024
Response via : Initial Calibration





#20

cis-1,2-Dichloroethene

Concen: 11.606 ug/L

RT: 4.489 min Scan# 557

Delta R.T. 0.006 min

Lab File: VX042693.D

Acq: 29 Jul 2024 16:13

Instrument :

MSVOA_X

ClientSampleId :





Tgt Ion: 96 Resp: 14088

Ion Ratio Lower Upper

96 100

61 116.2 85.3 158.3

98 64.1 42.7 79.3



#34

Trichloroethene

Concen: 45.121 ug/L

RT: 7.123 min Scan# 990

Delta R.T. 0.000 min

Lab File: VX042693.D

Acq: 29 Jul 2024 16:13

Tgt Ion: 95 Resp: 52684




Ion Ratio Lower Upper


95 100

97 65.1 46.3 86.1

132 95.1 64.3 119.5


130 105.4 67.0 124.4





#61
 1,2,3-Trichloropropane
 Concen: 6.282 ug/L
 RT: 12.018 min Scan# 11
 Delta R.T. 0.781 min
 Lab File: VX042693.D
 Acq: 29 Jul 2024 16:13

Instrument :
 MSVOA_X
 ClientSampleId :



Tgt Ion: 75	Resp:	7350
Ion Ratio	Lower	Upper
75	100	
77	34.0	26.2 39.4
110	1.8	33.0 49.4#

