

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072924\
 Data File : VX042718.D
 Acq On : 30 Jul 2024 01:53
 Operator : JC/MD
 Sample : P3389-06
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :

Quant Time: Jul 30 05:31:57 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 30 02:11:54 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	163315	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	143627	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	50986	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	24713	24.907	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	49.820%#		
7) Chloroethane-d5	1.648	69	14684	35.915	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	71.820%		
11) 1,1-Dichloroethene-d2	2.294	65	14497	29.654	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	59.300%#		
21) 2-Butanone-d5	4.465	46	70049	95.256	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	95.260%		
24) Chloroform-d	5.178	84	118	0.054	ug/L	0.11
Spiked Amount 50.000	Range 70 - 125		Recovery =	0.100%#		
26) 1,2-Dichloroethane-d4	5.958	65	58145	41.500	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	83.000%		
32) Benzene-d6	5.970	84	150385	37.727	ug/L	-0.01
Spiked Amount 50.000	Range 70 - 125		Recovery =	75.460%		
36) 1,2-Dichloropropane-d6	7.306	67	49347	41.829	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	83.660%		
41) Toluene-d8	8.647	98	126125	35.290	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	70.580%#		
43) trans-1,3-Dichloroprop...	8.952	79	17697	32.055	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	64.120%		
47) 2-Hexanone-d5	9.384	63	47911	90.833	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	90.830%		
56) 1,1,2,2-Tetrachloroeth...	11.189	84	74646	43.945	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	87.900%		
66) 1,2-Dichlorobenzene-d4	12.317	152	43227	44.861	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	89.720%		
Target Compounds					Qvalue	
37) 1,2-Dichloropropane	7.306	63	5654	4.949	ug/L #	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072924\
Data File : VX042718.D
Acq On : 30 Jul 2024 01:53
Operator : JC/MD
Sample : P3389-06
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 44 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :

Quant Time: Jul 30 05:31:57 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 30 02:11:54 2024
Response via : Initial Calibration





#37
 1,2-Dichloropropane
 Concen: 4.949 ug/L
 RT: 7.306 min Scan# 10
 Delta R.T. -0.128 min
 Lab File: VX042718.D
 Acq: 30 Jul 2024 01:53

Instrument :
 MSVOA_X
 ClientSampleId :

Tgt Ion: 63 Resp: 5654
 Ion Ratio Lower Upper
 63 100
 112 1.0 3.7 5.5#

