

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072924\
 Data File : VX042685.D
 Acq On : 29 Jul 2024 13:09
 Operator : JC/MD
 Sample : P3277-03
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VHBLK001

Quant Time: Jul 30 01:08:53 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 30 00:49:01 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	167114	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	147254	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	54989	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	40939	40.323	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	80.640%
7) Chloroethane-d5	1.648	69	19857	47.463	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.920%
11) 1,1-Dichloroethene-d2	2.294	65	22544	45.067	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.140%
21) 2-Butanone-d5	4.465	46	85429	113.530	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	113.530%
24) Chloroform-d	5.056	84	107711	48.469	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.940%
26) 1,2-Dichloroethane-d4	5.958	65	76816	53.579	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	107.160%
32) Benzene-d6	5.971	84	212255	51.937	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.880%
36) 1,2-Dichloropropane-d6	7.306	67	66481	54.964	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	109.920%
41) Toluene-d8	8.647	98	179906	49.098	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.200%
43) trans-1,3-Dichloroprop...	8.952	79	26252	46.380	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.760%
47) 2-Hexanone-d5	9.385	63	58709	108.564	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	108.560%
56) 1,1,2,2-Tetrachloroeth...	11.189	84	93211	53.523	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	107.040%
66) 1,2-Dichlorobenzene-d4	12.317	152	58141	55.947	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	111.900%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX072924\
Data File : VX042685.D
Acq On : 29 Jul 2024 13:09
Operator : JC/MD
Sample : P3277-03
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VHBLK001

Quant Time: Jul 30 01:08:53 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 30 00:49:01 2024
Response via : Initial Calibration

