

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX073019\
 Data File : VX011215.D
 Acq On : 30 Jul 2019 23:31
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 31 09:31:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X071619W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jul 24 05:39:23 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	82	0.00
2 T	Dichlorodifluoromethane	0.467	0.466	0.2	72	0.00
3 P	Chloromethane	0.460	0.413	10.2	74	0.00
4 C	Vinyl Chloride	0.469	0.450	4.1#	76	0.00
5 T	Bromomethane	0.264	0.240	9.1	79	0.00
6 T	Chloroethane	0.298	0.288	3.4	80	-0.01
7 T	Trichlorofluoromethane	0.794	0.793	0.1	82	0.00
8 T	Diethyl Ether	0.274	0.276	-0.7	86	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.453	0.447	1.3	83	0.00
10 T	Methyl Iodide	0.595	0.513	13.8	67	0.00
11 T	Tert butyl alcohol	0.124	0.130	-4.8	93	0.00
12 CM	1,1-Dichloroethene	0.445	0.428	3.8#	78	0.00
13 T	Acrolein	0.072	0.060	16.7	71	0.00
14 T	Allyl chloride	0.647	0.623	3.7	80	0.00
15 T	Acrylonitrile	0.250	0.263	-5.2	89	0.00
16 T	Acetone	0.240	0.223	7.1	78	0.00
17 T	Carbon Disulfide	1.142	0.886	22.4#	63	0.00
18 T	Methyl Acetate	0.547	0.640	-17.0	105	0.00
19 T	Methyl tert-butyl Ether	1.434	1.500	-4.6	89	0.00
20 T	Methylene Chloride	0.509	0.494	2.9	84	0.00
21 T	trans-1,2-Dichloroethene	0.473	0.451	4.7	80	0.00
22 T	Diisopropyl ether	1.364	1.421	-4.2	89	0.00
23 T	Vinyl Acetate	1.156	1.185	-2.5	83	0.00
24 P	1,1-Dichloroethane	0.792	0.803	-1.4	87	0.00
25 T	2-Butanone	0.345	0.363	-5.2	87	0.00
26 T	2,2-Dichloropropane	0.651	0.506	22.3#	65	0.00
27 T	cis-1,2-Dichloroethene	0.547	0.545	0.4	86	0.00
28 T	Bromochloromethane	0.373	0.363	2.7	84	0.00
29 T	Tetrahydrofuran	0.218	0.232	-6.4	89	0.00
30 C	Chloroform	0.856	0.887	-3.6#	90	0.00
31 T	Cyclohexane	0.722	0.674	6.6	79	0.00
32 T	1,1,1-Trichloroethane	0.741	0.766	-3.4	86	0.00
33 S	1,2-Dichloroethane-d4	0.532	0.562	-5.6	90	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	83	0.00
35 S	Dibromofluoromethane	0.317	0.338	-6.6	89	0.00
36 T	1,1-Dichloropropene	0.411	0.411	0.0	84	0.00
37 T	Ethyl Acetate	0.421	0.451	-7.1	86	0.00
38 T	Carbon Tetrachloride	0.428	0.442	-3.3	85	0.00
39 T	Methylcyclohexane	0.533	0.487	8.6	77	0.00
40 TM	Benzene	1.258	1.254	0.3	83	0.00
41 T	Methacrylonitrile	0.239	0.255	-6.7	94	0.00
42 TM	1,2-Dichloroethane	0.437	0.465	-6.4	92	0.00
43 T	Isopropyl Acetate	0.692	0.733	-5.9	88	0.00
44 TM	Trichloroethene	0.372	0.368	1.1	84	0.00
45 C	1,2-Dichloropropane	0.320	0.333	-4.1#	88	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX073019\
 Data File : VX011215.D
 Acq On : 30 Jul 2019 23:31
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 31 09:31:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X071619W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jul 24 05:39:23 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.229	0.240	-4.8	87	0.00
47 T	Bromodichloromethane	0.407	0.438	-7.6	88	0.00
48 T	Methyl methacrylate	0.337	0.361	-7.1	90	0.00
49 T	1,4-Dioxane	0.009	0.010	-11.1	87	0.00
50 S	Toluene-d8	1.190	1.247	-4.8	86	0.00
51 T	4-Methyl-2-Pentanone	0.448	0.506	-12.9	92	0.00
52 CM	Toluene	0.826	0.832	-0.7#	84	0.00
53 T	t-1,3-Dichloropropene	0.438	0.453	-3.4	82	0.00
54 T	cis-1,3-Dichloropropene	0.487	0.498	-2.3	81	0.00
55 T	1,1,2-Trichloroethane	0.340	0.361	-6.2	89	0.00
56 T	Ethyl methacrylate	0.498	0.554	-11.2	89	0.00
57 T	1,3-Dichloropropane	0.540	0.568	-5.2	88	0.00
58 T	2-Chloroethyl Vinyl ether	0.238	0.251	-5.5	85	0.00
59 T	2-Hexanone	0.348	0.390	-12.1	89	0.00
60 T	Dibromochloromethane	0.345	0.385	-11.6	87	0.00
61 T	1,2-Dibromoethane	0.361	0.382	-5.8	87	0.00
62 S	4-Bromofluorobenzene	0.438	0.485	-10.7	90	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	84	0.00
64 T	Tetrachloroethene	0.393	0.388	1.3	86	0.00
65 PM	Chlorobenzene	1.027	1.030	-0.3	88	0.00
66 T	1,1,1,2-Tetrachloroethane	0.361	0.384	-6.4	87	0.00
67 C	Ethyl Benzene	1.748	1.776	-1.6#	86	0.00
68 T	m/p-Xylenes	0.671	0.685	-2.1	86	0.00
69 T	o-Xylene	0.654	0.674	-3.1	87	0.00
70 T	Styrene	1.091	1.164	-6.7	87	0.00
71 P	Bromoform	0.288	0.315	-9.4	87	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	85	0.00
73 T	Isopropylbenzene	3.378	3.400	-0.7	89	0.00
74 T	N-amyl acetate	1.291	1.348	-4.4	87	0.00
75 P	1,1,2,2-Tetrachloroethane	1.106	1.141	-3.2	90	0.00
76 T	1,2,3-Trichloropropane	0.902	0.961	-6.5	92	0.00
77 T	Bromobenzene	0.932	0.940	-0.9	90	0.00
78 T	n-propylbenzene	3.733	3.845	-3.0	89	0.00
79 T	2-Chlorotoluene	2.242	2.286	-2.0	89	0.00
80 T	1,3,5-Trimethylbenzene	2.823	2.877	-1.9	87	0.00
81 T	trans-1,4-Dichloro-2-butene	0.328	0.302	7.9	78	0.00
82 T	4-Chlorotoluene	2.610	2.672	-2.4	90	0.00
83 T	tert-Butylbenzene	2.773	2.869	-3.5	89	0.00
84 T	1,2,4-Trimethylbenzene	2.845	2.952	-3.8	89	0.00
85 T	sec-Butylbenzene	3.249	3.397	-4.6	89	0.00
86 T	p-Isopropyltoluene	3.004	3.135	-4.4	89	0.00
87 T	1,3-Dichlorobenzene	1.617	1.640	-1.4	89	0.00
88 T	1,4-Dichlorobenzene	1.659	1.637	1.3	87	0.00
89 T	n-Butylbenzene	2.570	2.713	-5.6	88	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX073019\
Data File : VX011215.D
Acq On : 30 Jul 2019 23:31
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jul 31 09:31:43 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X071619W.M
Quant Title : SW846 8260
QLast Update : Wed Jul 24 05:39:23 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.474	0.492	-3.8	87	0.00
91 T	1,2-Dichlorobenzene	1.603	1.647	-2.7	89	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.231	0.250	-8.2	91	0.00
93 T	1,2,4-Trichlorobenzene	1.086	1.132	-4.2	88	0.00
94 T	Hexachlorobutadiene	0.538	0.544	-1.1	88	0.00
95 T	Naphthalene	3.208	3.620	-12.8	94	0.00
96 T	1,2,3-Trichlorobenzene	1.081	1.166	-7.9	92	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6