

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX073024\
 Data File : VX042752.D
 Acq On : 30 Jul 2024 20:12
 Operator : JC/MD
 Sample : P3389-05
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 E20T7

Quant Time: Jul 31 03:21:08 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 31 03:10:58 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.756	114	142341	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	127625	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	48514	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.367	65	33597	38.851	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	77.700%		
7) Chloroethane-d5	1.648	69	15806	44.356	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	88.720%		
11) 1,1-Dichloroethene-d2	2.294	65	18861	44.266	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	88.540%		
21) 2-Butanone-d5	4.464	46	59187	92.345	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	92.340%		
24) Chloroform-d	5.062	84	85404	45.120	ug/L	0.01
Spiked Amount 50.000	Range 70 - 125		Recovery =	90.240%		
26) 1,2-Dichloroethane-d4	5.952	65	56530	46.292	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	92.580%		
32) Benzene-d6	5.970	84	166510	47.010	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	94.020%		
36) 1,2-Dichloropropane-d6	7.305	67	48716	46.472	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	92.940%		
41) Toluene-d8	8.646	98	145082	45.684	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	91.360%		
43) trans-1,3-Dichloroprop...	8.951	79	19800	40.361	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	80.720%		
47) 2-Hexanone-d5	9.384	63	43814	93.481	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	93.480%		
56) 1,1,2,2-Tetrachloroeth...	11.189	84	70853	46.942	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	93.880%		
66) 1,2-Dichlorobenzene-d4	12.323	152	45632	49.770	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	99.540%		
Target Compounds					Qvalue	
13) Acetone	2.391	43	2135	4.261	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX073024\
Data File : VX042752.D
Acq On : 30 Jul 2024 20:12
Operator : JC/MD
Sample : P3389-05
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
E20T7

Quant Time: Jul 31 03:21:08 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 31 03:10:58 2024
Response via : Initial Calibration

