

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX073124\
 Data File : VX042772.D
 Acq On : 31 Jul 2024 14:50
 Operator : JC/MD
 Sample : P3348-05
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VHBLK001

Quant Time: Aug 01 01:50:56 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 01 01:44:51 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	126845	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	118234	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	57863	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.367	65	24110	31.286	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	62.580%
7) Chloroethane-d5	1.648	69	14593	45.955	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.900%
11) 1,1-Dichloroethene-d2	2.294	65	14080	37.082	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.160%
21) 2-Butanone-d5	4.471	46	48613	85.113	ug/L	0.01
Spiked Amount	100.000	Range	40 - 130	Recovery	=	85.110%
24) Chloroform-d	5.056	84	72544	43.008	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.020%
26) 1,2-Dichloroethane-d4	5.952	65	49811	45.773	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.540%
32) Benzene-d6	5.970	84	147208	44.861	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.720%
36) 1,2-Dichloropropane-d6	7.312	67	43116	44.396	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	88.800%
41) Toluene-d8	8.647	98	136152	46.277	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.560%
43) trans-1,3-Dichloroprop...	8.951	79	19376	42.634	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.260%
47) 2-Hexanone-d5	9.384	63	39697	91.424	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.420%
56) 1,1,2,2-Tetrachloroeth...	11.189	84	68665	49.106	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.220%
66) 1,2-Dichlorobenzene-d4	12.323	152	55105	50.391	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.780%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX073124\
Data File : VX042772.D
Acq On : 31 Jul 2024 14:50
Operator : JC/MD
Sample : P3348-05
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VHBLK001

Quant Time: Aug 01 01:50:56 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 01 01:44:51 2024
Response via : Initial Calibration

