

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX073124\
 Data File : VX042781.D
 Acq On : 31 Jul 2024 18:21
 Operator : JC/MD
 Sample : P3398-06
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 E08K8

Quant Time: Aug 01 02:19:51 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 01 01:44:51 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	125026	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	113390	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	48007	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.367	65	31359	41.285	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	82.560%
7) Chloroethane-d5	1.648	69	14697	46.955	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.920%
11) 1,1-Dichloroethene-d2	2.294	65	16267	43.466	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.940%
21) 2-Butanone-d5	4.471	46	55043	97.773	ug/L	0.01
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.770%
24) Chloroform-d	5.062	84	77263	46.472	ug/L	0.01
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.940%
26) 1,2-Dichloroethane-d4	5.952	65	52798	49.224	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.440%
32) Benzene-d6	5.970	84	153589	48.806	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.620%
36) 1,2-Dichloropropane-d6	7.312	67	44581	47.866	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.740%
41) Toluene-d8	8.647	98	137345	48.677	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.360%
43) trans-1,3-Dichloroprop...	8.951	79	19063	43.737	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.480%
47) 2-Hexanone-d5	9.390	63	40369	96.944	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.940%
56) 1,1,2,2-Tetrachloroeth...	11.189	84	68018	50.722	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	101.440%
66) 1,2-Dichlorobenzene-d4	12.323	152	47900	52.796	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.600%
Target Compounds						
					Qvalue	
13) Acetone	2.398	43	1543	3.506	ug/L	93
38) Bromodichloromethane	7.836	83	1792	1.537	ug/L	90
49) Dibromochloromethane	9.531	129	2432	2.859	ug/L	74
59) Bromoform	10.811	173	776	1.440	ug/L #	83

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX073124\
Data File : VX042781.D
Acq On : 31 Jul 2024 18:21
Operator : JC/MD
Sample : P3398-06
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
E08K8

Quant Time: Aug 01 02:19:51 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 01 01:44:51 2024
Response via : Initial Calibration

