

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX073124\
 Data File : VX042783.D
 Acq On : 31 Jul 2024 19:08
 Operator : JC/MD
 Sample : P3361-22ME
 Misc : 10.57g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 E20Q2ME

Quant Time: Aug 01 02:20:19 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 01 01:44:51 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :John Carlone 08/01/2024
 Supervised By :Mahesh Dadoda 08/01/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.757	114	116378	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	106596	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	45719	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.398	65	29330m	41.483	ug/L	0.03
Spiked Amount	50.000	Range 60 - 135	Recovery	=	82.960%	
7) Chloroethane-d5	1.697	69	14752m	50.633	ug/L	0.05
Spiked Amount	50.000	Range 70 - 130	Recovery	=	101.260%	
11) 1,1-Dichloroethene-d2	2.270	65	11576	33.230	ug/L	-0.03
Spiked Amount	50.000	Range 60 - 125	Recovery	=	66.460%	
21) 2-Butanone-d5	4.495	46	50300m	95.987	ug/L	0.04
Spiked Amount	100.000	Range 40 - 130	Recovery	=	95.990%	
24) Chloroform-d	5.056	84	73082	47.224	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	94.440%	
26) 1,2-Dichloroethane-d4	5.952	65	52395	52.478	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	104.960%	
32) Benzene-d6	5.964	84	147322	49.798	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	99.600%	
36) 1,2-Dichloropropane-d6	7.306	67	43630	49.831	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	99.660%	
41) Toluene-d8	8.647	98	132343	49.894	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	99.780%	
43) trans-1,3-Dichloroprop...	8.952	79	18455	45.041	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	90.080%	
47) 2-Hexanone-d5	9.397	63	40319	102.995	ug/L	0.01
Spiked Amount	100.000	Range 45 - 130	Recovery	=	102.990%	
56) 1,1,2,2-Tetrachloroeth...	11.195	84	66880	53.052	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	106.100%	
66) 1,2-Dichlorobenzene-d4	12.323	152	50631	58.599	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	117.200%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX073124\
Data File : VX042783.D
Acq On : 31 Jul 2024 19:08
Operator : JC/MD
Sample : P3361-22ME
Misc : 10.57g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
E20Q2ME

Quant Time: Aug 01 02:20:19 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 01 01:44:51 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : John Carlone 08/01/2024
Supervised By : Mahesh Dadoda 08/01/2024

