

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX073124\
 Data File : VX042766.D
 Acq On : 31 Jul 2024 12:30
 Operator : JC/MD
 Sample : P3378-05
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 C0AZ7

Quant Time: Aug 01 01:49:23 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 01 01:44:51 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	112451	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	104040	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	48165	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	28168	41.231	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	82.460%		
7) Chloroethane-d5	1.648	69	14318	50.860	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	101.720%		
11) 1,1-Dichloroethene-d2	2.300	65	13780	40.938	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	81.880%		
21) 2-Butanone-d5	4.465	46	43751	86.406	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	86.410%		
24) Chloroform-d	5.056	84	67210	44.946	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	89.900%		
26) 1,2-Dichloroethane-d4	5.952	65	48364	50.132	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	100.260%		
32) Benzene-d6	5.970	84	132236	45.797	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	91.600%		
36) 1,2-Dichloropropane-d6	7.306	67	38304	44.822	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	89.640%		
41) Toluene-d8	8.647	98	125678	48.545	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	97.080%		
43) trans-1,3-Dichloroprop...	8.952	79	18919	47.308	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	94.620%		
47) 2-Hexanone-d5	9.384	63	36109	94.506	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	94.510%		
56) 1,1,2,2-Tetrachloroeth...	11.189	84	59358	48.242	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	96.480%		
66) 1,2-Dichlorobenzene-d4	12.323	152	49080	53.919	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	107.840%		
Target Compounds					Qvalue	
13) Acetone	2.392	43	1353	3.418	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX073124\
Data File : VX042766.D
Acq On : 31 Jul 2024 12:30
Operator : JC/MD
Sample : P3378-05
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
C0AZ7

Quant Time: Aug 01 01:49:23 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML072624WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 01 01:44:51 2024
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.418 ug/L
 RT: 2.392 min Scan# 21
 Delta R.T. 0.006 min
 Lab File: VX042766.D
 Acq: 31 Jul 2024 12:30

Instrument :
 MSVOA_X
 ClientSampleId :
 C0AZ7

Tgt Ion: 43 Resp: 1353
 Ion Ratio Lower Upper
 43 100
 58 30.7 0.0 62.4

