

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX073125\
 Data File : VX047190.D
 Acq On : 31 Jul 2025 09:52
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 01 01:45:01 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X072125W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 22 03:59:51 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	83	0.00
2 T	Dichlorodifluoromethane	0.664	0.646	2.7	70	0.00
3 P	Chloromethane	0.657	0.563	14.3	67	0.00
4 C	Vinyl Chloride	0.706	0.689	2.4#	73	0.00
5 T	Bromomethane	0.384	0.376	2.1	70	0.01
6 T	Chloroethane	0.464	0.402	13.4	71	0.00
7 T	Trichlorofluoromethane	1.053	1.029	2.3	74	0.00
8 T	Diethyl Ether	0.371	0.396	-6.7	84	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.634	0.634	0.0	78	0.00
10 T	Methyl Iodide	0.647	0.909	-40.5#	104	0.00
11 T	Tert butyl alcohol	0.080	0.078	2.5	88	0.00
12 CM	1,1-Dichloroethene	0.628	0.594	5.4#	73	0.00
13 T	Acrolein	0.134	0.111	17.2	67	0.00
14 T	Allyl chloride	1.136	1.059	6.8	71	0.00
15 T	Acrylonitrile	0.297	0.320	-7.7	81	0.00
16 T	Acetone	0.250	0.287	-14.8	95	0.00
17 T	Carbon Disulfide	1.818	1.535	15.6	66	0.00
18 T	Methyl Acetate	0.663	0.855	-29.0#	103	0.00
19 T	Methyl tert-butyl Ether	1.912	2.130	-11.4	86	0.00
20 T	Methylene Chloride	0.686	0.685	0.1	79	0.00
21 T	trans-1,2-Dichloroethene	0.643	0.624	3.0	74	0.00
22 T	Diisopropyl ether	2.184	2.331	-6.7	82	0.00
23 T	Vinyl Acetate	1.752	1.922	-9.7	82	0.00
24 P	1,1-Dichloroethane	1.214	1.215	-0.1	78	0.00
25 T	2-Butanone	0.363	0.398	-9.6	84	0.00
26 T	2,2-Dichloropropane	0.940	0.954	-1.5	81	0.00
27 T	cis-1,2-Dichloroethene	0.761	0.766	-0.7	79	0.00
28 T	Bromochloromethane	0.559	0.577	-3.2	79	0.00
29 T	Tetrahydrofuran	0.234	0.245	-4.7	79	0.00
30 C	Chloroform	1.236	1.258	-1.8#	81	0.00
31 T	Cyclohexane	1.164	1.051	9.7	72	0.00
32 T	1,1,1-Trichloroethane	1.074	1.061	1.2	78	0.00
33 S	1,2-Dichloroethane-d4	0.623	0.607	2.6	88	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	86	0.00
35 S	Dibromofluoromethane	0.309	0.303	1.9	88	-0.01
36 T	1,1-Dichloropropene	0.526	0.479	8.9	75	0.00
37 T	Ethyl Acetate	0.485	0.524	-8.0	88	0.00
38 T	Carbon Tetrachloride	0.562	0.529	5.9	76	0.00
39 T	Methylcyclohexane	0.657	0.599	8.8	73	0.00
40 TM	Benzene	1.523	1.474	3.2	77	0.00
41 T	Methacrylonitrile	0.254	0.254	0.0	75	0.00
42 TM	1,2-Dichloroethane	0.536	0.560	-4.5	83	-0.01
43 T	Isopropyl Acetate	0.756	0.838	-10.8	85	-0.01
44 TM	Trichloroethene	0.391	0.363	7.2	74	0.00
45 C	1,2-Dichloropropane	0.381	0.380	0.3#	80	0.00
46 T	Dibromomethane	0.267	0.280	-4.9	82	0.00
47 T	Bromodichloromethane	0.569	0.580	-1.9	80	0.00
48 T	Methyl methacrylate	0.412	0.429	-4.1	84	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX073125\
 Data File : VX047190.D
 Acq On : 31 Jul 2025 09:52
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 01 01:45:01 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X072125W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 22 03:59:51 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.005	0.005	0.0	88	0.06
50 S	Toluene-d8	1.000	0.878	12.2	81	0.00
51 T	4-Methyl-2-Pentanone	0.449	0.480	-6.9	83	0.00
52 CM	Toluene	0.936	0.905	3.3#	76	0.00
53 T	t-1,3-Dichloropropene	0.538	0.566	-5.2	82	0.00
54 T	cis-1,3-Dichloropropene	0.588	0.607	-3.2	80	0.00
55 T	1,1,2-Trichloroethane	0.351	0.364	-3.7	83	0.00
56 T	Ethyl methacrylate	0.520	0.582	-11.9	84	0.00
57 T	1,3-Dichloropropane	0.610	0.621	-1.8	81	0.00
58 T	2-Chloroethyl Vinyl ether	0.289	0.308	-6.6	82	0.00
59 T	2-Hexanone	0.297	0.330	-11.1	82	0.00
60 T	Dibromochloromethane	0.412	0.431	-4.6	83	0.00
61 T	1,2-Dibromoethane	0.367	0.371	-1.1	80	0.00
62 S	4-Bromofluorobenzene	0.431	0.404	6.3	85	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	84	0.00
64 T	Tetrachloroethene	0.360	0.334	7.2	74	0.00
65 PM	Chlorobenzene	1.171	1.146	2.1	78	0.00
66 T	1,1,1,2-Tetrachloroethane	0.394	0.406	-3.0	81	0.00
67 C	Ethyl Benzene	2.048	1.998	2.4#	76	0.00
68 T	m/p-Xylenes	0.766	0.741	3.3	76	0.00
69 T	o-Xylene	0.729	0.725	0.5	77	0.00
70 T	Styrene	1.250	1.265	-1.2	78	0.00
71 P	Bromoform	0.300	0.318	-6.0	82	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	82	0.00
73 T	Isopropylbenzene	3.945	4.043	-2.5	77	0.00
74 T	N-amyl acetate	1.592	1.733	-8.9	80	0.00
75 P	1,1,2,2-Tetrachloroethane	1.127	1.234	-9.5	84	0.00
76 T	1,2,3-Trichloropropane	0.925	1.022	-10.5	85	0.00
77 T	Bromobenzene	0.946	0.980	-3.6	79	0.00
78 T	n-propylbenzene	4.714	4.793	-1.7	77	0.00
79 T	2-Chlorotoluene	2.818	2.853	-1.2	77	0.00
80 T	1,3,5-Trimethylbenzene	3.259	3.348	-2.7	78	0.00
81 T	trans-1,4-Dichloro-2-butene	0.359	0.312	13.1	65	0.00
82 T	4-Chlorotoluene	3.289	3.353	-1.9	77	0.00
83 T	tert-Butylbenzene	3.271	3.410	-4.2	78	0.00
84 T	1,2,4-Trimethylbenzene	3.251	3.358	-3.3	77	0.00
85 T	sec-Butylbenzene	4.087	4.195	-2.6	78	0.00
86 T	p-Isopropyltoluene	3.389	3.524	-4.0	78	0.00
87 T	1,3-Dichlorobenzene	1.798	1.818	-1.1	78	0.00
88 T	1,4-Dichlorobenzene	1.821	1.795	1.4	78	0.00
89 T	n-Butylbenzene	3.178	3.332	-4.8	79	0.00
90 T	Hexachloroethane	0.606	0.643	-6.1	81	0.00
91 T	1,2-Dichlorobenzene	1.718	1.749	-1.8	79	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.216	0.244	-13.0	84	0.00
93 T	1,2,4-Trichlorobenzene	1.135	1.185	-4.4	79	0.00
94 T	Hexachlorobutadiene	0.386	0.412	-6.7	83	0.00
95 T	Naphthalene	3.328	3.669	-10.2	80	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX073125\
Data File : VX047190.D
Acq On : 31 Jul 2025 09:52
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Aug 01 01:45:01 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X072125W.M
Quant Title : SW846 8260
QLast Update : Tue Jul 22 03:59:51 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	1.094	1.136	-3.8	80	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6