

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX080119\
 Data File : VX011265.D
 Acq On : 01 Aug 2019 17:23
 Operator : JC/SP
 Sample : VSTDICV050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 ICVVX080119

Quant Time: Aug 02 02:14:58 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X080119W.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 02 01:55:00 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	110	0.00
2 T	Dichlorodifluoromethane	0.386	0.399	-3.4	115	0.00
3 P	Chloromethane	0.434	0.421	3.0	110	0.00
4 C	Vinyl Chloride	0.477	0.476	0.2#	110	0.00
5 T	Bromomethane	0.340	0.340	0.0	112	0.00
6 T	Chloroethane	0.335	0.310	7.5	108	0.00
7 T	Trichlorofluoromethane	0.848	0.873	-2.9	111	0.00
8 T	Diethyl Ether	0.303	0.296	2.3	111	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.459	0.454	1.1	110	0.00
10 T	Methyl Iodide	0.579	0.530	8.5	92	0.00
11 T	Tert butyl alcohol	0.106	0.112	-5.7	119	0.00
12 CM	1,1-Dichloroethene	0.455	0.446	2.0#	109	0.00
13 T	Acrolein	0.066	0.061	7.6	109	0.00
14 T	Allyl chloride	0.606	0.643	-6.1	111	0.00
15 T	Acrylonitrile	0.240	0.246	-2.5	109	0.00
16 T	Acetone	0.240	0.223	7.1	104	0.00
17 T	Carbon Disulfide	1.068	1.126	-5.4	113	0.00
18 T	Methyl Acetate	0.548	0.550	-0.4	112	0.00
19 T	Methyl tert-butyl Ether	1.341	1.385	-3.3	111	0.00
20 T	Methylene Chloride	0.525	0.493	6.1	108	0.00
21 T	trans-1,2-Dichloroethene	0.481	0.479	0.4	108	0.00
22 T	Diisopropyl ether	1.333	1.351	-1.4	112	0.00
23 T	Vinyl Acetate	1.106	1.207	-9.1	112	0.00
24 P	1,1-Dichloroethane	0.786	0.778	1.0	109	0.00
25 T	2-Butanone	0.341	0.346	-1.5	108	0.00
26 T	2,2-Dichloropropane	0.611	0.641	-4.9	112	0.00
27 T	cis-1,2-Dichloroethene	0.554	0.552	0.4	112	0.00
28 T	Bromochloromethane	0.358	0.347	3.1	112	0.00
29 T	Tetrahydrofuran	0.209	0.213	-1.9	108	0.00
30 C	Chloroform	0.854	0.851	0.4#	111	0.00
31 T	Cyclohexane	0.648	0.674	-4.0	113	0.00
32 T	1,1,1-Trichloroethane	0.732	0.752	-2.7	111	0.00
33 S	1,2-Dichloroethane-d4	0.504	0.496	1.6	114	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	111	0.00
35 S	Dibromofluoromethane	0.326	0.315	3.4	111	0.00
36 T	1,1-Dichloropropene	0.437	0.423	3.2	109	0.00
37 T	Ethyl Acetate	0.438	0.438	0.0	112	0.00
38 T	Carbon Tetrachloride	0.439	0.457	-4.1	112	0.00
39 T	Methylcyclohexane	0.517	0.508	1.7	111	0.00
40 TM	Benzene	1.303	1.296	0.5	109	0.00
41 T	Methacrylonitrile	0.239	0.232	2.9	106	0.00
42 TM	1,2-Dichloroethane	0.441	0.438	0.7	112	0.00
43 T	Isopropyl Acetate	0.700	0.706	-0.9	112	0.00
44 TM	Trichloroethene	0.394	0.382	3.0	108	0.00
45 C	1,2-Dichloropropane	0.337	0.319	5.3#	106	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX080119\
 Data File : VX011265.D
 Acq On : 01 Aug 2019 17:23
 Operator : JC/SP
 Sample : VSTDICV050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 ICVVX080119

Quant Time: Aug 02 02:14:58 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X080119W.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 02 01:55:00 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.246	0.238	3.3	110	0.00
47 T	Bromodichloromethane	0.417	0.431	-3.4	112	0.00
48 T	Methyl methacrylate	0.329	0.339	-3.0	112	0.00
49 T	1,4-Dioxane	0.010	0.010	0.0	110	0.00
50 S	Toluene-d8	1.232	1.186	3.7	111	0.00
51 T	4-Methyl-2-Pentanone	0.452	0.469	-3.8	110	0.00
52 CM	Toluene	0.861	0.856	0.6#	109	0.00
53 T	t-1,3-Dichloropropene	0.423	0.472	-11.6	113	0.00
54 T	cis-1,3-Dichloropropene	0.487	0.519	-6.6	110	0.00
55 T	1,1,2-Trichloroethane	0.354	0.358	-1.1	111	0.00
56 T	Ethyl methacrylate	0.505	0.531	-5.1	112	0.00
57 T	1,3-Dichloropropane	0.560	0.558	0.4	111	0.00
58 T	2-Chloroethyl Vinyl ether	0.248	0.248	0.0	108	0.00
59 T	2-Hexanone	0.350	0.372	-6.3	110	0.00
60 T	Dibromochloromethane	0.363	0.390	-7.4	113	0.00
61 T	1,2-Dibromoethane	0.383	0.387	-1.0	110	0.00
62 S	4-Bromofluorobenzene	0.440	0.447	-1.6	115	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	113	0.00
64 T	Tetrachloroethene	0.425	0.399	6.1	108	0.00
65 PM	Chlorobenzene	1.072	1.045	2.5	110	0.00
66 T	1,1,1,2-Tetrachloroethane	0.367	0.383	-4.4	110	0.00
67 C	Ethyl Benzene	1.795	1.813	-1.0#	111	0.00
68 T	m/p-Xylenes	0.694	0.706	-1.7	109	0.00
69 T	o-Xylene	0.682	0.672	1.5	108	0.00
70 T	Styrene	1.129	1.171	-3.7	109	0.00
71 P	Bromoform	0.285	0.315	-10.5	111	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	112	0.00
73 T	Isopropylbenzene	3.420	3.407	0.4	109	0.00
74 T	N-amyl acetate	1.236	1.348	-9.1	112	0.00
75 P	1,1,2,2-Tetrachloroethane	1.140	1.129	1.0	109	0.00
76 T	1,2,3-Trichloropropane	0.911	0.928	-1.9	109	0.00
77 T	Bromobenzene	0.948	0.928	2.1	108	0.00
78 T	n-propylbenzene	3.803	3.851	-1.3	110	0.00
79 T	2-Chlorotoluene	2.267	2.237	1.3	110	0.00
80 T	1,3,5-Trimethylbenzene	2.863	2.878	-0.5	110	0.00
81 T	trans-1,4-Dichloro-2-butene	0.312	0.332	-6.4	111	0.00
82 T	4-Chlorotoluene	2.642	2.645	-0.1	110	0.00
83 T	tert-Butylbenzene	2.808	2.842	-1.2	110	0.00
84 T	1,2,4-Trimethylbenzene	2.850	2.915	-2.3	109	0.00
85 T	sec-Butylbenzene	3.373	3.408	-1.0	110	0.00
86 T	p-Isopropyltoluene	3.103	3.154	-1.6	109	0.00
87 T	1,3-Dichlorobenzene	1.675	1.685	-0.6	110	0.00
88 T	1,4-Dichlorobenzene	1.728	1.698	1.7	109	0.00
89 T	n-Butylbenzene	2.674	2.742	-2.5	109	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX080119\
Data File : VX011265.D
Acq On : 01 Aug 2019 17:23
Operator : JC/SP
Sample : VSTDICV050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
ICVVX080119

Quant Time: Aug 02 02:14:58 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X080119W.M
Quant Title : SW846 8260
QLast Update : Fri Aug 02 01:55:00 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.459	0.487	-6.1	108	0.00
91 T	1,2-Dichlorobenzene	1.683	1.672	0.7	109	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.221	0.245	-10.9	116	0.00
93 T	1,2,4-Trichlorobenzene	1.116	1.145	-2.6	109	0.00
94 T	Hexachlorobutadiene	0.566	0.572	-1.1	110	0.00
95 T	Naphthalene	3.265	3.493	-7.0	110	0.00
96 T	1,2,3-Trichlorobenzene	1.135	1.126	0.8	107	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6