

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX080421\
 Data File : VX023532.D
 Acq On : 04 Aug 2021 10:03
 Operator : JC/MD
 Sample : VSTDCCC020
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC020

Quant Time: Aug 05 05:16:45 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\624X080321W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Tue Aug 03 12:05:42 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	95	0.00
2 M	Dichlorodifluoromethane	1.772	1.690	4.6	94	0.00
3 M	Chloromethane	1.999	1.939	3.0	95	0.00
4 M	Vinyl Chloride	2.000	1.877	6.2	95	0.00
5 M	Bromomethane	1.173	1.342	-14.4	100	0.00
6 M	Chloroethane	1.252	1.207	3.6	98	0.00
7 M	Trichlorofluoromethane	3.229	3.048	5.6	95	0.00
8 T	Diethyl Ether	1.151	1.138	1.1	101	0.00
9	1,1,2-Trichlorotrifluoroeth	1.804	1.718	4.8	96	0.00
10 M	1,1-Dichloroethene	1.738	1.616	7.0	95	0.00
11	Methyl Iodide	2.442	2.251	7.8	99	0.00
12	Methyl Acetate	2.592	2.559	1.3	99	0.00
13 M	Acrolein	0.285	0.295	-3.5	112	0.00
14 M	Acrylonitrile	1.147	1.138	0.8	99	0.00
15 M	Acetone	0.348	0.349	-0.3	87	0.00
16 M	Carbon Disulfide	4.288	3.919	8.6	97	0.00
17	Allyl chloride	3.212	3.046	5.2	98	0.00
18 M	Methylene Chloride	2.044	2.079	-1.7	103	0.00
19 M	trans-1,2-Dichloroethene	1.860	1.748	6.0	97	0.00
20 T	Diisopropyl ether	6.413	6.238	2.7	98	0.00
21 M	1,1-Dichloroethane	3.493	3.389	3.0	99	0.00
22 M	cis-1,2-Dichloroethene	2.165	2.103	2.9	99	0.00
23 M	tert-Butyl Alcohol	0.520	0.526	-1.2	99	0.00
24 M	Methyl tert-Butyl Ether	6.097	6.049	0.8	101	0.00
25 M	Chloroform	3.583	3.464	3.3	99	0.00
26	Cyclohexane	3.172	3.002	5.4	96	0.00
27 s	1,2-Dichloroethane-d4	2.320	2.307	0.6	96	0.00
28 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
29	1,1-Dichloropropene	0.467	0.460	1.5	101	0.00
30 M	2-Butanone	0.313	0.317	-1.3	94	0.00
31	2,2-Dichloropropane	0.528	0.503	4.7	94	0.00
32 M	1,1,1-Trichloroethane	0.565	0.540	4.4	95	0.00
33 M	Carbon Tetrachloride	0.492	0.473	3.9	97	0.00
34 M	Benzene	1.409	1.378	2.2	96	0.00
35	Methacrylonitrile	0.315	0.315	0.0	102	0.00
36 M	1,2-Dichloroethane	0.538	0.544	-1.1	100	0.00
37 M	Trichloroethene	0.383	0.375	2.1	99	0.00
38	Methylcyclohexane	0.594	0.580	2.4	99	0.00
39 M	1,2-Dichloropropane	0.369	0.360	2.4	97	0.00
40	Dibromomethane	0.261	0.265	-1.5	100	0.00
41 M	Bromodichloromethane	0.475	0.461	2.9	100	0.00
42 M	Vinyl Acetate	1.020	1.045	-2.5	100	0.00
43	Ethyl Acetate	0.581	0.608	-4.6	101	0.00
44	Isopropyl Acetate	0.925	0.925	0.0	100	0.00
45 T	1,4-Dioxane	0.010	0.010	0.0	100	0.00
46	Methyl methacrylate	0.446	0.449	-0.7	101	0.00
47	n-amyl Acetate	0.787	0.786	0.1	101	0.00
48 M	t-1,3-Dichloropropene	0.554	0.543	2.0	102	0.00
49 T	cis-1,3-Dichloropropene	0.588	0.561	4.6	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX080421\
 Data File : VX023532.D
 Acq On : 04 Aug 2021 10:03
 Operator : JC/MD
 Sample : VSTDCCC020
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC020

Quant Time: Aug 05 05:16:45 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\624X080321W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Tue Aug 03 12:05:42 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
50 M	1,1,2-Trichloroethane	0.378	0.388	-2.6	103	0.00
51	Ethyl methacrylate	0.595	0.585	1.7	102	0.00
52	1,3-Dichloropropane	0.620	0.633	-2.1	101	0.00
53 M	Dibromochloromethane	0.380	0.363	4.5	101	0.00
54 M	1,2-Dibromoethane	0.400	0.412	-3.0	103	0.00
55 M	2-Chloroethyl vinyl ether	0.297	0.293	1.3	99	0.00
56 M	Bromoform	0.272	0.262	3.7	102	0.00
57 I	Chlorobenzene-d5	1.000	1.000	0.0	99	0.00
58 M	4-Methyl-2-Pentanone	0.647	0.652	-0.8	98	0.00
59 M	2-Hexanone	0.502	0.515	-2.6	98	0.00
60 S	4-Bromofluorobenzene	0.491	0.484	1.4	100	0.00
61 M	Tetrachloroethene	0.403	0.418	-3.7	103	0.00
62 M	Toluene	1.692	1.646	2.7	98	0.00
63 S	Toluene-d8	1.350	1.342	0.6	96	0.00
64 M	Chlorobenzene	1.071	1.058	1.2	100	0.00
65	1,1,1,2-Tetrachloroethane	0.396	0.383	3.3	101	0.00
66 M	Ethyl Benzene	1.873	1.826	2.5	101	0.00
67 M	m/p-Xylenes	0.724	0.698	3.6	99	0.00
68 M	o-Xylene	0.714	0.694	2.8	100	0.00
69 M	Styrene	1.177	1.131	3.9	100	0.00
70	Isopropylbenzene	1.878	1.827	2.7	101	0.00
71 M	1,1,2,2-Tetrachloroethane	0.601	0.605	-0.7	100	0.00
72	1,2,3-Trichloropropane	0.565	0.586	-3.7	101	0.00
73	Bromobenzene	0.457	0.457	0.0	103	0.00
74	n-propylbenzene	2.174	2.114	2.8	102	0.00
75	2-Chlorotoluene	1.298	1.259	3.0	101	0.00
76	1,3,5-Trimethylbenzene	1.557	1.519	2.4	101	0.00
77	t-1,4-Dichloro-2-butene	0.202	0.193	4.5	101	0.00
78	4-Chlorotoluene	1.466	1.400	4.5	100	0.00
79	tert-butylbenzene	1.513	1.476	2.4	102	0.00
80	1,2,4-Trimethylbenzene	1.543	1.510	2.1	100	0.00
81	sec-Butylbenzene	1.937	1.852	4.4	100	0.00
82	p-Isopropyltoluene	1.592	1.542	3.1	102	0.00
83 M	1,3-Dichlorobenzene	0.828	0.802	3.1	101	0.00
84 M	1,4-Dichlorobenzene	0.818	0.796	2.7	103	0.00
85	n-Butylbenzene	1.408	1.368	2.8	104	0.00
86 T	Hexachloroethane	0.259	0.234	9.7	101	0.00
87 M	1,2-Dichlorobenzene	0.799	0.778	2.6	100	0.00
88	1,2-Dibromo-3-Chloropropane	0.132	0.114	13.6	98	0.00
89	1,2,4-Trichlorobenzene	0.494	0.473	4.3	105	0.00
90	Hexachlorobutadiene	0.222	0.217	2.3	102	0.00
91 M	Naphthalene	1.697	1.632	3.8	103	0.00
92	1,2,3-Trichlorobenzene	0.497	0.475	4.4	103	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0