

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX080520\
 Data File : VX017787.D
 Acq On : 05 Aug 2020 09:54
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 06 02:40:23 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X072320W.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 24 05:48:09 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	93	0.00
2 T	Dichlorodifluoromethane	0.523	0.437	16.4	86	0.00
3 P	Chloromethane	0.663	0.533	19.6	80	0.00
4 C	Vinyl Chloride	0.629	0.530	15.7#	82	0.00
5 T	Bromomethane	0.365	0.307	15.9	79	0.00
6 T	Chloroethane	0.380	0.333	12.4	86	0.00
7 T	Trichlorofluoromethane	0.990	0.904	8.7	90	0.00
8 T	Diethyl Ether	0.358	0.317	11.5	86	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.543	0.495	8.8	86	0.00
10 T	Methyl Iodide	0.695	0.581	16.4	74	0.00
11 T	Tert butyl alcohol	0.135	0.132	2.2	83	0.00
12 CM	1,1-Dichloroethene	0.516	0.453	12.2#	82	0.00
13 T	Acrolein	0.094	0.080	14.9	68	0.00
14 T	Allyl chloride	0.943	0.905	4.0	86	0.00
15 T	Acrylonitrile	0.292	0.320	-9.6	94	0.00
16 T	Acetone	0.283	0.291	-2.8	94	0.00
17 T	Carbon Disulfide	1.570	1.252	20.3#	76	0.00
18 T	Methyl Acetate	0.666	0.759	-14.0	99	0.00
19 T	Methyl tert-butyl Ether	1.788	1.780	0.4	90	0.00
20 T	Methylene Chloride	0.622	0.544	12.5	86	0.00
21 T	trans-1,2-Dichloroethene	0.553	0.528	4.5	89	0.00
22 T	Diisopropyl ether	1.724	1.676	2.8	93	0.00
23 T	Vinyl Acetate	1.537	1.548	-0.7	92	0.00
24 P	1,1-Dichloroethane	0.993	0.987	0.6	98	0.00
25 T	2-Butanone	0.402	0.436	-8.5	98	0.00
26 T	2,2-Dichloropropane	0.889	0.876	1.5	96	0.00
27 T	cis-1,2-Dichloroethene	0.601	0.574	4.5	92	0.00
28 T	Bromochloromethane	0.450	0.466	-3.6	100	0.00
29 T	Tetrahydrofuran	0.249	0.289	-16.1	101	0.00
30 C	Chloroform	1.015	1.084	-6.8#	104	-0.01
31 T	Cyclohexane	0.792	0.733	7.4	89	-0.01
32 T	1,1,1-Trichloroethane	0.957	0.933	2.5	94	0.00
33 S	1,2-Dichloroethane-d4	0.642	0.661	-3.0	92	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	90	0.00
35 S	Dibromofluoromethane	0.334	0.347	-3.9	91	0.00
36 T	1,1-Dichloropropene	0.480	0.472	1.7	92	0.00
37 T	Ethyl Acetate	0.525	0.593	-13.0	94	0.00
38 T	Carbon Tetrachloride	0.582	0.575	1.2	93	0.00
39 T	Methylcyclohexane	0.560	0.522	6.8	90	0.00
40 TM	Benzene	1.375	1.346	2.1	89	0.00
41 T	Methacrylonitrile	0.301	0.343	-14.0	102	0.00
42 TM	1,2-Dichloroethane	0.562	0.602	-7.1	96	0.00
43 T	Isopropyl Acetate	0.866	0.876	-1.2	80	0.00
44 TM	Trichloroethene	0.402	0.417	-3.7	96	0.00
45 C	1,2-Dichloropropane	0.381	0.366	3.9#	95	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX080520\
 Data File : VX017787.D
 Acq On : 05 Aug 2020 09:54
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 06 02:40:23 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X072320W.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 24 05:48:09 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.269	0.283	-5.2	103	0.00
47 T	Bromodichloromethane	0.542	0.612	-12.9	105	0.00
48 T	Methyl methacrylate	0.429	0.451	-5.1	96	0.00
49 T	1,4-Dioxane	0.008	0.008	0.0	87	0.00
50 S	Toluene-d8	1.206	1.202	0.3	88	0.00
51 T	4-Methyl-2-Pentanone	0.517	0.587	-13.5	95	0.00
52 CM	Toluene	0.882	0.889	-0.8#	93	0.00
53 T	t-1,3-Dichloropropene	0.607	0.627	-3.3	90	0.00
54 T	cis-1,3-Dichloropropene	0.619	0.624	-0.8	91	0.00
55 T	1,1,2-Trichloroethane	0.367	0.390	-6.3	93	0.00
56 T	Ethyl methacrylate	0.553	0.592	-7.1	89	0.00
57 T	1,3-Dichloropropane	0.605	0.643	-6.3	92	0.00
58 T	2-Chloroethyl Vinyl ether	0.292	0.288	1.4	84	0.00
59 T	2-Hexanone	0.389	0.423	-8.7	88	0.00
60 T	Dibromochloromethane	0.467	0.474	-1.5	89	0.00
61 T	1,2-Dibromoethane	0.391	0.415	-6.1	89	0.00
62 S	4-Bromofluorobenzene	0.483	0.498	-3.1	97	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	91	0.00
64 T	Tetrachloroethene	0.449	0.454	-1.1	96	0.00
65 PM	Chlorobenzene	1.082	1.065	1.6	91	0.00
66 T	1,1,1,2-Tetrachloroethane	0.437	0.434	0.7	92	0.00
67 C	Ethyl Benzene	1.807	1.828	-1.2#	92	0.00
68 T	m/p-Xylenes	0.700	0.766	-9.4	98	0.00
69 T	o-Xylene	0.673	0.712	-5.8	95	0.00
70 T	Styrene	1.145	1.259	-10.0	95	0.00
71 P	Bromoform	0.378	0.385	-1.9	89	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	95	0.00
73 T	Isopropylbenzene	3.430	3.792	-10.6	103	0.00
74 T	N-amyl acetate	1.524	1.650	-8.3	93	0.00
75 P	1,1,2,2-Tetrachloroethane	1.071	1.126	-5.1	103	0.00
76 T	1,2,3-Trichloropropane	1.029	1.091	-6.0	98	0.00
77 T	Bromobenzene	0.960	0.962	-0.2	94	0.00
78 T	n-propylbenzene	3.869	4.223	-9.1	103	0.00
79 T	2-Chlorotoluene	2.396	2.382	0.6	95	0.00
80 T	1,3,5-Trimethylbenzene	2.929	2.947	-0.6	92	0.00
81 T	trans-1,4-Dichloro-2-butene	0.408	0.428	-4.9	97	0.00
82 T	4-Chlorotoluene	2.827	2.821	0.2	93	0.00
83 T	tert-Butylbenzene	2.802	2.798	0.1	91	0.00
84 T	1,2,4-Trimethylbenzene	2.913	2.898	0.5	89	0.00
85 T	sec-Butylbenzene	3.264	3.290	-0.8	92	0.00
86 T	p-Isopropyltoluene	3.109	3.127	-0.6	91	0.00
87 T	1,3-Dichlorobenzene	1.649	1.603	2.8	90	0.00
88 T	1,4-Dichlorobenzene	1.708	1.627	4.7	91	0.00
89 T	n-Butylbenzene	2.770	2.750	0.7	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX080520\
Data File : VX017787.D
Acq On : 05 Aug 2020 09:54
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Aug 06 02:40:23 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X072320W.M
Quant Title : SW846 8260
QLast Update : Fri Jul 24 05:48:09 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.613	0.612	0.2	94	0.00
91 T	1,2-Dichlorobenzene	1.621	1.560	3.8	93	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.296	0.286	3.4	94	0.00
93 T	1,2,4-Trichlorobenzene	1.106	1.161	-5.0	94	0.00
94 T	Hexachlorobutadiene	0.509	0.446	12.4	79	0.00
95 T	Naphthalene	3.302	3.603	-9.1	92	0.00
96 T	1,2,3-Trichlorobenzene	1.092	1.130	-3.5	92	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6