

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX080822\
 Data File : VX030512.D
 Acq On : 08 Aug 2022 15:05
 Operator : JC/MD
 Sample : VIBLK663
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VIBLK663

Quant Time: Aug 09 01:06:03 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML080422WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 09 00:14:16 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.769	114	268319	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	235050	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	103911	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	61360	35.610	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	71.220%
7) Chloroethane-d5	1.666	69	51188	42.141	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.280%
11) 1,1-Dichloroethene-d2	2.306	63	94778	29.078	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	58.160%#
21) 2-Butanone-d5	4.471	46	157623	98.728	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.730%
24) Chloroform-d	5.068	84	149458	42.136	ug/L	0.01
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.280%
26) 1,2-Dichloroethane-d4	5.964	65	107456	44.616	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.240%
32) Benzene-d6	5.976	84	293067	43.527	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.060%
36) 1,2-Dichloropropane-d6	7.312	67	94746	43.373	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	86.740%
41) Toluene-d8	8.653	98	253631	39.964	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	79.920%#
43) trans-1,3-Dichloroprop...	8.952	79	42265	38.892	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.780%
47) 2-Hexanone-d5	9.391	63	102353	91.923	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.920%
56) 1,1,2,2-Tetrachloroeth...	11.195	84	125795	43.836	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	87.680%
66) 1,2-Dichlorobenzene-d4	12.323	152	93419	46.351	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.700%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX080822\
Data File : VX030512.D
Acq On : 08 Aug 2022 15:05
Operator : JC/MD
Sample : VIBLK663
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VIBLK663

Quant Time: Aug 09 01:06:03 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML080422WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 09 00:14:16 2022
Response via : Initial Calibration

