

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX081020\
 Data File : VX017848.D
 Acq On : 10 Aug 2020 14:24
 Operator : JC/SP
 Sample : L3675-18
 Misc : 25.0mL/MSVOA X/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 GAYB9

Quant Time: Aug 11 07:50:16 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR080720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Aug 11 07:12:14 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.84	114	299680	5.00	ug/L	0.00
28) Chlorobenzene-d5	10.10	117	266343	5.00	ug/L	0.00
61) 1,4-Dichlorobenzene-d4	12.06	152	128748	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	79638	3.84	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	76.80%
7) Chloroethane-d5	1.69	69	76217	4.64	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	92.80%
11) 1,1-Dichloroethene-d2	2.34	63	112960	2.65	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	53.00%#
20) 2-Butanone-d5	4.54	46	311782	56.69	ug/L	0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	113.38%
24) Chloroform-d	5.14	84	197995	4.71	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.20%
26) 1,2-Dichloroethane-d4	6.03	65	118123	5.12	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.40%
32) Benzene-d6	6.05	84	340347	4.66	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.20%
36) 1,2-Dichloropropane-d6	7.37	67	113185	5.01	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.20%
41) Toluene-d8	8.70	98	274459	3.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	78.80%
45) trans-1,3-Dichloropropene-	8.99	79	45608	4.66	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	93.20%
48) 2-Hexanone-d5	9.43	63	244462	60.09	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	120.18%
59) 1,1,2,2-Tetrachloroethane-	11.23	84	89782	5.22	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.40%
65) 1,2-Dichlorobenzene-d4	12.36	152	127692	5.15	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.00%


Target Compounds					Ovalue
13) Acetone	2.42	43	17004	4.232 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX081020\
Data File : VX017848.D
Acq On : 10 Aug 2020 14:24
Operator : JC/SP
Sample : L3675-18
Misc : 25.0mL/MSVOA X/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GAYB9

Quant Time: Aug 11 07:50:16 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR080720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Aug 11 07:12:14 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.232 ug/L
 RT: 2.42 min Scan# 219
 Delta R.T. -0.00 min
 Lab File: VX017848.D
 Acq: 10 Aug 2020 14:24

Instrument :
 MSVOA_X
 ClientSampleId :
 GAYB9

Tot Ion: 43 Resp: 17004
 Ion Ratio Lower Upper
 43 100
 58 28.7 0.0 60.8

