

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX081121\
 Data File : VX023656.D
 Acq On : 11 Aug 2021 18:03
 Operator : JC/MD
 Sample : M3364-06
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 DBK88

Quant Time: Aug 12 01:29:28 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML081121WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 11 12:02:06 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.769	114	311989	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	283720	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	122376	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	75717	46.561	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	93.120%		
7) Chloroethane-d5	1.666	69	66193	49.550	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	99.100%		
11) 1,1-Dichloroethene-d2	2.307	63	127494	36.093	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	72.180%		
21) 2-Butanone-d5	4.465	46	161979	103.317	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	103.320%		
24) Chloroform-d	5.068	84	174608	47.419	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	94.840%		
26) 1,2-Dichloroethane-d4	5.964	65	121695	48.212	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	96.420%		
32) Benzene-d6	5.983	84	361362	50.560	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	101.120%		
36) 1,2-Dichloropropane-d6	7.318	67	113851	50.627	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	101.260%		
41) Toluene-d8	8.653	98	331738	48.195	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	96.400%		
43) trans-1,3-Dichloroprop...	8.952	79	47611	44.739	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	89.480%		
47) 2-Hexanone-d5	9.391	63	114393	105.807	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	105.810%		
56) 1,1,2,2-Tetrachloroeth...	11.195	84	147177	49.129	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	98.260%		
66) 1,2-Dichlorobenzene-d4	12.323	152	110464	51.439	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	102.880%		
Target Compounds					Qvalue	
13) Acetone	2.392	43	6566	4.757	ug/L	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX081121\
Data File : VX023656.D
Acq On : 11 Aug 2021 18:03
Operator : JC/MD
Sample : M3364-06
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
DBK88

Quant Time: Aug 12 01:29:28 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML081121WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 11 12:02:06 2021
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.757 ug/L
 RT: 2.392 min Scan# 214
 Delta R.T. 0.006 min
 Lab File: VX023656.D
 Acq: 11 Aug 2021 18:03

Instrument :
 MSVOA_X
 ClientSampleId :
 DBK88

Tgt Ion: 43 Resp: 6566
 Ion Ratio Lower Upper
 43 100
 58 27.2 0.0 68.2

