

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX081221\
 Data File : VX023668.D
 Acq On : 12 Aug 2021 12:40
 Operator : JC/MD
 Sample : M3364-10
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 DBK94

Quant Time: Aug 13 01:02:37 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML081121WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 13 01:00:38 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.769	114	287499	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	263199	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	113995	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	69132	46.133	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	92.260%		
7) Chloroethane-d5	1.666	69	60685	49.296	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	98.600%		
11) 1,1-Dichloroethene-d2	2.307	63	117950	36.236	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	72.480%		
21) 2-Butanone-d5	4.465	46	154522	106.956	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	106.960%		
24) Chloroform-d	5.068	84	162929	48.016	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	96.040%		
26) 1,2-Dichloroethane-d4	5.964	65	114250	49.118	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	98.240%		
32) Benzene-d6	5.983	84	333366	50.280	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	100.560%		
36) 1,2-Dichloropropane-d6	7.312	67	104343	50.017	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	100.040%		
41) Toluene-d8	8.653	98	307120	48.097	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	96.200%		
43) trans-1,3-Dichloroprop...	8.952	79	41114	41.646	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	83.300%		
47) 2-Hexanone-d5	9.391	63	107993	107.675	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	107.680%		
56) 1,1,2,2-Tetrachloroeth...	11.195	84	141935	51.074	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	102.140%		
66) 1,2-Dichlorobenzene-d4	12.323	152	103926	51.953	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	103.900%		
Target Compounds					Qvalue	
13) Acetone	2.386	43	2838	2.231	ug/L	98
18) Methyl tert-butyl Ether	3.130	73	5313	0.926	ug/L #	93
61) 1,2,3-Trichloropropane	12.024	75	14141	6.167	ug/L #	67
71) Naphthalene	13.780	128	32897	4.723	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX081221\
Data File : VX023668.D
Acq On : 12 Aug 2021 12:40
Operator : JC/MD
Sample : M3364-10
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
DBK94


Quant Time: Aug 13 01:02:37 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML081121WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 13 01:00:38 2021
Response via : Initial Calibration








#13
Acetone
Concen: 2.231 ug/L
RT: 2.386 min Scan# 213
Delta R.T. 0.000 min
Lab File: VX023668.D
Acq: 12 Aug 2021 12:40

Instrument :
MSVOA_X
ClientSampled :
DBK94







Tgt Ion: 43 Resp: 2838
Ion Ratio Lower Upper
43 100
58 33.2 0.0 68.2



#18
Methyl tert-butyl Ether
Concen: 0.926 ug/L
RT: 3.130 min Scan# 335
Delta R.T. 0.006 min
Lab File: VX023668.D
Acq: 12 Aug 2021 12:40

Tgt Ion: 73 Resp: 5313
Ion Ratio Lower Upper
73 100
43 24.6 15.1 22.7#
57 22.6 17.4 26.2









#61
1,2,3-Trichloropropane
Concen: 6.167 ug/L
RT: 12.024 min Scan# 1794
Delta R.T. 0.781 min
Lab File: VX023668.D
Acq: 12 Aug 2021 12:40

Instrument :
MSVOA_X
ClientSampled :
DBK94

Tgt Ion: 75 Resp: 14141
Ion Ratio Lower Upper
75 100
77 33.3 26.2 39.2
110 3.2 31.8 47.8#



#71
Naphthalene
Concen: 4.723 ug/L
RT: 13.780 min Scan# 2082
Delta R.T. 0.000 min
Lab File: VX023668.D
Acq: 12 Aug 2021 12:40

Tgt Ion: 128 Resp: 32897
Ion Ratio Lower Upper
128 100
127 13.0 10.2 15.2
129 10.5 8.6 13.0

