

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX081221\
 Data File : VX023671.D
 Acq On : 12 Aug 2021 13:51
 Operator : JC/MD
 Sample : M3364-13
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 DBK97

Quant Time: Aug 13 01:03:04 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML081121WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 13 01:00:38 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.769	114	309617	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	286076	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	126712	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.367	65	64851	40.185	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	80.360%
7) Chloroethane-d5	1.666	69	57754	43.564	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.120%
11) 1,1-Dichloroethene-d2	2.306	63	113536	32.388	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.780%
21) 2-Butanone-d5	4.464	46	151537	97.397	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.400%
24) Chloroform-d	5.068	84	158604	43.403	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.800%
26) 1,2-Dichloroethane-d4	5.964	65	113216	45.196	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.400%
32) Benzene-d6	5.982	84	323037	44.826	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.660%
36) 1,2-Dichloropropane-d6	7.318	67	103919	45.830	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	91.660%
41) Toluene-d8	8.653	98	297278	42.833	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.660%
43) trans-1,3-Dichloroprop...	8.951	79	43323	40.375	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.740%
47) 2-Hexanone-d5	9.390	63	106311	97.521	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	97.520%
56) 1,1,2,2-Tetrachloroeth...	11.195	84	144043	47.687	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.380%
66) 1,2-Dichlorobenzene-d4	12.323	152	106935	48.092	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.180%
Target Compounds						
					Qvalue	
13) Acetone	2.386	43	4729	3.452	ug/L	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX081221\
Data File : VX023671.D
Acq On : 12 Aug 2021 13:51
Operator : JC/MD
Sample : M3364-13
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
DBK97

Quant Time: Aug 13 01:03:04 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML081121WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 13 01:00:38 2021
Response via : Initial Calibration

