

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX081320\
 Data File : VX017868.D
 Acq On : 13 Aug 2020 11:56
 Operator : JC/SP
 Sample : VX0813WBL01
 Misc : 25.0mL/MSVOA X/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VBLK66

Quant Time: Aug 14 07:42:24 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR080720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Aug 14 07:35:30 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.83	114	276860	5.00	ug/L	0.00
28) Chlorobenzene-d5	10.10	117	260881	5.00	ug/L	0.00
61) 1,4-Dichlorobenzene-d4	12.06	152	115958	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	109429	5.72	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	114.40%
7) Chloroethane-d5	1.70	69	85036	5.60	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	112.00%
11) 1,1-Dichloroethene-d2	2.34	63	159057	4.04	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	80.80%
20) 2-Butanone-d5	4.54	46	243011	47.83	ug/L	0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	95.66%
24) Chloroform-d	5.14	84	193575	4.98	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.60%
26) 1,2-Dichloroethane-d4	6.03	65	114674	5.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	107.60%
32) Benzene-d6	6.05	84	401532	5.61	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	112.20%
36) 1,2-Dichloropropane-d6	7.37	67	116161	5.25	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	105.00%
41) Toluene-d8	8.70	98	333819	4.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.00%
45) trans-1,3-Dichloropropene-	8.99	79	45622	4.76	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	95.20%
48) 2-Hexanone-d5	9.43	63	181129	45.45	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	90.90%
59) 1,1,2,2-Tetrachloroethane-	11.23	84	83505	4.96	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.20%
65) 1,2-Dichlorobenzene-d4	12.36	152	118584	5.31	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.20%


Target Compounds					Ovalue
16) Methylene chloride	2.83	84	11497	0.392 ug/L	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX081320\
Data File : VX017868.D
Acq On : 13 Aug 2020 11:56
Operator : JC/SP
Sample : VX0813WBL01
Misc : 25.0mL/MSVOA X/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VBLK66

Quant Time: Aug 14 07:42:24 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR080720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Aug 14 07:35:30 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.392 ug/L
RT: 2.83 min Scan# 286
Delta R.T. -0.00 min
Lab File: VX017868.D
Acq: 13 Aug 2020 11:56

Instrument :
MSVOA_X
ClientSampleId :
VBLK66

Tot Ion: 84 Resp: 11497

Ion	Ratio	Lower	Upper
84	100		
86	66.1	43.0	80.0
49	101.4	86.9	161.3

