

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX081320\
 Data File : VX017882.D
 Acq On : 13 Aug 2020 18:25
 Operator : JC/SP
 Sample : L3643-13
 Misc : 25.0mL/MSVOA X/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 BG0B9

Quant Time: Aug 14 08:34:34 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR080720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Aug 14 07:35:30 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.83	114	270667	5.00	ug/L	0.00
28) Chlorobenzene-d5	10.10	117	262692	5.00	ug/L	0.00
61) 1,4-Dichlorobenzene-d4	12.06	152	118239	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	93535	5.00	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	100.00%
7) Chloroethane-d5	1.69	69	72155	4.86	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	97.20%
11) 1,1-Dichloroethene-d2	2.34	63	134663	3.50	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.00%
20) 2-Butanone-d5	4.53	46	206633	41.60	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	83.20%
24) Chloroform-d	5.14	84	165852	4.37	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.40%
26) 1,2-Dichloroethane-d4	6.03	65	93045	4.46	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.20%
32) Benzene-d6	6.05	84	318766	4.42	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.40%
36) 1,2-Dichloropropane-d6	7.37	67	101322	4.55	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.00%
41) Toluene-d8	8.70	98	281536	4.10	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.00%
45) trans-1,3-Dichloropropene-	8.99	79	38467	3.99	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.80%
48) 2-Hexanone-d5	9.43	63	155809	38.83	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	77.66%
59) 1,1,2,2-Tetrachloroethane-	11.23	84	69154	4.08	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	81.60%
65) 1,2-Dichlorobenzene-d4	12.36	152	106988	4.70	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.00%


Target Compounds					Ovalue
42) Toluene	8.77	91	7113	0.070 ug/L	91
64) 1,4-Dichlorobenzene	12.08	146	6973	0.152 ug/L	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX081320\
Data File : VX017882.D
Acq On : 13 Aug 2020 18:25
Operator : JC/SP
Sample : L3643-13
Misc : 25.0mL/MSVOA X/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
BG0B9

Quant Time: Aug 14 08:34:34 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR080720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Aug 14 07:35:30 2020
Response via : Initial Calibration





#42

Toluene

Concen: 0.070 ug/L

RT: 8.77 min Scan# 1260

Delta R.T. 0.01 min

Lab File: VX017882.D

Acq: 13 Aug 2020 18:25

Instrument :

MSVOA_X

ClientSampleId :


BG0B9

Tot Ion: 91 Resp: 7113

Ion Ratio Lower Upper




91 100

92 49.0 38.8 72.0



Abundance Ion 91.15 (90.85 to 91.85): VX0

Ion 92.15 (91.85 to 92.85): VX0



#64

1,4-Dichlorobenzene

Concen: 0.152 ug/L

RT: 12.08 min Scan# 1803

Delta R.T. -0.00 min

Lab File: VX017882.D

Acq: 13 Aug 2020 18:25


Tgt Ion: 146 Resp: 6973

Ion Ratio Lower Upper

146 100

111 38.1 26.0 48.2

148 76.1 43.2 80.2



Abundance Ion 145.95 (145.65 to 146.65): V

Ion 111.00 (110.70 to 111.70): V

Ion 148.00 (147.70 to 148.70): V

