

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX081418\
 Data File : VX004029.D
 Acq On : 14 Aug 2018 14:28
 Operator : JC/MD
 Sample : VX0814WBL01
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0814WBL01

Quant Time: Aug 15 13:02:01 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X081418W.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 14 13:27:25 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.66	168	301713	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.86	114	476253	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.12	117	452190	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.08	152	246994	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	6.06	65	213736	50.28	ug/l	0.00
Spiked Amount						
			Recovery	=	100.56%	
35) Dibromofluoromethane	5.50	113	179499	50.36	ug/l	0.00
Spiked Amount						
			Recovery	=	100.72%	
50) Toluene-d8	8.71	98	679817	47.04	ug/l	0.00
Spiked Amount						
			Recovery	=	94.08%	
62) 4-Bromofluorobenzene	11.14	95	236638	45.15	ug/l	0.00
Spiked Amount						
			Recovery	=	90.30%	

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX081418\
Data File : VX004029.D
Acq On : 14 Aug 2018 14:28
Operator : JC/MD
Sample : VX0814WBL01
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0814WBL01

Quant Time: Aug 15 13:02:01 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X081418W.M
Quant Title : SW846 8260
QLast Update : Tue Aug 14 13:27:25 2018
Response via : Initial Calibration

