

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX081418\
 Data File : VX004052.D
 Acq On : 15 Aug 2018 02:34
 Operator : JC/MD
 Sample : J4438-11
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 MW-301-SRI3

Quant Time: Aug 15 15:51:38 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X081418W.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 14 13:27:25 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.67	168	280504	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.87	114	446394	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.12	117	421975	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.08	152	229517	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	6.07	65	206552	52.26	ug/l	0.00
Spiked Amount			Recovery	=	104.52%	
35) Dibromofluoromethane	5.51	113	169168	50.64	ug/l	0.00
Spiked Amount			Recovery	=	101.28%	
50) Toluene-d8	8.72	98	640654	47.30	ug/l	0.00
Spiked Amount			Recovery	=	94.60%	
62) 4-Bromofluorobenzene	11.14	95	218728	44.52	ug/l	0.00
Spiked Amount			Recovery	=	89.04%	

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Trichloroethene	7.21	130	120929	29.20	ug/l	96
64) Tetrachloroethene	9.34	164	17162	4.29	ug/l	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX081418\
Data File : VX004052.D
Acq On : 15 Aug 2018 02:34
Operator : JC/MD
Sample : J4438-11
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 36 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW-301-SRI3

Quant Time: Aug 15 15:51:38 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X081418W.M
Quant Title : SW846 8260
QLast Update : Tue Aug 14 13:27:25 2018
Response via : Initial Calibration

