

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX081424\
 Data File : VX043046.D
 Acq On : 14 Aug 2024 21:01
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 15 04:37:35 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X081424W.M
 Quant Title : SW846 8260
 QLast Update : Thu Aug 15 04:22:11 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	84	0.00
2 T	Dichlorodifluoromethane	50.000	52.649	-5.3	88	0.00
3 P	Chloromethane	50.000	51.116	-2.2	86	0.00
4 C	Vinyl Chloride	50.000	51.704	-3.4#	87	0.00
5 T	Bromomethane	50.000	52.504	-5.0	91	0.00
6 T	Chloroethane	50.000	57.433	-14.9	99	0.00
7 T	Trichlorofluoromethane	50.000	50.722	-1.4	93	0.00
8 T	Diethyl Ether	50.000	54.528	-9.1	96	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	49.524	1.0	85	0.00
10 T	Methyl Iodide	50.000	53.113	-6.2	89	0.00
11 T	Tert butyl alcohol	250.000	275.620	-10.2	93	0.00
12 CM	1,1-Dichloroethene	50.000	49.867	0.3#	85	0.00
13 T	Acrolein	250.000	240.343	3.9	82	0.00
14 T	Allyl chloride	50.000	45.743	8.5	81	0.00
15 T	Acrylonitrile	250.000	253.608	-1.4	87	0.00
16 T	Acetone	250.000	245.140	1.9	84	0.00
17 T	Carbon Disulfide	50.000	47.628	4.7	82	0.00
18 T	Methyl Acetate	50.000	50.829	-1.7	87	0.00
19 T	Methyl tert-butyl Ether	50.000	50.073	-0.1	85	0.00
20 T	Methylene Chloride	50.000	45.841	8.3	86	0.00
21 T	trans-1,2-Dichloroethene	50.000	48.606	2.8	84	0.00
22 T	Diisopropyl ether	50.000	49.518	1.0	83	0.00
23 T	Vinyl Acetate	250.000	252.453	-1.0	83	0.00
24 P	1,1-Dichloroethane	50.000	50.020	-0.0	85	0.00
25 T	2-Butanone	250.000	253.252	-1.3	86	0.00
26 T	2,2-Dichloropropane	50.000	39.925	20.2	70	0.00
27 T	cis-1,2-Dichloroethene	50.000	48.840	2.3	84	0.00
28 T	Bromochloromethane	50.000	46.393	7.2	84	0.00
29 T	Tetrahydrofuran	250.000	253.442	-1.4	86	0.00
30 C	Chloroform	50.000	49.825	0.3#	85	0.00
31 T	Cyclohexane	50.000	47.059	5.9	82	0.00
32 T	1,1,1-Trichloroethane	50.000	51.322	-2.6	87	0.00
33 S	1,2-Dichloroethane-d4	50.000	50.064	-0.1	91	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	85	0.00
35 S	Dibromofluoromethane	50.000	49.855	0.3	92	0.00
36 T	1,1-Dichloropropene	50.000	48.794	2.4	85	0.00
37 T	Ethyl Acetate	50.000	50.605	-1.2	83	0.00
38 T	Carbon Tetrachloride	50.000	50.328	-0.7	87	0.00
39 T	Methylcyclohexane	50.000	47.948	4.1	83	0.00
40 TM	Benzene	50.000	48.438	3.1	84	0.00
41 T	Methacrylonitrile	50.000	51.471	-2.9	85	0.00
42 TM	1,2-Dichloroethane	50.000	51.021	-2.0	87	0.00
43 T	Isopropyl Acetate	50.000	50.159	-0.3	86	0.00
44 TM	Trichloroethene	50.000	50.498	-1.0	86	0.00
45 C	1,2-Dichloropropane	50.000	49.697	0.6#	84	0.00
46 T	Dibromomethane	50.000	49.905	0.2	87	0.00
47 T	Bromodichloromethane	50.000	49.489	1.0	86	0.00
48 T	Methyl methacrylate	50.000	48.832	2.3	87	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX081424\
 Data File : VX043046.D
 Acq On : 14 Aug 2024 21:01
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 15 04:37:35 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X081424W.M
 Quant Title : SW846 8260
 QLast Update : Thu Aug 15 04:22:11 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)

49 T	1,4-Dioxane	1000.000	1088.197	-8.8	92	0.00
50 S	Toluene-d8	50.000	49.521	1.0	90	0.00
51 T	4-Methyl-2-Pentanone	250.000	256.540	-2.6	86	0.00
52 CM	Toluene	50.000	49.605	0.8#	85	0.00
53 T	t-1,3-Dichloropropene	50.000	47.667	4.7	81	0.00
54 T	cis-1,3-Dichloropropene	50.000	47.821	4.4	82	0.00
55 T	1,1,2-Trichloroethane	50.000	49.639	0.7	85	0.00
56 T	Ethyl methacrylate	50.000	49.829	0.3	84	0.00
57 T	1,3-Dichloropropane	50.000	49.756	0.5	85	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	237.239	5.1	82	0.00
59 T	2-Hexanone	250.000	259.324	-3.7	86	0.00
60 T	Dibromochloromethane	50.000	50.977	-2.0	86	0.00
61 T	1,2-Dibromoethane	50.000	50.687	-1.4	85	0.00
62 S	4-Bromofluorobenzene	50.000	48.691	2.6	89	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	84	0.00
64 T	Tetrachloroethene	50.000	50.590	-1.2	87	0.00
65 PM	Chlorobenzene	50.000	50.020	-0.0	85	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	49.720	0.6	86	0.00
67 C	Ethyl Benzene	50.000	49.768	0.5#	85	0.00
68 T	m/p-Xylenes	100.000	101.721	-1.7	85	0.00
69 T	o-Xylene	50.000	49.769	0.5	83	0.00
70 T	Styrene	50.000	50.470	-0.9	84	0.00
71 P	Bromoform	50.000	50.488	-1.0	84	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	83	0.00
73 T	Isopropylbenzene	50.000	49.345	1.3	84	0.00
74 T	N-amyl acetate	50.000	49.798	0.4	85	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	47.363	5.3	85	0.00
76 T	1,2,3-Trichloropropane	50.000	47.542	4.9	84	0.00
77 T	Bromobenzene	50.000	48.551	2.9	84	0.00
78 T	n-propylbenzene	50.000	50.631	-1.3	85	0.00
79 T	2-Chlorotoluene	50.000	49.248	1.5	85	0.00
80 T	1,3,5-Trimethylbenzene	50.000	50.019	-0.0	85	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	45.695	8.6	81	0.00
82 T	4-Chlorotoluene	50.000	49.284	1.4	83	0.00
83 T	tert-Butylbenzene	50.000	48.882	2.2	85	0.00
84 T	1,2,4-Trimethylbenzene	50.000	49.828	0.3	84	0.00
85 T	sec-Butylbenzene	50.000	50.364	-0.7	84	0.00
86 T	p-Isopropyltoluene	50.000	50.606	-1.2	84	0.00
87 T	1,3-Dichlorobenzene	50.000	50.517	-1.0	85	0.00
88 T	1,4-Dichlorobenzene	50.000	49.474	1.1	84	0.00
89 T	n-Butylbenzene	50.000	50.300	-0.6	82	0.00
90 T	Hexachloroethane	50.000	49.231	1.5	84	0.00
91 T	1,2-Dichlorobenzene	50.000	49.701	0.6	84	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	51.161	-2.3	86	0.00
93 T	1,2,4-Trichlorobenzene	50.000	49.862	0.3	82	0.00
94 T	Hexachlorobutadiene	50.000	50.295	-0.6	84	0.00
95 T	Naphthalene	50.000	50.216	-0.4	84	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX081424\
Data File : VX043046.D
Acq On : 14 Aug 2024 21:01
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Aug 15 04:37:35 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X081424W.M
Quant Title : SW846 8260
QLast Update : Thu Aug 15 04:22:11 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	51.259	-2.5	85	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6