

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX081518\
 Data File : VX004071.D
 Acq On : 15 Aug 2018 13:41
 Operator : JC/MD
 Sample : VX0815WBL01
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0815WBL01

Quant Time: Aug 15 16:03:25 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X081418W.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 14 13:27:25 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.66	168	277686	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.86	114	434687	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.12	117	415112	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.08	152	222372	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.07	65	201877	51.60	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.20%	
35) Dibromofluoromethane	5.50	113	172301	52.96	ug/l	0.00
Spiked Amount	50.000		Recovery	=	105.92%	
50) Toluene-d8	8.71	98	626041	47.46	ug/l	0.00
Spiked Amount	50.000		Recovery	=	94.92%	
62) 4-Bromofluorobenzene	11.14	95	209812	43.86	ug/l	0.00
Spiked Amount	50.000		Recovery	=	87.72%	

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX081518\
Data File : VX004071.D
Acq On : 15 Aug 2018 13:41
Operator : JC/MD
Sample : VX0815WBL01
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0815WBL01

Quant Time: Aug 15 16:03:25 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X081418W.M
Quant Title : SW846 8260
QLast Update : Tue Aug 14 13:27:25 2018
Response via : Initial Calibration

