

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX081523\  
 Data File : VX036986.D  
 Acq On : 15 Aug 2023 14:31  
 Operator : JC/MD  
 Sample : 03997-01  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 10 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 BP-TB-20230811

Quant Time: Aug 16 05:33:24 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X072123W.M  
 Quant Title : SW846 8260  
 QLast Update : Fri Jul 21 12:14:12 2023  
 Response via : Initial Calibration

| Compound                    | R.T.           | QIon | Response   | Conc     | Units | Dev(Min) |
|-----------------------------|----------------|------|------------|----------|-------|----------|
| -----                       |                |      |            |          |       |          |
| Internal Standards          |                |      |            |          |       |          |
| 1) Pentafluorobenzene       | 5.556          | 168  | 116644     | 50.000   | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.763          | 114  | 215726     | 50.000   | ug/l  | 0.00     |
| 63) Chlorobenzene-d5        | 10.055         | 117  | 202974     | 50.000   | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.024         | 152  | 90015      | 50.000   | ug/l  | 0.00     |
|                             |                |      |            |          |       |          |
| System Monitoring Compounds |                |      |            |          |       |          |
| 33) 1,2-Dichloroethane-d4   | 5.958          | 65   | 82286      | 47.677   | ug/l  | 0.00     |
| Spiked Amount 50.000        | Range 78 - 117 |      | Recovery = | 95.360%  |       |          |
| 35) Dibromofluoromethane    | 5.391          | 113  | 69358      | 46.776   | ug/l  | 0.00     |
| Spiked Amount 50.000        | Range 75 - 124 |      | Recovery = | 93.560%  |       |          |
| 50) Toluene-d8              | 8.647          | 98   | 256871     | 48.851   | ug/l  | 0.00     |
| Spiked Amount 50.000        | Range 92 - 112 |      | Recovery = | 97.700%  |       |          |
| 62) 4-Bromofluorobenzene    | 11.079         | 95   | 100186     | 50.501   | ug/l  | 0.00     |
| Spiked Amount 50.000        | Range 83 - 123 |      | Recovery = | 101.000% |       |          |
|                             |                |      |            |          |       |          |
| Target Compounds            |                |      |            |          |       |          |
| 16) Acetone                 | 2.380          | 43   | 3135       | 4.377    | ug/l  | 97       |
| 20) Methylene Chloride      | 2.794          | 84   | 1953       | 1.226    | ug/l  | 93       |
| -----                       |                |      |            |          |       |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX081523\  
Data File : VX036986.D  
Acq On : 15 Aug 2023 14:31  
Operator : JC/MD  
Sample : 03997-01  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 10 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
BP-TB-20230811

Quant Time: Aug 16 05:33:24 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X072123W.M  
Quant Title : SW846 8260  
QLast Update : Fri Jul 21 12:14:12 2023  
Response via : Initial Calibration

