

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX081622\  
 Data File : VX030645.D  
 Acq On : 16 Aug 2022 11:08  
 Operator : JC/MD  
 Sample : N4015-06  
 Misc : 5.00g/5mL/100uL/5.00mL/MSVOA\_X/MEOH  
 ALS Vial : 5 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 MDL-MED-SOIL-QT3-2022-06

Quant Time: Aug 17 02:40:28 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\SFAMXML080422WMA.M  
 Quant Title : VOC Analysis  
 QLast Update : Wed Aug 17 02:19:30 2022  
 Response via : Initial Calibration

Manual Integrations  
 APPROVED

Reviewed By :John  
 Carlone

| Compound                      | R.T.    | QIon  | Response | Conc     | Units  | Dev(Min) |
|-------------------------------|---------|-------|----------|----------|--------|----------|
| -----                         |         |       |          |          |        |          |
| Internal Standards            |         |       |          |          |        |          |
| 1) 1,4-Difluorobenzene        | 6.763   | 114   | 315064   | 50.000   | ug/L   | 0.00     |
| 28) Chlorobenzene-d5          | 10.055  | 117   | 284599   | 50.000   | ug/L   | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 12.024  | 152   | 136244   | 50.000   | ug/L   | 0.00     |
| System Monitoring Compounds   |         |       |          |          |        |          |
| 4) Vinyl Chloride-d3          | 1.368   | 65    | 58414    | 28.871   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000  | Range | 60 - 135 | Recovery | =      | 57.740%# |
| 7) Chloroethane-d5            | 1.666   | 69    | 56408    | 39.548   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000  | Range | 70 - 130 | Recovery | =      | 79.100%  |
| 11) 1,1-Dichloroethene-d2     | 2.306   | 63    | 104139   | 27.210   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000  | Range | 60 - 125 | Recovery | =      | 54.420%# |
| 21) 2-Butanone-d5             | 4.458   | 46    | 218510   | 116.559  | ug/L   | 0.00     |
| Spiked Amount                 | 100.000 | Range | 40 - 130 | Recovery | =      | 116.560% |
| 24) Chloroform-d              | 5.062   | 84    | 184702   | 44.346   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000  | Range | 70 - 125 | Recovery | =      | 88.700%  |
| 26) 1,2-Dichloroethane-d4     | 5.958   | 65    | 127180   | 44.971   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000  | Range | 70 - 125 | Recovery | =      | 89.940%  |
| 32) Benzene-d6                | 5.976   | 84    | 324600   | 39.817   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000  | Range | 70 - 125 | Recovery | =      | 79.640%  |
| 36) 1,2-Dichloropropane-d6    | 7.312   | 67    | 120795   | 45.670   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000  | Range | 70 - 120 | Recovery | =      | 91.340%  |
| 41) Toluene-d8                | 8.653   | 98    | 276799   | 36.021   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000  | Range | 80 - 120 | Recovery | =      | 72.040%# |
| 43) trans-1,3-Dichloroprop... | 8.952   | 79    | 52321    | 39.763   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000  | Range | 60 - 125 | Recovery | =      | 79.520%  |
| 47) 2-Hexanone-d5             | 9.384   | 63    | 147285   | 109.247  | ug/L   | 0.00     |
| Spiked Amount                 | 100.000 | Range | 45 - 130 | Recovery | =      | 109.250% |
| 56) 1,1,2,2-Tetrachloroeth... | 11.195  | 84    | 184544   | 53.112   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000  | Range | 65 - 120 | Recovery | =      | 106.220% |
| 66) 1,2-Dichlorobenzene-d4    | 12.323  | 152   | 116490   | 44.082   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000  | Range | 80 - 120 | Recovery | =      | 88.160%  |
| Target Compounds              |         |       |          |          |        |          |
|                               |         |       |          |          |        | Qvalue   |
| 2) Dichlorodifluoromethane    | 1.166   | 85    | 4732     | 1.996    | ug/L   | 96       |
| 3) Chloromethane              | 1.288   | 50    | 4586     | 2.250    | ug/L   | 97       |
| 5) Vinyl chloride             | 1.374   | 62    | 5161     | 2.370    | ug/L # | 74       |
| 6) Bromomethane               | 1.611   | 94    | 1882     | 1.839    | ug/L   | 79       |
| 8) Chloroethane               | 1.685   | 64    | 2868     | 2.312    | ug/L   | 90       |
| 9) Trichlorofluoromethane     | 1.886   | 101   | 7023     | 2.182    | ug/L   | 98       |
| 10) 1,1,2-Trichloro-1,2,2-... | 2.331   | 101   | 5781     | 3.020    | ug/L # | 85       |
| 12) 1,1-Dichloroethene        | 2.325   | 96    | 4891     | 2.774    | ug/L # | 1        |
| 13) Acetone                   | 2.392   | 43    | 7156     | 5.208    | ug/L   | 96       |
| 14) Carbon disulfide          | 2.508   | 76    | 10812    | 1.892    | ug/L   | 99       |
| 15) Methyl Acetate            | 2.703   | 43    | 6551     | 2.304    | ug/L # | 86       |
| 17) trans-1,2-Dichloroethene  | 3.093   | 96    | 4398     | 2.153    | ug/L   | 87       |
| 18) Methyl tert-butyl Ether   | 3.117   | 73    | 15510    | 2.232    | ug/L # | 90       |
| 19) 1,1-Dichloroethane        | 3.611   | 63    | 9078     | 2.297    | ug/L # | 94       |
| 20) cis-1,2-Dichloroethene    | 4.489   | 96    | 5378     | 2.340    | ug/L   | 97       |
| 22) 2-Butanone                | 4.568   | 43    | 10366m   | 4.783    | ug/L   |          |
| 23) Bromochloromethane        | 4.897   | 128   | 2949m    | 2.559    | ug/L   |          |
| 27) 1,2-Dichloroethane        | 6.086   | 62    | 8216     | 2.378    | ug/L   | 98       |
| 29) Cyclohexane               | 5.477   | 56    | 7888     | 2.085    | ug/L # | 95       |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX081622\  
 Data File : VX030645.D  
 Acq On : 16 Aug 2022 11:08  
 Operator : JC/MD  
 Sample : N4015-06  
 Misc : 5.00g/5mL/100uL/5.00mL/MSVOA\_X/MEOH  
 ALS Vial : 5 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 MDL-MED-SOIL-QT3-2022-06

Manual Integrations  
 APPROVED


Reviewed By :John  
 Carlone

Quant Time: Aug 17 02:40:28 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\SFAMXLM080422WMA.M  
 Quant Title : VOC Analysis  
 QLast Update : Wed Aug 17 02:19:30 2022  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc  | Units  | Dev(Min) |                                       |
|-------------------------------|--------|------|----------|-------|--------|----------|---------------------------------------|
| 30) 1,1,1-Trichloroethane     | 5.391  | 97   | 7798     | 2.077 | ug/L # | 88       | 08/17/2022                            |
| 31) Carbon tetrachloride      | 5.678  | 117  | 7007     | 2.262 | ug/L # | 65       | Supervised By :Semsettin<br>Yesilyurt |
| 33) Benzene                   | 6.037  | 78   | 19707    | 2.160 | ug/L   | 100      |                                       |
| 35) Methylcyclohexane         | 7.379  | 83   | 7633     | 1.984 | ug/L   | 95       |                                       |
| 37) 1,2-Dichloropropane       | 7.434  | 63   | 6142     | 2.532 | ug/L   | 99       |                                       |
| 38) Bromodichloromethane      | 7.824  | 83   | 7468     | 2.326 | ug/L   | 99       |                                       |
| 39) cis-1,3-Dichloropropene   | 8.372  | 75   | 8337m    | 2.304 | ug/L   |          | 08/17/2022                            |
| 40) 4-Methyl-2-pentanone      | 8.574  | 43   | 16969    | 4.016 | ug/L   | 97       |                                       |
| 42) Toluene                   | 8.720  | 91   | 20967    | 2.175 | ug/L   | 98       |                                       |
| 44) trans-1,3-Dichloropropene | 8.982  | 75   | 9594     | 2.708 | ug/L   | 94       |                                       |
| 45) 1,1,2-Trichloroethane     | 9.159  | 97   | 5059     | 2.242 | ug/L   | 97       |                                       |
| 46) Tetrachloroethene         | 9.281  | 164  | 3646     | 2.183 | ug/L   | 89       |                                       |
| 49) Dibromochloromethane      | 9.525  | 129  | 5066     | 2.111 | ug/L   | 91       |                                       |
| 50) 1,2-Dibromoethane         | 9.610  | 107  | 5245     | 2.114 | ug/L # | 89       |                                       |
| 51) Chlorobenzene             | 10.079 | 112  | 13764    | 2.292 | ug/L   | 96       |                                       |
| 52) Ethylbenzene              | 10.195 | 91   | 21736    | 2.068 | ug/L   | 99       |                                       |
| 53) m,p-Xylene                | 10.299 | 106  | 8137     | 2.077 | ug/L   | 88       |                                       |
| 54) o-Xylene                  | 10.640 | 106  | 7649     | 1.959 | ug/L   | 91       |                                       |
| 55) Styrene                   | 10.659 | 104  | 12672    | 1.928 | ug/L   | 89       |                                       |
| 57) 1,1,2,2-Tetrachloroethane | 11.213 | 83   | 8874     | 2.585 | ug/L # | 76       |                                       |
| 59) Bromoform                 | 10.805 | 173  | 2813     | 1.896 | ug/L   | 95       |                                       |
| 60) Isopropylbenzene          | 10.963 | 105  | 19451    | 2.014 | ug/L   | 98       |                                       |
| 61) 1,2,3-Trichloropropane    | 11.244 | 75   | 6966     | 2.381 | ug/L   | 94       |                                       |
| 62) 1,3,5-Trimethylbenzene    | 11.451 | 105  | 15252    | 1.850 | ug/L   | 98       |                                       |
| 63) 1,2,4-Trimethylbenzene    | 11.756 | 105  | 15269    | 1.834 | ug/L   | 100      |                                       |
| 64) 1,3-Dichlorobenzene       | 11.969 | 146  | 8786     | 2.093 | ug/L   | 97       |                                       |
| 65) 1,4-Dichlorobenzene       | 12.042 | 146  | 10046    | 2.354 | ug/L   | 94       |                                       |
| 67) 1,2-Dichlorobenzene       | 12.335 | 146  | 10468    | 2.411 | ug/L   | 91       |                                       |
| 68) 1,2-Dibromo-3-chloropr... | 12.945 | 75   | 2067     | 2.142 | ug/L   | 89       |                                       |
| 69) 1,3,5-Trichlorobenzene    | 13.115 | 180  | 6000     | 2.038 | ug/L   | 95       |                                       |
| 70) 1,2,4-trichlorobenzene    | 13.591 | 180  | 5497     | 2.126 | ug/L   | 95       |                                       |
| 71) Naphthalene               | 13.780 | 128  | 19182    | 1.792 | ug/L   | 97       |                                       |
| 72) 1,2,3-Trichlorobenzene    | 13.963 | 180  | 5362     | 1.963 | ug/L   | 96       |                                       |


(#) = qualifier out of range (m) = manual integration (+) = signals summed





#2  
Dichlorodifluoromethane  
Concen: 1.996 ug/L  
RT: 1.166 min Scan# 11  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08



Instrument : MSVOA\_X  
ClientSampleId : MDL-MED-SOIL-QT3-2022-06



Tgt Ion: 85 Resp: 4732  
Ion Ratio Lower Upper  
85 100  
87 29.8 25.6 38.4


Manual Integrations  
APPROVED

Reviewed By :John  
Carlone




08/17/2022  
Supervised By :Semsettin  
Yesilyurt



08/17/2022




#3  
Chloromethane  
Concen: 2.250 ug/L  
RT: 1.288 min Scan# 33  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08




Tgt Ion: 50 Resp: 4586  
Ion Ratio Lower Upper  
50 100  
52 31.6 23.3 43.3





#5  
 Vinyl chloride  
 Concen: 2.370 ug/L  
 RT: 1.374 min Scan# 47  
 Delta R.T. -0.000 min  
 Lab File: VX030645.D  
 Acq: 16 Aug 2022 11:08



Instrument : MSVOA\_X  
 ClientSampleId : MDL-MED-SOIL-QT3-2022-06



Tgt Ion: 62 Resp: 516  
 Ion Ratio Lower Upper  
 62 100  
 64 48.7 23.8 44.2


Manual Integrations  
 APPROVED

Reviewed By :John  
 Carlone




08/17/2022  
 Supervised By :Semsettin  
 Yesilyurt



08/17/2022




#6  
 Bromomethane  
 Concen: 1.839 ug/L  
 RT: 1.611 min Scan# 86  
 Delta R.T. -0.000 min  
 Lab File: VX030645.D  
 Acq: 16 Aug 2022 11:08




Tgt Ion: 94 Resp: 1882  
 Ion Ratio Lower Upper  
 94 100  
 96 111.6 63.8 118.6





#8  
Chloroethane  
Concen: 2.312 ug/L  
RT: 1.685 min Scan# 98  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08



Instrument : MSVOA\_X  
ClientSampleId : MDL-MED-SOIL-QT3-2022-06



Tgt Ion: 64 Resp: 286  
Ion Ratio Lower Upper  
64 100  
66 26.0 22.1 41.1


Manual Integrations  
APPROVED

Reviewed By :John  
Carlone






08/17/2022  
Supervised By :Semsettin  
Yesilyurt


08/17/2022



#9  
Trichlorofluoromethane  
Concen: 2.182 ug/L  
RT: 1.886 min Scan# 131  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08

Tgt Ion:101 Resp: 7023  
Ion Ratio Lower Upper  
101 100  
103 65.7 51.5 77.3







#10  
1,1,2-Trichloro-1,2,2-trifluoroethane  
Concen: 3.020 ug/L  
RT: 2.331 min Scan# 204  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08

Instrument :  
MSVOA\_X  
ClientSampleId :  
MDL-MED-SOIL-QT3-2022-06

Tgt Ion:101 Resp: 578  
Ion Ratio Lower Upper  
101 100  
85 37.6 35.3 52.9  
151 57.7 58.3 87.5



Manual Integrations  
APPROVED

Reviewed By :John  
Carlone






08/17/2022  
Supervised By :Semsettin  
Yesilyurt


08/17/2022



#12  
1,1-Dichloroethene  
Concen: 2.774 ug/L  
RT: 2.325 min Scan# 203  
Delta R.T. 0.006 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08


Tgt Ion: 96 Resp: 4891  
Ion Ratio Lower Upper  
96 100  
61 162.2 130.2 241.8  
63 447.7 113.5 210.9#





#13  
Acetone  
Concen: 5.208 ug/L  
RT: 2.392 min Scan# 213  
Delta R.T. 0.006 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08


Instrument :  
MSVOA\_X  
ClientSampleId :  
MDL-MED-SOIL-QT3-2022-06



Tgt Ion: 43 Resp: 7150  
Ion Ratio Lower Upper  
43 100  
58 31.2 0.0 57.8



Manual Integrations  
APPROVED

Reviewed By :John  
Carlone






08/17/2022  
Supervised By :Semsettin  
Yesilyurt


08/17/2022



#14  
Carbon disulfide  
Concen: 1.892 ug/L  
RT: 2.508 min Scan# 233  
Delta R.T. -0.006 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08

Tgt Ion: 76 Resp: 10812  
Ion Ratio Lower Upper  
76 100  
78 9.0 7.4 11.2







#15  
Methyl Acetate  
Concen: 2.304 ug/L  
RT: 2.703 min Scan# 265  
Delta R.T. -0.006 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08

Instrument : MSVOA\_X  
ClientSampleId : MDL-MED-SOIL-QT3-2022-06

Tgt Ion: 43 Resp: 655  
Ion Ratio Lower Upper  
43 100  
74 28.2 17.2 25.8



Manual Integrations  
APPROVED

Reviewed By :John  
Carlone






08/17/2022  
Supervised By :Semsettin  
Yesilyurt


08/17/2022



#17  
trans-1,2-Dichloroethene  
Concen: 2.153 ug/L  
RT: 3.093 min Scan# 329  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08


Tgt Ion: 96 Resp: 4398  
Ion Ratio Lower Upper  
96 100  
61 167.7 103.7 192.5  
98 63.5 41.5 77.1





#18  
Methyl tert-butyl Ether  
Concen: 2.232 ug/L  
RT: 3.117 min Scan# 311  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08



Instrument : MSVOA\_X  
ClientSampleId :  
MDL-MED-SOIL-QT3-2022-06



Tgt Ion: 73 Resp: 15510  
Ion Ratio Lower Upper  
73 100  
43 21.3 17.6 26.4  
57 13.3 17.5 26.3


Manual Integrations  
APPROVED

Reviewed By :John  
Carlone






08/17/2022  
Supervised By :Semsettin  
Yesilyurt


08/17/2022



#19  
1,1-Dichloroethane  
Concen: 2.297 ug/L  
RT: 3.611 min Scan# 414  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08


Tgt Ion: 63 Resp: 9078  
Ion Ratio Lower Upper  
63 100  
65 29.8 22.0 40.8  
83 19.7 9.9 18.3





#20  
 cis-1,2-Dichloroethene  
 Concen: 2.340 ug/L  
 RT: 4.489 min Scan# 51  
 Delta R.T. -0.000 min  
 Lab File: VX030645.D  
 Acq: 16 Aug 2022 11:08



Instrument : MSVOA\_X  
 ClientSampleId :  
 MDL-MED-SOIL-QT3-2022-06



Tgt Ion: 96 Resp: 5378  
 Ion Ratio Lower Upper  
 96 100  
 61 131.2 94.0 174.6  
 68 0.0 0.0 0.0


Manual Integrations  
 APPROVED

Reviewed By :John  
 Carlone




08/17/2022  
 Supervised By :Semsettin  
 Yesilyurt



08/17/2022




#22  
 2-Butanone  
 Concen: 4.783 ug/L m  
 RT: 4.568 min Scan# 571  
 Delta R.T. 0.006 min  
 Lab File: VX030645.D  
 Acq: 16 Aug 2022 11:08




Tgt Ion: 43 Resp: 10366  
 Ion Ratio Lower Upper  
 43 100  
 72 22.9 11.7 35.1





#23  
Bromochloromethane  
Concen: 2.559 ug/L m  
RT: 4.897 min Scan# 61  
Delta R.T. -0.006 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08



Instrument :  
MSVOA\_X  
ClientSampleId :  
MDL-MED-SOIL-QT3-2022-06



Tgt Ion:128 Resp: 2949  
Ion Ratio Lower Upper  
128 100  
49 146.4 116.8 216.8  
130 89.1 90.3 167.7  
51 44.7 40.0 60.0


Manual Integrations  
APPROVED

Reviewed By :John  
Carlone






08/17/2022  
Supervised By :Semsettin  
Yesilyurt


08/17/2022



#27  
1,2-Dichloroethane  
Concen: 2.378 ug/L  
RT: 6.086 min Scan# 820  
Delta R.T. -0.006 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08


Tgt Ion: 62 Resp: 8216  
Ion Ratio Lower Upper  
62 100  
98 8.0 7.0 10.6





#29  
Cyclohexane  
Concen: 2.085 ug/L  
RT: 5.477 min Scan# 719  
Delta R.T. 0.006 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08



Instrument :  
MSVOA\_X  
ClientSampleId :  
MDL-MED-SOIL-QT3-2022-06



Tgt Ion: 56 Resp: 788  
Ion Ratio Lower Upper  
56 100  
69 22.2 24.3 36.5  
84 82.7 66.7 100.1


Manual Integrations  
APPROVED

Reviewed By :John  
Carlone






08/17/2022  
Supervised By :Semsettin  
Yesilyurt


08/17/2022



#30  
1,1,1-Trichloroethane  
Concen: 2.077 ug/L  
RT: 5.391 min Scan# 706  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08

Tgt Ion: 97 Resp: 7798  
Ion Ratio Lower Upper  
97 100  
99 48.4 51.4 77.0#  
61 46.1 37.0 55.6







#31  
Carbon tetrachloride  
Concen: 2.262 ug/L  
RT: 5.678 min Scan# 753  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08

Instrument : MSVOA\_X  
ClientSampleId : MDL-MED-SOIL-QT3-2022-06

Tgt Ion: 117 Resp: 700  
Ion Ratio Lower Upper  
117 100  
119 60.8 76.2 114.2



Manual Integrations  
APPROVED

Reviewed By :John  
Carlone






08/17/2022  
Supervised By :Semsettin  
Yesilyurt


08/17/2022



#33  
Benzene  
Concen: 2.160 ug/L  
RT: 6.037 min Scan# 812  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08

Tgt Ion: 78 Resp: 19707







#35  
Methylcyclohexane  
Concen: 1.984 ug/L  
RT: 7.379 min Scan# 1032  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08

Instrument : MSVOA\_X  
ClientSampleId : MDL-MED-SOIL-QT3-2022-06

Tgt Ion: 83 Resp: 763  
Ion Ratio Lower Upper  
83 100  
55 75.6 64.0 96.0  
98 48.3 36.7 55.1



Manual Integrations  
APPROVED

Reviewed By :John  
Carlone






08/17/2022  
Supervised By :Semsettin  
Yesilyurt


08/17/2022



#37  
1,2-Dichloropropane  
Concen: 2.532 ug/L  
RT: 7.434 min Scan# 1041  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08

Tgt Ion: 63 Resp: 6142  
Ion Ratio Lower Upper  
63 100  
112 3.2 3.0 4.4







#38  
Bromodichloromethane  
Concen: 2.326 ug/L  
RT: 7.824 min Scan# 1105  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08

Instrument : MSVOA\_X  
ClientSampleId : MDL-MED-SOIL-QT3-2022-06

Tgt Ion: 83 Resp: 7468  
Ion Ratio Lower Upper  
83 100  
85 60.1 42.5 78.9  
127 9.1 6.2 9.2



Manual Integrations  
APPROVED

Reviewed By :John  
Carlone






08/17/2022  
Supervised By :Semsettin  
Yesilyurt


08/17/2022



#39  
cis-1,3-Dichloropropene  
Concen: 2.304 ug/L m  
RT: 8.372 min Scan# 1195  
Delta R.T. 0.006 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08


Tgt Ion: 75 Resp: 8337  
Ion Ratio Lower Upper  
75 100  
77 26.3 22.4 41.6





#40  
4-Methyl-2-pentanone  
Concen: 4.016 ug/L  
RT: 8.574 min Scan# 1228  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08



Instrument : MSVOA\_X  
ClientSampleId : MDL-MED-SOIL-QT3-2022-06



Tgt Ion: 43 Resp: 1696  
Ion Ratio Lower Upper  
43 100  
58 38.6 29.0 43.6  
100 12.8 10.5 15.7


Manual Integrations  
APPROVED

Reviewed By :John  
Carlone






08/17/2022  
Supervised By :Semsettin  
Yesilyurt


08/17/2022



#42  
Toluene  
Concen: 2.175 ug/L  
RT: 8.720 min Scan# 1252  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08


Tgt Ion: 91 Resp: 20967  
Ion Ratio Lower Upper  
91 100  
92 58.7 40.0 74.4





#44  
trans-1,3-Dichloropropene  
Concen: 2.708 ug/L  
RT: 8.982 min Scan# 1294  
Delta R.T. 0.006 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08



Instrument : MSVOA\_X  
ClientSampleId : MDL-MED-SOIL-QT3-2022-06



Tgt Ion: 75 Resp: 9594  
Ion Ratio Lower Upper  
75 100  
77 35.5 22.5 41.7


Manual Integrations  
APPROVED

Reviewed By :John  
Carlone






08/17/2022  
Supervised By :Semsettin  
Yesilyurt


08/17/2022



#45  
1,1,2-Trichloroethane  
Concen: 2.242 ug/L  
RT: 9.159 min Scan# 1324  
Delta R.T. 0.006 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08

Tgt Ion: 97 Resp: 5059  
Ion Ratio Lower Upper  
97 100  
99 58.6 43.3 80.3  
83 89.0 63.0 117.0  
85 62.1 40.1 74.5





#46

Tetrachloroethene

Concen: 2.183 ug/L

RT: 9.281 min Scan# 1344

Delta R.T. 0.006 min

Lab File: VX030645.D


Acq: 16 Aug 2022 11:08

Instrument :

MSVOA\_X

ClientSampleId :

MDL-MED-SOIL-QT3-2022-06



Tgt Ion:164 Resp: 364

Ion Ratio Lower Upper

164 100

129 88.5 72.7 135.1

131 97.2 69.9 129.9



166 109.2 88.3 164.1

Manual Integrations

APPROVED

Reviewed By :John

Carlone




08/17/2022

Supervised By :Semsettin

Yesilyurt

08/17/2022



#49

Dibromochloromethane

Concen: 2.111 ug/L

RT: 9.525 min Scan# 1384

Delta R.T. -0.000 min

Lab File: VX030645.D




Acq: 16 Aug 2022 11:08


Tgt Ion:129 Resp: 5066

Ion Ratio Lower Upper

129 100

127 71.5 55.6 103.2





#50

1,2-Dibromoethane

Concen: 2.114 ug/L

RT: 9.610 min Scan# 1398

Delta R.T. -0.000 min

Lab File: VX030645.D

Acq: 16 Aug 2022 11:08

Instrument :

MSVOA\_X

ClientSampleId :



MDL-MED-SOIL-QT3-2022-06

|           |       |       |       |
|-----------|-------|-------|-------|
| Tgt Ion:  | 107   | Resp: | 524   |
| Ion Ratio | Lower | Upper |       |
| 107       | 100   |       |       |
| 109       | 102.7 | 64.8  | 120.4 |
| 188       | 0.0   | 2.2   | 3.2   |

Manual Integrations



APPROVED

Reviewed By :John  
Carlone



08/17/2022  
Supervised By :Semsettin  
Yesilyurt

08/17/2022



#51

Chlorobenzene

Concen: 2.292 ug/L




RT: 10.079 min Scan# 1475


Delta R.T. -0.000 min

Lab File: VX030645.D

Acq: 16 Aug 2022 11:08

|           |       |       |       |
|-----------|-------|-------|-------|
| Tgt Ion:  | 112   | Resp: | 13764 |
| Ion Ratio | Lower | Upper |       |
| 112       | 100   |       |       |
| 114       | 31.1  | 22.3  | 41.5  |
| 77        | 59.7  | 50.8  | 76.2  |







#52  
Ethylbenzene  
Concen: 2.068 ug/L  
RT: 10.195 min Scan# 1494  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08

Instrument : MSVOA\_X  
ClientSampleId : MDL-MED-SOIL-QT3-2022-06

Tgt Ion: 91 Resp: 21730  
Ion Ratio Lower Upper  
91 100  
106 30.8 21.3 39.5



Manual Integrations  
APPROVED

Reviewed By :John  
Carlone






08/17/2022  
Supervised By :Semsettin  
Yesilyurt


08/17/2022



#53  
m,p-Xylene  
Concen: 2.077 ug/L  
RT: 10.299 min Scan# 1511  
Delta R.T. -0.006 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08


Tgt Ion:106 Resp: 8137  
Ion Ratio Lower Upper  
106 100  
91 191.9 147.8 274.6





#54  
o-Xylene  
Concen: 1.959 ug/L  
RT: 10.640 min Scan# 1567  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08



Instrument : MSVOA\_X  
ClientSampleId : MDL-MED-SOIL-QT3-2022-06



Tgt Ion:106 Resp: 7649  
Ion Ratio Lower Upper  
106 100  
91 210.9 157.8 293.0


Manual Integrations  
APPROVED

Reviewed By :John  
Carlone






08/17/2022  
Supervised By :Semsettin  
Yesilyurt


08/17/2022



#55  
Styrene  
Concen: 1.928 ug/L  
RT: 10.659 min Scan# 1570  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08


Tgt Ion:104 Resp: 12672  
Ion Ratio Lower Upper  
104 100  
78 40.1 33.2 61.7





#57  
1,1,2,2-Tetrachloroethane  
Concen: 2.585 ug/L  
RT: 11.213 min Scan# 1661  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08



Instrument : MSVOA\_X  
ClientSampleId : MDL-MED-SOIL-QT3-2022-06



Tgt Ion: 83 Resp: 8874  
Ion Ratio Lower Upper  
83 100  
85 82.8 44.4 82.4  
131 16.9 7.5 11.3


Manual Integrations  
APPROVED

Reviewed By :John  
Carlone




08/17/2022  
Supervised By :Semsettin  
Yesilyurt



08/17/2022




#59  
Bromoform  
Concen: 1.896 ug/L  
RT: 10.805 min Scan# 1594  
Delta R.T. 0.006 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08




Tgt Ion:173 Resp: 2813  
Ion Ratio Lower Upper  
173 100  
175 51.8 38.9 58.3  
254 10.2 7.0 10.4





#60  
Isopropylbenzene  
Concen: 2.014 ug/L  
RT: 10.963 min Scan# 1620  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08



Instrument : MSVOA\_X  
ClientSampleId : MDL-MED-SOIL-QT3-2022-06



Tgt Ion: 105 Resp: 1945  
Ion Ratio Lower Upper  
105 100  
120 25.7 20.6 31.0  
77 18.7 13.5 20.3


Manual Integrations  
APPROVED

Reviewed By : John  
Carlone




08/17/2022  
Supervised By : Semsettin  
Yesilyurt



08/17/2022




#61  
1,2,3-Trichloropropane  
Concen: 2.381 ug/L  
RT: 11.244 min Scan# 1666  
Delta R.T. 0.006 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08



Tgt Ion: 75 Resp: 6966  
Ion Ratio Lower Upper  
75 100  
77 34.7 26.1 39.1  
110 33.6 30.5 45.7







#62  
1,3,5-Trimethylbenzene  
Concen: 1.850 ug/L  
RT: 11.451 min Scan# 1700  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08

Instrument :  
MSVOA\_X  
ClientSampleId :  
MDL-MED-SOIL-QT3-2022-06

Tgt Ion:105 Resp: 15252  
Ion Ratio Lower Upper  
105 100  
120 48.0 37.2 55.8



Manual Integrations  
APPROVED

Reviewed By :John  
Carlone






08/17/2022  
Supervised By :Semsettin  
Yesilyurt


08/17/2022



#63  
1,2,4-Trimethylbenzene  
Concen: 1.834 ug/L  
RT: 11.756 min Scan# 1750  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08


Tgt Ion:105 Resp: 15269  
Ion Ratio Lower Upper  
105 100  
120 44.9 35.9 53.9





#64  
1,3-Dichlorobenzene  
Concen: 2.093 ug/L  
RT: 11.969 min Scan# 1785  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08



Instrument : MSVOA\_X  
ClientSampleId : MDL-MED-SOIL-QT3-2022-06



Tgt Ion:146 Resp: 8780  
Ion Ratio Lower Upper  
146 100  
111 47.3 30.9 57.5  
148 59.1 42.6 79.0


Manual Integrations  
APPROVED

Reviewed By :John  
Carlone




08/17/2022  
Supervised By :Semsettin  
Yesilyurt



08/17/2022




#65  
1,4-Dichlorobenzene  
Concen: 2.354 ug/L  
RT: 12.042 min Scan# 1797  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08



Tgt Ion:146 Resp: 10046  
Ion Ratio Lower Upper  
146 100  
111 43.4 32.6 60.6  
148 63.8 48.3 89.7







#67  
1,2-Dichlorobenzene  
Concen: 2.411 ug/L  
RT: 12.335 min Scan# 1845  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08

Instrument : MSVOA\_X  
ClientSampleId : MDL-MED-SOIL-QT3-2022-06

Tgt Ion:146 Resp: 1046  
Ion Ratio Lower Upper  
146 100  
111 50.1 36.9 55.3  
148 70.9 49.9 74.9



Manual Integrations  
APPROVED

Reviewed By :John  
Carlone






08/17/2022  
Supervised By :Semsettin  
Yesilyurt


08/17/2022



#68  
1,2-Dibromo-3-chloropropane  
Concen: 2.142 ug/L  
RT: 12.945 min Scan# 1945  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08

Tgt Ion: 75 Resp: 2067  
Ion Ratio Lower Upper  
75 100  
155 83.6 57.1 85.7  
157 83.5 73.1 109.7





#69

1,3,5-Trichlorobenzene

Concen: 2.038 ug/L

RT: 13.115 min Scan# 1973

Delta R.T. -0.000 min

Lab File: VX030645.D


Acq: 16 Aug 2022 11:08

Instrument :

MSVOA\_X

ClientSampleId :

MDL-MED-SOIL-QT3-2022-06





| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 180     | 100   |       |       |
| 182     | 98.1  | 73.7  | 110.5 |
| 184     | 31.3  | 24.1  | 36.1  |
| 145     | 30.0  | 25.6  | 38.4  |

Manual Integrations


APPROVED

Reviewed By :John  
Carlone



08/17/2022  
Supervised By :Semsettin  
Yesilyurt

08/17/2022



#70

1,2,4-trichlorobenzene


Concen: 2.126 ug/L

RT: 13.591 min Scan# 2051



Delta R.T. -0.000 min


Lab File: VX030645.D

Acq: 16 Aug 2022 11:08




| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 180     | 100   |       |       |
| 182     | 86.3  | 72.7  | 109.1 |
| 145     | 36.4  | 26.6  | 40.0  |





#71  
Naphthalene  
Concen: 1.792 ug/L  
RT: 13.780 min Scan# 2082  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08



Instrument : MSVOA\_X  
ClientSampleId : MDL-MED-SOIL-QT3-2022-06



Tgt Ion:128 Resp: 1918  
Ion Ratio Lower Upper  
128 100  
127 14.4 10.3 15.5  
129 11.4 8.8 13.2


Manual Integrations  
APPROVED

Reviewed By :John  
Carlone



08/17/2022  
Supervised By :Semsettin  
Yesilyurt

08/17/2022



#72  
1,2,3-Trichlorobenzene  
Concen: 1.963 ug/L  
RT: 13.963 min Scan# 2112  
Delta R.T. -0.000 min  
Lab File: VX030645.D  
Acq: 16 Aug 2022 11:08

Tgt Ion:180 Resp: 5362  
Ion Ratio Lower Upper  
180 100  
182 97.8 74.6 112.0  
145 36.5 28.4 42.6

