

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX081718\
 Data File : VX004131.D
 Acq On : 17 Aug 2018 14:49
 Operator : JC/MD
 Sample : J4522-02
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 MW-4

Quant Time: Aug 20 09:58:55 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X081418W.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 14 13:27:25 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.67	168	263295	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.87	114	420385	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.12	117	386703	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.08	152	216687	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.07	65	197022	53.11	ug/l	0.00
Spiked Amount	50.000		Recovery	=	106.22%	
35) Dibromofluoromethane	5.51	113	167356	53.19	ug/l	0.00
Spiked Amount	50.000		Recovery	=	106.38%	
50) Toluene-d8	8.72	98	591634	46.38	ug/l	0.00
Spiked Amount	50.000		Recovery	=	92.76%	
62) 4-Bromofluorobenzene	11.14	95	202004	43.66	ug/l	0.00
Spiked Amount	50.000		Recovery	=	87.32%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX081718\
Data File : VX004131.D
Acq On : 17 Aug 2018 14:49
Operator : JC/MD
Sample : J4522-02
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW-4

Quant Time: Aug 20 09:58:55 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X081418W.M
Quant Title : SW846 8260
QLast Update : Tue Aug 14 13:27:25 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 5.67 min Scan# 833

Delta R.T. -0.00 min

Lab File: VX004131.D

Acq: 17 Aug 2018 14:49

Instrument :

MSVOA_X

ClientSampleId :


MW-4

Tot Ion:168 Resp: 263295

Ion Ratio Lower Upper

168 100

99 50.0 40.1 60.1



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.67

100000

80000

60000



40000

20000

0

Time-->

5.60 5.70 5.80



#33

1,2-Dichloroethane-d4

Concen: 53.11 ug/l

RT: 6.07 min Scan# 899

Delta R.T. -0.00 min

Lab File: VX004131.D


Acq: 17 Aug 2018 14:49

Tgt Ion: 65 Resp: 197022

Ion Ratio Lower Upper

65 100

67 53.0 0.0 105.8



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0

6.07

80000

60000


40000


20000

0

Time-->

5.90 6.00 6.10 6.20





#34

1,4-Difluorobenzene

Concen: 50.00 ug/l

RT: 6.87 min Scan# 1030

Delta R.T. -0.00 min

Lab File: VX004131.D

Acq: 17 Aug 2018 14:49

Instrument :

MSVOA_X

ClientSampleId :

MW-4


Tot Ion:114 Resp: 420385

Ion Ratio Lower Upper

114 100

63 19.7 0.0 39.0




88 14.7 0.0 32.0



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 53.19 ug/l

RT: 5.51 min Scan# 807

Delta R.T. 0.01 min

Lab File: VX004131.D

Acq: 17 Aug 2018 14:49


Tgt Ion:113 Resp: 167356

Ion Ratio Lower Upper

113 100

111 102.6 82.0 123.0



192 23.7 19.0 28.4




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 46.38 ug/l

RT: 8.72 min Scan# 1334

Delta R.T. -0.00 min

Lab File: VX004131.D

Acq: 17 Aug 2018 14:49

Instrument :

MSVOA_X

ClientSampleId :


MW-4

Tot Ion: 98 Resp: 591634

Ion Ratio Lower Upper




98 100

100 65.7 53.3 79.9



Abundance Ion 98.00 (97.70 to 98.70): VX0

Ion 100.00 (99.70 to 100.70): V



#62

4-Bromofluorobenzene

Concen: 43.66 ug/l

RT: 11.14 min Scan# 1731

Delta R.T. -0.00 min

Lab File: VX004131.D

Acq: 17 Aug 2018 14:49


Tgt Ion: 95 Resp: 202004

Ion Ratio Lower Upper

95 100

174 92.7 0.0 182.8



176 89.7 0.0 179.0




Abundance Ion 94.90 (94.60 to 95.60): VX0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 10.12 min Scan# 1563
Delta R.T. -0.00 min
Lab File: VX004131.D
Acq: 17 Aug 2018 14:49

Instrument :
MSVOA_X
ClientSampleId :
MW-4

Tot Ion:117 Resp: 386703
Ion Ratio Lower Upper
117 100
82 54.2 45.4 68.0
119 33.7 26.6 40.0




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VX0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 12.08 min Scan# 1885
Delta R.T. -0.00 min
Lab File: VX004131.D
Acq: 17 Aug 2018 14:49

Tgt Ion:152 Resp: 216687
Ion Ratio Lower Upper
152 100
115 55.0 39.1 117.3
150 153.6 0.0 349.2



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

