

Data File : VX017934.D
Acq On : 17 Aug 2020 13:20
Operator : JC/SP
Sample : L3701-16
Misc : 25.0mL/MSVOA_X/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
JLTY5

Quant Time: Aug 19 02:16:51 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR080720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Aug 18 00:59:21 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.83	114	279726	5.00	ug/L	0.00
28) Chlorobenzene-d5	10.10	117	277324	5.00	ug/L	0.00
61) 1,4-Dichlorobenzene-d4	12.06	152	121624	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	80504	4.16	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	83.20%
7) Chloroethane-d5	1.70	69	70460	4.59	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.80%
11) 1,1-Dichloroethene-d2	2.34	63	122555	3.08	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	61.60%
20) 2-Butanone-d5	4.54	46	277534	54.07	ug/L	0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.14%
24) Chloroform-d	5.14	84	198163	5.05	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.00%
26) 1,2-Dichloroethane-d4	6.03	65	114361	5.31	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	106.20%
32) Benzene-d6	6.05	84	358629	4.71	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.20%
36) 1,2-Dichloropropane-d6	7.37	67	117084	4.98	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.60%
41) Toluene-d8	8.70	98	307908	4.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.00%
45) trans-1,3-Dichloropropene-	8.99	79	46115	4.53	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	90.60%
48) 2-Hexanone-d5	9.43	63	214970	50.75	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	101.50%
59) 1,1,2,2-Tetrachloroethane-	11.23	84	90683	5.07	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.40%
65) 1,2-Dichlorobenzene-d4	12.36	152	125443	5.36	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	107.20%


Target Compounds					Qvalue
13) Acetone	2.43	43	18502	4.933 ug/L	93
64) 1,4-Dichlorobenzene	12.09	146	5123	0.109 ug/L	86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VX017934.D
Acq On : 17 Aug 2020 13:20
Operator : JC/SP
Sample : L3701-16
Misc : 25.0mL/MSVOA_X/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
JLTY5

Quant Time: Aug 19 02:16:51 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR080720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Aug 18 00:59:21 2020
Response via : Initial Calibration





#13

Acetone

Concen: 4.933 ug/L

RT: 2.43 min Scan# 221

Delta R.T. 0.00 min

Lab File: VX017934.D

Acq: 17 Aug 2020 13:20

Instrument :

MSVOA_X

ClientSampleId :





JLTY5

Tgt Ion: 43 Resp: 18502

Ion Ratio Lower Upper

43 100

58 34.0 0.0 60.8



#64

1,4-Dichlorobenzene

Concen: 0.109 ug/L

RT: 12.09 min Scan# 1804

Delta R.T. 0.01 min

Lab File: VX017934.D

Acq: 17 Aug 2020 13:20

Tgt Ion: 146 Resp: 5123

Ion Ratio Lower Upper

146 100

111 33.2 26.0 48.2

148 47.6 43.2 80.2

