

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX081820\
 Data File : VX017960.D
 Acq On : 18 Aug 2020 16:18
 Operator : JC/SP
 Sample : L3697-10
 Misc : 25.0mL/MSVOA X/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VHBLK01

Quant Time: Aug 19 02:26:48 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR080720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Aug 19 01:29:32 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.83	114	328361	5.00	ug/L	0.00
28) Chlorobenzene-d5	10.10	117	327008	5.00	ug/L	0.00
61) 1,4-Dichlorobenzene-d4	12.06	152	131005	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	125521	5.53	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	110.60%
7) Chloroethane-d5	1.69	69	98584	5.47	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	109.40%
11) 1,1-Dichloroethene-d2	2.34	63	183340	3.92	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	78.40%
20) 2-Butanone-d5	4.54	46	234242	38.87	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	77.74%
24) Chloroform-d	5.14	84	203281	4.41	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.20%
26) 1,2-Dichloroethane-d4	6.03	65	117015	4.63	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.60%
32) Benzene-d6	6.05	84	420031	4.68	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.60%
36) 1,2-Dichloropropane-d6	7.37	67	130559	4.71	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.20%
41) Toluene-d8	8.70	98	372240	4.36	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.20%
45) trans-1,3-Dichloropropene-	8.99	79	52202	4.34	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.80%
48) 2-Hexanone-d5	9.43	63	200474	40.14	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	80.28%
59) 1,1,2,2-Tetrachloroethane-	11.23	84	89431	4.24	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	84.80%
65) 1,2-Dichlorobenzene-d4	12.36	152	126711	5.02	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.40%


Target Compounds					Ovalue
16) Methylene chloride	2.83	84	10436	0.300 ug/L	86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX081820\
Data File : VX017960.D
Acq On : 18 Aug 2020 16:18
Operator : JC/SP
Sample : L3697-10
Misc : 25.0mL/MSVOA X/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VHBLK01

Quant Time: Aug 19 02:26:48 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR080720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Aug 19 01:29:32 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 0.300 ug/L
 RT: 2.83 min Scan# 286
 Delta R.T. -0.01 min
 Lab File: VX017960.D
 Acq: 18 Aug 2020 16:18

Instrument :
 MSVOA_X
 ClientSampleId :
 VHBLK01

Tot Ion	84	Resp	10436
Ion	Ratio	Lower	Upper
84	100		
86	60.2	43.0	80.0
49	147.1	86.9	161.3

