

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX081922\
 Data File : VX030703.D
 Acq On : 19 Aug 2022 15:25
 Operator : JC/MD
 Sample : N4221-16
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 C0KN8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML080422WMA.M

Title : VOC Analysis

Signal : TIC: VX030703.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.368	42	46	53	rVB	135761	143448	3.14%	0.942%
2	1.666	90	95	103	rVB	103819	128372	2.81%	0.843%
3	2.307	193	200	208	rBV2	275783	483794	10.60%	3.177%
4	2.386	208	213	224	rVB	27631	47582	1.04%	0.312%
5	2.471	224	227	229	rBV2	530	579	0.01%	0.004%
6	2.502	229	232	235	rBV2	769	1165	0.03%	0.008%
7	2.563	235	242	251	rVB3	4171	10481	0.23%	0.069%
8	2.666	257	259	264	rVB2	333	480	0.01%	0.003%
9	2.709	264	266	268	rBV2	634	552	0.01%	0.004%
10	2.788	276	279	282	rBV3	1093	1233	0.03%	0.008%
11	2.843	286	288	290	rVB2	513	368	0.01%	0.002%
12	2.947	298	305	311	rVB	5206	11639	0.25%	0.076%
13	3.038	316	320	322	rBV2	522	381	0.01%	0.003%
14	3.093	324	329	335	rVB6	3039	5754	0.13%	0.038%
15	3.373	372	375	377	rVB2	475	423	0.01%	0.003%
16	3.611	406	414	424	rVB2	8099	20053	0.44%	0.132%
17	3.757	435	438	440	rBV2	413	470	0.01%	0.003%
18	3.812	443	447	449	rVB2	361	382	0.01%	0.003%
19	3.910	460	463	466	rBV2	411	603	0.01%	0.004%
20	3.977	472	474	476	rBV2	379	433	0.01%	0.003%
21	4.215	508	513	515	rVB2	479	540	0.01%	0.004%
22	4.251	517	519	522	rBV	497	515	0.01%	0.003%
23	4.324	526	531	533	rBV2	388	537	0.01%	0.004%
24	4.489	543	558	573	rBV2	372033	1179864	25.85%	7.747%
25	4.776	603	605	606	rVB	507	351	0.01%	0.002%
26	5.062	639	652	665	rBV	149922	458963	10.05%	3.013%
27	5.257	682	684	686	rVB2	503	352	0.01%	0.002%
28	5.282	686	688	690	rBV	332	389	0.01%	0.003%
29	5.385	696	705	716	rVB2	18285	56040	1.23%	0.368%
30	5.550	726	732	734	rBV4	2132	3563	0.08%	0.023%
31	5.721	758	760	762	rBV2	423	392	0.01%	0.003%
32	5.970	788	801	820	rBV2	386304	1135219	24.87%	7.454%
33	6.166	830	833	835	rBV3	336	472	0.01%	0.003%
34	6.342	861	862	865	rBV	444	398	0.01%	0.003%
35	6.763	921	931	944	rBV2	263027	633223	13.87%	4.158%
36	6.970	962	965	967	rBV2	639	705	0.02%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX081922\
 Data File : VX030703.D
 Acq On : 19 Aug 2022 15:25
 Operator : JC/MD
 Sample : N4221-16
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 COKN8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML080422WMA.M
 Title : VOC Analysis

37	7.123	980	990	1008	rBV	403831	903118	19.78%	5.930%
38	7.312	1012	1021	1036	rVB	236920	525578	11.51%	3.451%
39	7.806	1098	1102	1103	rBV2	406	419	0.01%	0.003%
40	7.842	1106	1108	1112	rBV3	463	678	0.01%	0.004%
41	7.897	1115	1117	1118	rBV2	1298	996	0.02%	0.007%
42	7.927	1120	1122	1133	rVB6	2431	5045	0.11%	0.033%
43	8.183	1162	1164	1166	rVB	684	508	0.01%	0.003%
44	8.220	1166	1170	1171	rBV	466	613	0.01%	0.004%
45	8.269	1174	1178	1179	rBV	551	422	0.01%	0.003%
46	8.324	1179	1187	1199	rBV	152903	260286	5.70%	1.709%
47	8.488	1209	1214	1219	rVB4	2355	4334	0.09%	0.028%
48	8.653	1234	1241	1252	rBV	588628	919211	20.14%	6.035%
49	8.952	1284	1290	1299	rBV	113899	169962	3.72%	1.116%
50	9.220	1331	1334	1336	rBV2	556	743	0.02%	0.005%
51	9.275	1336	1343	1356	rVV	3230722	4564721	100.00%	29.971%
52	9.384	1356	1361	1374	rVB	435344	616244	13.50%	4.046%
53	9.561	1388	1390	1392	rBV2	701	660	0.01%	0.004%
54	9.586	1392	1394	1396	rVV2	461	408	0.01%	0.003%
55	9.659	1403	1406	1408	rVB3	565	561	0.01%	0.004%
56	9.689	1408	1411	1413	rBV3	902	1027	0.02%	0.007%
57	9.781	1422	1426	1427	rVB2	519	523	0.01%	0.003%
58	9.848	1435	1437	1438	rVB	736	433	0.01%	0.003%
59	9.872	1438	1441	1443	rBV	434	487	0.01%	0.003%
60	10.055	1465	1471	1484	rBV	548692	765127	16.76%	5.024%
61	10.244	1500	1502	1506	rBV3	509	610	0.01%	0.004%
62	10.299	1508	1511	1512	rBV2	662	887	0.02%	0.006%
63	10.616	1561	1563	1566	rVB2	485	495	0.01%	0.003%
64	10.653	1566	1569	1571	rBV2	599	817	0.02%	0.005%
65	10.915	1609	1612	1613	rBV	398	367	0.01%	0.002%
66	10.963	1619	1620	1623	rBV3	497	518	0.01%	0.003%
67	11.195	1652	1658	1664	rBV	454388	574661	12.59%	3.773%
68	11.317	1674	1678	1682	rVV	2965	4141	0.09%	0.027%
69	11.537	1712	1714	1718	rVB	395	481	0.01%	0.003%
70	11.646	1731	1732	1735	rVB2	417	430	0.01%	0.003%
71	11.683	1735	1738	1740	rBV	313	355	0.01%	0.002%
72	11.719	1742	1744	1745	rVB	630	407	0.01%	0.003%
73	11.768	1748	1752	1753	rBV2	697	847	0.02%	0.006%
74	12.024	1788	1794	1802	rBV	599392	722450	15.83%	4.744%
75	12.256	1830	1832	1833	rBV2	678	428	0.01%	0.003%
76	12.323	1837	1843	1853	rBV	654047	833618	18.26%	5.473%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX081922\
 Data File : VX030703.D
 Acq On : 19 Aug 2022 15:25
 Operator : JC/MD
 Sample : N4221-16
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 C0KN8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML080422WMA.M
 Title : VOC Analysis

77	12.762	1912	1915	1920	rVV3	1581	2055	0.05%	0.013%
78	12.817	1922	1924	1926	rBV2	511	468	0.01%	0.003%
79	13.036	1956	1960	1961	rBV	625	448	0.01%	0.003%
80	13.055	1961	1963	1967	rBV2	385	377	0.01%	0.002%
81	13.274	1997	1999	2001	rBV2	478	491	0.01%	0.003%
82	13.298	2001	2003	2005	rVB	594	392	0.01%	0.003%
83	13.463	2028	2030	2033	rVB2	478	387	0.01%	0.003%
84	13.695	2065	2068	2072	rBV2	639	859	0.02%	0.006%
85	13.780	2080	2082	2086	rVB2	1068	959	0.02%	0.006%
86	13.981	2112	2115	2117	rBV2	424	493	0.01%	0.003%
87	14.006	2117	2119	2124	rVB2	537	634	0.01%	0.004%
88	14.091	2132	2133	2136	rBV2	481	426	0.01%	0.003%
89	14.134	2136	2140	2144	rVV	2093	2709	0.06%	0.018%
90	14.182	2146	2148	2149	rBV	848	480	0.01%	0.003%
91	14.256	2158	2160	2162	rVB	656	487	0.01%	0.003%
92	14.323	2169	2171	2175	rBV3	517	812	0.02%	0.005%
93	14.402	2182	2184	2187	rBV2	595	560	0.01%	0.004%
94	14.768	2242	2244	2246	rBV2	877	715	0.02%	0.005%
95	14.865	2258	2260	2261	rBV	780	384	0.01%	0.003%
96	15.383	2344	2345	2346	rBV	1251	729	0.02%	0.005%
97	15.572	2375	2376	2377	rBV	1024	504	0.01%	0.003%
98	15.725	2400	2401	2402	rBV	688	380	0.01%	0.002%
99	15.877	2424	2426	2428	rBV3	820	666	0.01%	0.004%
100	15.987	2443	2444	2446	rBV	645	498	0.01%	0.003%


Sum of corrected areas: 15230244

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX081922\
Data File : VX030703.D
Acq On : 19 Aug 2022 15:25
Operator : JC/MD
Sample : N4221-16
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
COKN8

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML080422WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX081922\
Data File : VX030703.D
Acq On : 19 Aug 2022 15:25
Operator : JC/MD
Sample : N4221-16
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
C0KN8

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXMLM080422WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX081922\
Data File : VX030703.D
Acq On : 19 Aug 2022 15:25
Operator : JC/MD
Sample : N4221-16
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
C0KN8

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML080422WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc