

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX082019\
 Data File : VX011719.D
 Acq On : 21 Aug 2019 05:31
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 21 06:06:35 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X081519W.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 16 04:15:26 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	71	0.00
2 T	Dichlorodifluoromethane	0.491	0.559	-13.8	73	0.00
3 P	Chloromethane	0.510	0.462	9.4	67	0.00
4 C	Vinyl Chloride	0.461	0.438	5.0#	67	0.00
5 T	Bromomethane	0.207	0.225	-8.7	78	0.00
6 T	Chloroethane	0.218	0.249	-14.2	78	0.00
7 T	Trichlorofluoromethane	0.639	0.725	-13.5	80	0.00
8 T	Diethyl Ether	0.219	0.246	-12.3	80	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.441	0.465	-5.4	76	0.00
10 T	Methyl Iodide	0.628	0.633	-0.8	69	0.00
11 T	Tert butyl alcohol	0.114	0.125	-9.6	77	0.00
12 CM	1,1-Dichloroethene	0.426	0.453	-6.3#	77	0.00
13 T	Acrolein	0.038	0.037	2.6	80	0.00
14 T	Allyl chloride	0.709	0.713	-0.6	70	0.00
15 T	Acrylonitrile	0.260	0.286	-10.0	76	0.00
16 T	Acetone	0.233	0.252	-8.2	77	0.00
17 T	Carbon Disulfide	1.005	0.979	2.6	69	0.00
18 T	Methyl Acetate	0.723	0.845	-16.9	80	0.00
19 T	Methyl tert-butyl Ether	1.388	1.595	-14.9	80	0.00
20 T	Methylene Chloride	0.490	0.509	-3.9	77	0.00
21 T	trans-1,2-Dichloroethene	0.452	0.489	-8.2	77	0.00
22 T	Diisopropyl ether	1.412	1.489	-5.5	73	0.00
23 T	Vinyl Acetate	1.118	1.212	-8.4	74	0.00
24 P	1,1-Dichloroethane	0.799	0.861	-7.8	77	0.00
25 T	2-Butanone	0.366	0.358	2.2	68	0.00
26 T	2,2-Dichloropropane	0.601	0.401	33.3#	47#	0.00
27 T	cis-1,2-Dichloroethene	0.527	0.515	2.3	70	0.00
28 T	Bromochloromethane	0.351	0.350	0.3	70	0.00
29 T	Tetrahydrofuran	0.240	0.241	-0.4	69	0.00
30 C	Chloroform	0.843	0.902	-7.0#	77	0.00
31 T	Cyclohexane	0.688	0.696	-1.2	70	0.00
32 T	1,1,1-Trichloroethane	0.725	0.807	-11.3	77	0.00
33 S	1,2-Dichloroethane-d4	0.464	0.496	-6.9	82	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	78	0.00
35 S	Dibromofluoromethane	0.327	0.291	11.0	75	0.00
36 T	1,1-Dichloropropene	0.427	0.418	2.1	75	0.00
37 T	Ethyl Acetate	0.492	0.444	9.8	69	0.00
38 T	Carbon Tetrachloride	0.471	0.470	0.2	76	0.00
39 T	Methylcyclohexane	0.528	0.493	6.6	72	0.00
40 TM	Benzene	1.328	1.272	4.2	75	0.00
41 T	Methacrylonitrile	0.271	0.256	5.5	71	0.00
42 TM	1,2-Dichloroethane	0.460	0.487	-5.9	81	0.00
43 T	Isopropyl Acetate	0.767	0.771	-0.5	77	0.00
44 TM	Trichloroethene	0.394	0.385	2.3	76	0.00
45 C	1,2-Dichloropropane	0.331	0.336	-1.5#	77	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX082019\
 Data File : VX011719.D
 Acq On : 21 Aug 2019 05:31
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 21 06:06:35 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X081519W.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 16 04:15:26 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.241	0.239	0.8	79	0.00
47 T	Bromodichloromethane	0.442	0.453	-2.5	78	0.00
48 T	Methyl methacrylate	0.380	0.388	-2.1	76	0.00
49 T	1,4-Dioxane	0.010	0.010	0.0	76	0.00
50 S	Toluene-d8	1.019	0.921	9.6	74	0.00
51 T	4-Methyl-2-Pentanone	0.502	0.499	0.6	74	0.00
52 CM	Toluene	0.846	0.794	6.1#	73	0.00
53 T	t-1,3-Dichloropropene	0.459	0.445	3.1	71	0.00
54 T	cis-1,3-Dichloropropene	0.502	0.469	6.6	68	0.00
55 T	1,1,2-Trichloroethane	0.360	0.364	-1.1	79	0.00
56 T	Ethyl methacrylate	0.523	0.536	-2.5	75	0.00
57 T	1,3-Dichloropropane	0.572	0.572	0.0	78	0.00
58 T	2-Chloroethyl Vinyl ether	0.261	0.248	5.0	71	0.00
59 T	2-Hexanone	0.387	0.385	0.5	73	0.00
60 T	Dibromochloromethane	0.375	0.402	-7.2	76	0.00
61 T	1,2-Dibromoethane	0.384	0.387	-0.8	77	0.00
62 S	4-Bromofluorobenzene	0.430	0.404	6.0	79	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	77	0.00
64 T	Tetrachloroethene	0.410	0.415	-1.2	78	0.00
65 PM	Chlorobenzene	1.066	1.070	-0.4	77	0.00
66 T	1,1,1,2-Tetrachloroethane	0.399	0.416	-4.3	78	0.00
67 C	Ethyl Benzene	1.780	1.810	-1.7#	78	0.00
68 T	m/p-Xylenes	0.683	0.704	-3.1	77	0.00
69 T	o-Xylene	0.669	0.684	-2.2	78	0.00
70 T	Styrene	1.127	1.182	-4.9	77	0.00
71 P	Bromoform	0.337	0.358	-6.2	77	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	74	0.00
73 T	Isopropylbenzene	3.244	3.482	-7.3	78	0.00
74 T	N-amyl acetate	1.379	1.425	-3.3	76	0.00
75 P	1,1,2,2-Tetrachloroethane	1.116	1.163	-4.2	77	0.00
76 T	1,2,3-Trichloropropane	0.948	1.003	-5.8	77	0.00
77 T	Bromobenzene	0.965	1.020	-5.7	78	0.00
78 T	n-propylbenzene	3.498	3.794	-8.5	77	0.00
79 T	2-Chlorotoluene	2.148	2.307	-7.4	77	0.00
80 T	1,3,5-Trimethylbenzene	2.725	2.974	-9.1	78	0.00
81 T	trans-1,4-Dichloro-2-butene	0.319	0.294	7.8	65	0.00
82 T	4-Chlorotoluene	2.492	2.677	-7.4	78	0.00
83 T	tert-Butylbenzene	2.776	2.960	-6.6	77	0.00
84 T	1,2,4-Trimethylbenzene	2.736	2.753	-0.6	71	0.00
85 T	sec-Butylbenzene	3.132	3.280	-4.7	75	0.00
86 T	p-Isopropyltoluene	2.946	3.094	-5.0	74	0.00
87 T	1,3-Dichlorobenzene	1.659	1.652	0.4	73	0.00
88 T	1,4-Dichlorobenzene	1.682	1.614	4.0	71	0.00
89 T	n-Butylbenzene	2.422	2.531	-4.5	73	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX082019\
Data File : VX011719.D
Acq On : 21 Aug 2019 05:31
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 52 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Aug 21 06:06:35 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X081519W.M
Quant Title : SW846 8260
QLast Update : Fri Aug 16 04:15:26 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.465	0.465	0.0	71	0.00
91 T	1,2-Dichlorobenzene	1.666	1.698	-1.9	75	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.255	0.255	0.0	74	0.00
93 T	1,2,4-Trichlorobenzene	1.241	1.163	6.3	67	0.00
94 T	Hexachlorobutadiene	0.676	0.629	7.0	68	0.00
95 T	Naphthalene	3.508	3.739	-6.6	74	0.00
96 T	1,2,3-Trichlorobenzene	1.252	1.282	-2.4	73	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6