

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX082019\
 Data File : VX011684.D
 Acq On : 20 Aug 2019 15:01
 Operator : JC/SP
 Sample : K4397-03
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 STORAGE-BLANK-WATER-REF-4

Quant Time: Aug 21 12:04:45 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X081519W.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 16 04:15:26 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.66	168	385279	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.85	114	548599	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.11	117	482347	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.07	152	234331	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	6.06	65	203275	56.89	ug/l	0.00
Spiked Amount						
			Recovery	=	113.78%	
35) Dibromofluoromethane	5.49	113	161590	45.03	ug/l	0.00
Spiked Amount						
			Recovery	=	90.06%	
50) Toluene-d8	8.71	98	629913	56.34	ug/l	0.00
Spiked Amount						
			Recovery	=	112.68%	
62) 4-Bromofluorobenzene	11.13	95	217585	46.11	ug/l	0.00
Spiked Amount						
			Recovery	=	92.22%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX082019\
Data File : VX011684.D
Acq On : 20 Aug 2019 15:01
Operator : JC/SP
Sample : K4397-03
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
STORAGE-BLANK-WATER-REF-4

Quant Time: Aug 21 12:04:45 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X081519W.M
Quant Title : SW846 8260
QLast Update : Fri Aug 16 04:15:26 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.66 min Scan# 739

Delta R.T. 0.01 min

Lab File: VX011684.D

Acq: 20 Aug 2019 15:01

Instrument :

MSVOA_X

ClientSampleId :


STORAGE-BLANK-WATER-REF-4

Tot Ion:168 Resp: 385279

Ion Ratio Lower Upper

168 100

99 48.1 37.3 55.9



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.66



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 56.893 ug/l

RT: 6.06 min Scan# 804

Delta R.T. 0.00 min

Lab File: VX011684.D


Acq: 20 Aug 2019 15:01

Tgt Ion: 65 Resp: 203275

Ion Ratio Lower Upper

65 100

67 51.7 0.0 107.6



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0

6.06

80000


60000


40000

20000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.85 min Scan# 935

Delta R.T. 0.00 min

Lab File: VX011684.D

Acq: 20 Aug 2019 15:01

Instrument :

MSVOA_X

ClientSampleId :

STORAGE-BLANK-WATER-REF-4


Tot Ion:114 Resp: 548599

Ion Ratio Lower Upper

114 100

63 18.7 0.0 37.8




88 15.0 0.0 30.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 45.034 ug/l

RT: 5.49 min Scan# 712

Delta R.T. 0.00 min

Lab File: VX011684.D

Acq: 20 Aug 2019 15:01


Tgt Ion:113 Resp: 161590

Ion Ratio Lower Upper

113 100

111 103.0 81.1 121.7



192 23.6 20.8 31.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 56.341 ug/l

RT: 8.71 min Scan# 1240

Delta R.T. 0.00 min

Lab File: VX011684.D

Acq: 20 Aug 2019 15:01

Instrument :

MSVOA_X

ClientSampleId :





STORAGE-BLANK-WATER-REF-4

Tot Ion: 98 Resp: 629913

Ion Ratio Lower Upper

98 100

100 64.3 52.4 78.6



#62

4-Bromofluorobenzene

Concen: 46.108 ug/l

RT: 11.13 min Scan# 1637

Delta R.T. 0.00 min

Lab File: VX011684.D

Acq: 20 Aug 2019 15:01




Tgt Ion: 95 Resp: 217585


Ion Ratio Lower Upper

95 100

174 96.1 0.0 200.6

176 92.8 0.0 196.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.11 min Scan# 1469
Delta R.T. 0.00 min
Lab File: VX011684.D
Acq: 20 Aug 2019 15:01

Instrument :
MSVOA_X
ClientSampleId :
STORAGE-BLANK-WATER-REF-4

Tot Ion:117 Resp: 482347
Ion Ratio Lower Upper
117 100
82 53.1 42.0 63.0
119 32.1 26.5 39.7



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.07 min Scan# 1791
Delta R.T. 0.00 min
Lab File: VX011684.D
Acq: 20 Aug 2019 15:01

Tgt Ion:152 Resp: 234331
Ion Ratio Lower Upper
152 100
115 54.1 37.3 111.9
150 155.8 0.0 346.2

