

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX082019\
 Data File : VX011715.D
 Acq On : 21 Aug 2019 03:57
 Operator : JC/SP
 Sample : K4387-40
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 48 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 T4-B2-(0)

Quant Time: Aug 21 05:49:21 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X081519W.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 16 04:15:26 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.66	168	360400	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.85	114	511202	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.11	117	465352	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.07	152	219037	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.06	65	188653	56.45	ug/l	0.00
Spiked Amount 50.000			Recovery	=	112.90%	
35) Dibromofluoromethane	5.49	113	157546	47.12	ug/l	0.00
Spiked Amount 50.000			Recovery	=	94.24%	
50) Toluene-d8	8.71	98	600819	57.67	ug/l	0.00
Spiked Amount 50.000			Recovery	=	115.34%	
62) 4-Bromofluorobenzene	11.13	95	195034	44.35	ug/l	0.00
Spiked Amount 50.000			Recovery	=	88.70%	
Target Compounds						
43) Isopropyl Acetate	6.45	43	55838	7.117	ug/l	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX082019\
Data File : VX011715.D
Acq On : 21 Aug 2019 03:57
Operator : JC/SP
Sample : K4387-40
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 48 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
T4-B2-(0)

Quant Time: Aug 21 05:49:21 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X081519W.M
Quant Title : SW846 8260
QLast Update : Fri Aug 16 04:15:26 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.66 min Scan# 739

Delta R.T. 0.01 min

Lab File: VX011715.D

Acq: 21 Aug 2019 03:57

Instrument :

MSVOA_X

ClientSampleId :


T4-B2-(0)

Tot Ion:168 Resp: 360400

Ion Ratio Lower Upper

168 100

99 48.5 37.3 55.9



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.66



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 56.445 ug/l

RT: 6.06 min Scan# 804

Delta R.T. 0.00 min

Lab File: VX011715.D


Acq: 21 Aug 2019 03:57

Tgt Ion: 65 Resp: 188653

Ion Ratio Lower Upper

65 100

67 52.9 0.0 107.6



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0

6.06

80000


60000


40000

20000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.85 min Scan# 935

Delta R.T. 0.00 min

Lab File: VX011715.D

Acq: 21 Aug 2019 03:57

Instrument :

MSVOA_X

ClientSampleId :

T4-B2-(0)


Tot Ion:114 Resp: 511202

Ion Ratio Lower Upper

114 100

63 18.4 0.0 37.8




88 15.0 0.0 30.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 47.119 ug/l

RT: 5.49 min Scan# 711

Delta R.T. -0.01 min

Lab File: VX011715.D

Acq: 21 Aug 2019 03:57


Tgt Ion:113 Resp: 157546

Ion Ratio Lower Upper

113 100

111 102.0 81.1 121.7



192 24.9 20.8 31.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#43

Isopropyl Acetate
 Concen: 7.117 ug/l
 RT: 6.45 min Scan# 868
 Delta R.T. 0.01 min
 Lab File: VX011715.D
 Acq: 21 Aug 2019 03:57

Instrument :
 MSVOA_X
 ClientSampled :
 T4-B2-(0)




Tot Ion	43	Resp	55838
Ion Ratio	Lower	Upper	
43	100		
61	20.8	16.6	24.8
87	15.6	11.4	17.2




#50

Toluene-d8
 Concen: 57.670 ug/l
 RT: 8.71 min Scan# 1240
 Delta R.T. 0.00 min
 Lab File: VX011715.D
 Acq: 21 Aug 2019 03:57

Tgt Ion	98	Resp	600819
Ion Ratio	Lower	Upper	
98	100		
100	64.1	52.4	78.6





#62

4-Bromofluorobenzene

Concen: 44.353 ug/l

RT: 11.13 min Scan# 1637

Delta R.T. 0.00 min

Lab File: VX011715.D

Acq: 21 Aug 2019 03:57

Instrument :

MSVOA_X

ClientSampleId :

T4-B2-(0)


Tot Ion: 95 Resp: 195034

Ion Ratio Lower Upper

95 100

174 93.8 0.0 200.6




176 89.8 0.0 196.6



Abundance Ion 94.90 (94.60 to 95.60): VX0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 10.11 min Scan# 1469

Delta R.T. 0.00 min

Lab File: VX011715.D

Acq: 21 Aug 2019 03:57


Tgt Ion: 117 Resp: 465352

Ion Ratio Lower Upper

117 100

82 51.6 42.0 63.0



119 32.6 26.5 39.7




Abundance Ion 116.90 (116.60 to 117.60): V

Ion 82.00 (81.70 to 82.70): VX0

Ion 118.90 (118.60 to 119.60): V





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.07 min Scan# 1791

Delta R.T. 0.00 min

Lab File: VX011715.D

Acq: 21 Aug 2019 03:57

Instrument :

MSVOA_X

ClientSampleId :

T4-B2-(0)


Tot Ion:152 Resp: 219037

Ion Ratio Lower Upper

152 100

115 53.8 37.3 111.9

150 156.2 0.0 346.2



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

