

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX082223\
 Data File : VX037152.D
 Acq On : 22 Aug 2023 14:03
 Operator : JC/MD
 Sample : VX0822MBS01
 Misc : 5.00g/10mL/100uL/5.0mL/MSVOA_X/MEOH
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0822MBS01

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X081723W.M
 Title : SW846 8260

Signal : TIC: VX037152.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.167	10	13	23	rBV	60544	61000	3.92%	0.234%
2	1.258	24	28	31	rVV	26432	44914	2.89%	0.173%
3	1.307	31	36	43	rVV	39209	89649	5.76%	0.344%
4	1.374	43	47	57	rVB	55684	61896	3.98%	0.238%
5	1.605	81	85	94	rBV	47004	65043	4.18%	0.250%
6	1.685	94	98	105	rBV	28787	41131	2.64%	0.158%
7	1.886	126	131	143	rVB	87376	130062	8.36%	0.500%
8	2.136	167	172	181	rVB	58658	91401	5.87%	0.351%
9	2.233	183	188	195	rVV	30007	45543	2.93%	0.175%
10	2.325	195	203	208	rVV2	146158	280288	18.01%	1.077%
11	2.380	208	212	219	rVV	73492	117494	7.55%	0.451%
12	2.453	219	224	229	rVV	40070	66410	4.27%	0.255%
13	2.514	229	234	249	rVB	62053	102900	6.61%	0.395%
14	2.666	249	259	262	rBV2	71736	133845	8.60%	0.514%
15	2.703	262	265	273	rVV	53994	90367	5.81%	0.347%
16	2.788	273	279	296	rVB	72714	138811	8.92%	0.533%
17	2.959	297	307	317	rBV	36601	82917	5.33%	0.318%
18	3.063	317	324	327	rVV	111442	225179	14.47%	0.865%
19	3.105	327	331	347	rVB2	135612	372521	23.94%	1.431%
20	3.611	405	414	424	rBV	54383	126600	8.14%	0.486%
21	3.727	424	433	446	rBV2	190478	670473	43.09%	2.575%
22	4.483	542	557	564	rBV2	100803	309506	19.89%	1.189%
23	4.556	564	569	577	rVV	71079	200816	12.91%	0.771%
24	4.648	577	584	590	rVV	49969	146297	9.40%	0.562%
25	4.739	590	599	616	rVV2	32528	156841	10.08%	0.602%
26	4.910	616	627	636	rVV3	71675	246997	15.87%	0.949%
27	5.007	636	643	651	rVV2	82344	256712	16.50%	0.986%
28	5.093	651	657	673	rVB	56605	170139	10.93%	0.654%
29	5.385	688	705	713	rBV	158707	477929	30.71%	1.836%
30	5.471	713	719	725	rVB	44324	99786	6.41%	0.383%
31	5.556	725	733	739	rBV	147963	378945	24.35%	1.456%
32	5.690	748	755	771	rVB3	113968	349078	22.43%	1.341%
33	5.958	788	799	806	rBV	111083	292349	18.79%	1.123%
34	6.044	806	813	818	rBV	92346	235600	15.14%	0.905%
35	6.342	851	862	873	rBV	57167	146464	9.41%	0.563%
36	6.763	921	931	948	rBV	258875	613162	39.40%	2.355%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX082223\
Data File : VX037152.D
Acq On : 22 Aug 2023 14:03
Operator : JC/MD
Sample : VX0822MBS01
Misc : 5.00g/10mL/100uL/5.0mL/MSVOA_X/MEOH
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0822MBS01

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X081723W.M
Title : SW846 8260

37	7.129	983	991	1004	rBV	95513	209723	13.48%	0.806%
38	7.379	1023	1032	1037	rBV	102209	230936	14.84%	0.887%
39	7.434	1037	1041	1054	rVV	86299	171580	11.03%	0.659%
40	7.586	1058	1066	1073	rBV	65583	132420	8.51%	0.509%
41	7.659	1073	1078	1079	rVV	22125	30331	1.95%	0.117%
42	7.696	1079	1084	1095	rVV	87421	168532	10.83%	0.647%
43	7.818	1095	1104	1117	rVB2	100266	272111	17.49%	1.045%
44	8.116	1147	1153	1164	rBV	18909	35248	2.27%	0.135%
45	8.245	1167	1174	1188	rVV	364671	579409	37.23%	2.226%
46	8.366	1188	1194	1213	rVB	110193	182557	11.73%	0.701%
47	8.574	1221	1228	1235	rBV	444147	688656	44.26%	2.645%
48	8.647	1235	1240	1247	rVV	525547	843722	54.22%	3.241%
49	8.720	1247	1252	1269	rVB	241755	370391	23.80%	1.423%
50	8.976	1287	1294	1309	rBV	113482	172901	11.11%	0.664%
51	9.116	1312	1317	1320	rBV	134997	189687	12.19%	0.729%
52	9.153	1320	1323	1336	rVB	148863	206579	13.28%	0.793%
53	9.275	1336	1343	1346	rBV	170920	255338	16.41%	0.981%
54	9.311	1346	1349	1355	rVB	124125	169811	10.91%	0.652%
55	9.433	1363	1369	1378	rBV	361126	499868	32.12%	1.920%
56	9.519	1378	1383	1389	rVV	95041	139437	8.96%	0.536%
57	9.580	1389	1393	1396	rVV	127946	178767	11.49%	0.687%
58	9.610	1396	1398	1409	rVB	81048	99173	6.37%	0.381%
59	10.055	1465	1471	1483	rBV2	576822	1057296	67.95%	4.061%
60	10.165	1483	1489	1491	rVV	166252	243363	15.64%	0.935%
61	10.195	1491	1494	1505	rVV	314397	396300	25.47%	1.522%
62	10.299	1505	1511	1527	rVB	596741	806687	51.84%	3.099%
63	10.647	1561	1568	1579	rBV3	420991	769059	49.42%	2.954%
64	10.799	1588	1593	1597	rBV	83521	112436	7.23%	0.432%
65	10.842	1597	1600	1611	rVV	183094	211830	13.61%	0.814%
66	10.964	1614	1620	1625	rBV	347942	430844	27.69%	1.655%
67	11.018	1625	1629	1634	rVV	104989	127815	8.21%	0.491%
68	11.079	1634	1639	1646	rVB	495359	611535	39.30%	2.349%
69	11.201	1653	1659	1663	rBV2	246514	479713	30.83%	1.843%
70	11.238	1663	1665	1672	rVV2	158232	297054	19.09%	1.141%
71	11.305	1672	1676	1681	rVV	341836	422383	27.14%	1.622%
72	11.366	1681	1686	1691	rVV	287129	371312	23.86%	1.426%
73	11.451	1695	1700	1721	rVB	637075	806733	51.84%	3.099%
74	11.713	1737	1743	1747	rBV2	454904	678968	43.63%	2.608%
75	11.750	1747	1749	1757	rVB	361129	394511	25.35%	1.515%
76	11.890	1764	1772	1778	rVB	337469	409132	26.29%	1.571%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX082223\
 Data File : VX037152.D
 Acq On : 22 Aug 2023 14:03
 Operator : JC/MD
 Sample : VX0822MBS01
 Misc : 5.00g/10mL/100uL/5.0mL/MSVOA_X/MEOH
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0822MBS01

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X081723W.M
 Title : SW846 8260

77	11.969	1780	1785	1788	rVV	267436	335042	21.53%	1.287%
78	12.018	1788	1793	1809	rVB3	793512	1556099	100.00%	5.977%
79	12.335	1839	1845	1855	rBV	558573	694770	44.65%	2.669%
80	12.536	1871	1878	1885	rBV	164927	219413	14.10%	0.843%
81	12.945	1937	1945	1953	rBV2	72321	102523	6.59%	0.394%
82	13.286	1995	2001	2010	rVB	345038	409940	26.34%	1.575%
83	13.585	2045	2050	2058	rBV	227162	283789	18.24%	1.090%
84	13.725	2068	2073	2077	rBV	151183	191144	12.28%	0.734%
85	13.774	2077	2081	2092	rVB	317620	385213	24.76%	1.480%
86	13.957	2106	2111	2119	rBV	222921	283514	18.22%	1.089%


Sum of corrected areas: 26034660

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX082223\
Data File : VX037152.D
Acq On : 22 Aug 2023 14:03
Operator : JC/MD
Sample : VX0822MBS01
Misc : 5.00g/10mL/100uL/5.0mL/MSVOA_X/MEOH
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0822MBS01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X081723W.M
Quant Title : SW846 8260

TIC Library :
TIC Integration Parameters: RTEINT.P



Library Search Compound Report

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX082223\
Data File : VX037152.D
Acq On : 22 Aug 2023 14:03
Operator : JC/MD
Sample : VX0822MBS01
Misc : 5.00g/10mL/100uL/5.0mL/MSVOA_X/MEOH
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0822MBS01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X081723W.M
Quant Title : SW846 8260

TIC Library :
TIC Integration Parameters: RTEINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX082223\
Data File : VX037152.D
Acq On : 22 Aug 2023 14:03
Operator : JC/MD
Sample : VX0822MBS01
Misc : 5.00g/10mL/100uL/5.0mL/MSVOA_X/MEOH
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0822MBS01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X081723W.M
Quant Title : SW846 8260

TIC Library :
TIC Integration Parameters: RTEINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc