

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX082421\
 Data File : VX023925.D
 Acq On : 24 Aug 2021 14:37
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 25 03:55:33 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X081721W.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 17 11:57:51 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	101	0.00
2 T	Dichlorodifluoromethane	50.000	45.701	8.6	84	0.00
3 P	Chloromethane	50.000	44.712	10.6	85	0.00
4 C	Vinyl Chloride	50.000	44.843	10.3#	84	0.00
5 T	Bromomethane	50.000	48.027	3.9	94	0.00
6 T	Chloroethane	50.000	39.472	21.1	86	0.00
7 T	Trichlorofluoromethane	50.000	48.207	3.6	90	0.00
8 T	Diethyl Ether	50.000	47.782	4.4	89	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	48.361	3.3	90	0.00
10 T	Methyl Iodide	50.000	47.208	5.6	85	0.00
11 T	Tert butyl alcohol	250.000	214.146	14.3	80	0.00
12 CM	1,1-Dichloroethene	50.000	47.669	4.7#	90	0.00
13 T	Acrolein	250.000	230.384	7.8	88	0.00
14 T	Allyl chloride	50.000	48.059	3.9	90	0.00
15 T	Acrylonitrile	250.000	226.589	9.4	85	0.00
16 T	Acetone	250.000	245.326	1.9	97	0.00
17 T	Carbon Disulfide	50.000	51.224	-2.4	93	0.00
18 T	Methyl Acetate	50.000	52.250	-4.5	101	0.00
19 T	Methyl tert-butyl Ether	50.000	49.970	0.1	92	0.00
20 T	Methylene Chloride	50.000	45.565	8.9	91	0.00
21 T	trans-1,2-Dichloroethene	50.000	49.748	0.5	94	0.00
22 T	Diisopropyl ether	50.000	49.681	0.6	92	0.00
23 T	Vinyl Acetate	250.000	269.197	-7.7	98	0.00
24 P	1,1-Dichloroethane	50.000	48.235	3.5	91	0.00
25 T	2-Butanone	250.000	234.664	6.1	87	0.00
26 T	2,2-Dichloropropane	50.000	52.487	-5.0	98	0.00
27 T	cis-1,2-Dichloroethene	50.000	47.841	4.3	90	-0.01
28 T	Bromochloromethane	50.000	51.545	-3.1	95	0.00
29 T	Tetrahydrofuran	250.000	221.550	11.4	82	-0.01
30 C	Chloroform	50.000	48.036	3.9#	92	0.00
31 T	Cyclohexane	50.000	48.499	3.0	91	0.00
32 T	1,1,1-Trichloroethane	50.000	50.428	-0.9	93	0.00
33 S	1,2-Dichloroethane-d4	50.000	50.181	-0.4	98	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	98	0.00
35 S	Dibromofluoromethane	50.000	52.192	-4.4	98	0.00
36 T	1,1-Dichloropropene	50.000	52.362	-4.7	94	0.00
37 T	Ethyl Acetate	50.000	47.182	5.6	88	0.00
38 T	Carbon Tetrachloride	50.000	52.588	-5.2	93	-0.01
39 T	Methylcyclohexane	50.000	54.108	-8.2	95	0.00
40 TM	Benzene	50.000	50.249	-0.5	91	0.00
41 T	Methacrylonitrile	50.000	46.552	6.9	85	-0.01
42 TM	1,2-Dichloroethane	50.000	52.685	-5.4	95	0.00
43 T	Isopropyl Acetate	50.000	49.820	0.4	91	0.00
44 TM	Trichloroethene	50.000	50.801	-1.6	94	0.00
45 C	1,2-Dichloropropane	50.000	50.498	-1.0#	91	0.00
46 T	Dibromomethane	50.000	50.474	-0.9	91	0.00
47 T	Bromodichloromethane	50.000	54.624	-9.2	95	0.00
48 T	Methyl methacrylate	50.000	61.468	-22.9	108	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX082421\
 Data File : VX023925.D
 Acq On : 24 Aug 2021 14:37
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 25 03:55:33 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X081721W.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 17 11:57:51 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	917.586	8.2	82	0.00
50 S	Toluene-d8	50.000	51.757	-3.5	96	0.00
51 T	4-Methyl-2-Pentanone	250.000	247.309	1.1	86	0.00
52 CM	Toluene	50.000	51.934	-3.9#	93	0.00
53 T	t-1,3-Dichloropropene	50.000	48.725	2.5	95	0.00
54 T	cis-1,3-Dichloropropene	50.000	53.952	-7.9	95	0.00
55 T	1,1,2-Trichloroethane	50.000	51.607	-3.2	93	0.00
56 T	Ethyl methacrylate	50.000	37.993	24.0	72	0.00
57 T	1,3-Dichloropropane	50.000	51.685	-3.4	92	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	237.607	5.0	86	0.00
59 T	2-Hexanone	250.000	262.489	-5.0	90	0.00
60 T	Dibromochloromethane	50.000	50.464	-0.9	97	0.00
61 T	1,2-Dibromoethane	50.000	52.617	-5.2	92	0.00
62 S	4-Bromofluorobenzene	50.000	57.752	-15.5	104	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	99	0.00
64 T	Tetrachloroethene	50.000	49.559	0.9	92	0.00
65 PM	Chlorobenzene	50.000	51.609	-3.2	95	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	53.707	-7.4	95	0.00
67 C	Ethyl Benzene	50.000	53.676	-7.4#	96	0.00
68 T	m/p-Xylenes	100.000	106.819	-6.8	95	0.00
69 T	o-Xylene	50.000	51.916	-3.8	92	0.00
70 T	Styrene	50.000	49.374	1.3	86	0.00
71 P	Bromoform	50.000	51.273	-2.5	98	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	106	0.00
73 T	Isopropylbenzene	50.000	49.534	0.9	96	0.00
74 T	N-ethyl acetate	50.000	49.533	0.9	95	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	47.711	4.6	98	0.00
76 T	1,2,3-Trichloropropane	50.000	50.329	-0.7	100	0.00
77 T	Bromobenzene	50.000	50.511	-1.0	99	0.00
78 T	n-propylbenzene	50.000	49.912	0.2	96	0.00
79 T	2-Chlorotoluene	50.000	49.824	0.4	96	0.00
80 T	1,3,5-Trimethylbenzene	50.000	52.288	-4.6	99	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	51.280	-2.6	98	0.00
82 T	4-Chlorotoluene	50.000	51.884	-3.8	99	0.00
83 T	tert-Butylbenzene	50.000	51.016	-2.0	97	0.00
84 T	1,2,4-Trimethylbenzene	50.000	52.077	-4.2	99	0.00
85 T	sec-Butylbenzene	50.000	49.627	0.7	92	0.00
86 T	p-Isopropyltoluene	50.000	54.773	-9.5	101	0.00
87 T	1,3-Dichlorobenzene	50.000	50.206	-0.4	99	0.00
88 T	1,4-Dichlorobenzene	50.000	50.245	-0.5	98	0.00
89 T	n-Butylbenzene	50.000	55.575	-11.2	103	0.00
90 T	Hexachloroethane	50.000	51.481	-3.0	104	0.00
91 T	1,2-Dichlorobenzene	50.000	49.318	1.4	98	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	43.866	12.3	93	0.00
93 T	1,2,4-Trichlorobenzene	50.000	51.994	-4.0	100	0.00
94 T	Hexachlorobutadiene	50.000	54.922	-9.8	111	0.00
95 T	Naphthalene	50.000	46.322	7.4	95	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX082421\
Data File : VX023925.D
Acq On : 24 Aug 2021 14:37
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Aug 25 03:55:33 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X081721W.M
Quant Title : SW846 8260
QLast Update : Tue Aug 17 11:57:51 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	52.760	-5.5	100	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6