

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\WX082522\  
 Data File : VX030784.D  
 Acq On : 25 Aug 2022 20:20  
 Operator : JC/MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 27 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 LabSampleId :  
 VSTDCCC050

Quant Time: Aug 26 02:42:08 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X082522W.M  
 Quant Title : SW846 8260  
 QLast Update : Fri Aug 26 02:03:28 2022  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | Amount  | Calc.   | %Dev  | Area% | Dev(min) |
|-------|-----------------------------|---------|---------|-------|-------|----------|
| 1 I   | Pentafluorobenzene          | 50.000  | 50.000  | 0.0   | 92    | 0.00     |
| 2 T   | Dichlorodifluoromethane     | 50.000  | 48.326  | 3.3   | 93    | 0.00     |
| 3 P   | Chloromethane               | 50.000  | 50.467  | -0.9  | 94    | 0.00     |
| 4 C   | Vinyl Chloride              | 50.000  | 49.895  | 0.2#  | 93    | 0.00     |
| 5 T   | Bromomethane                | 50.000  | 42.608  | 14.8  | 90    | 0.00     |
| 6 T   | Chloroethane                | 50.000  | 53.142  | -6.3  | 98    | 0.00     |
| 7 T   | Trichlorofluoromethane      | 50.000  | 45.526  | 8.9   | 93    | 0.00     |
| 8 T   | Diethyl Ether               | 50.000  | 48.849  | 2.3   | 99    | 0.00     |
| 9 T   | 1,1,2-Trichlorotrifluoroeth | 50.000  | 45.942  | 8.1   | 92    | 0.00     |
| 10 T  | Methyl Iodide               | 50.000  | 42.408  | 15.2  | 82    | 0.00     |
| 11 T  | Tert butyl alcohol          | 250.000 | 288.231 | -15.3 | 121   | -0.02    |
| 12 CM | 1,1-Dichloroethene          | 50.000  | 46.105  | 7.8#  | 95    | 0.00     |
| 13 T  | Acrolein                    | 250.000 | 229.393 | 8.2   | 88    | 0.00     |
| 14 T  | Allyl chloride              | 50.000  | 46.333  | 7.3   | 93    | 0.00     |
| 15 T  | Acrylonitrile               | 250.000 | 263.754 | -5.5  | 102   | 0.00     |
| 16 T  | Acetone                     | 250.000 | 253.308 | -1.3  | 100   | 0.00     |
| 17 T  | Carbon Disulfide            | 50.000  | 48.672  | 2.7   | 92    | 0.00     |
| 18 T  | Methyl Acetate              | 50.000  | 50.830  | -1.7  | 100   | 0.00     |
| 19 T  | Methyl tert-butyl Ether     | 50.000  | 49.843  | 0.3   | 96    | 0.00     |
| 20 T  | Methylene Chloride          | 50.000  | 56.677  | -13.4 | 106   | 0.00     |
| 21 T  | trans-1,2-Dichloroethene    | 50.000  | 45.210  | 9.6   | 93    | 0.00     |
| 22 T  | Diisopropyl ether           | 50.000  | 49.305  | 1.4   | 96    | 0.00     |
| 23 T  | Vinyl Acetate               | 250.000 | 251.661 | -0.7  | 96    | 0.00     |
| 24 P  | 1,1-Dichloroethane          | 50.000  | 48.010  | 4.0   | 96    | 0.00     |
| 25 T  | 2-Butanone                  | 250.000 | 259.843 | -3.9  | 101   | 0.00     |
| 26 T  | 2,2-Dichloropropane         | 50.000  | 36.404  | 27.2# | 69    | 0.00     |
| 27 T  | cis-1,2-Dichloroethene      | 50.000  | 47.571  | 4.9   | 96    | 0.00     |
| 28 T  | Bromochloromethane          | 50.000  | 47.647  | 4.7   | 94    | 0.00     |
| 29 T  | Tetrahydrofuran             | 250.000 | 259.814 | -3.9  | 102   | 0.00     |
| 30 C  | Chloroform                  | 50.000  | 47.670  | 4.7#  | 97    | 0.00     |
| 31 T  | Cyclohexane                 | 50.000  | 46.815  | 6.4   | 91    | 0.00     |
| 32 T  | 1,1,1-Trichloroethane       | 50.000  | 48.864  | 2.3   | 95    | 0.00     |
| 33 S  | 1,2-Dichloroethane-d4       | 50.000  | 47.665  | 4.7   | 99    | 0.00     |
| 34 I  | 1,4-Difluorobenzene         | 50.000  | 50.000  | 0.0   | 95    | 0.00     |
| 35 S  | Dibromofluoromethane        | 50.000  | 47.858  | 4.3   | 97    | 0.00     |
| 36 T  | 1,1-Dichloropropene         | 50.000  | 44.179  | 11.6  | 92    | 0.00     |
| 37 T  | Ethyl Acetate               | 50.000  | 49.472  | 1.1   | 101   | 0.00     |
| 38 T  | Carbon Tetrachloride        | 50.000  | 46.205  | 7.6   | 94    | 0.00     |
| 39 T  | Methylcyclohexane           | 50.000  | 44.068  | 11.9  | 90    | 0.00     |
| 40 TM | Benzene                     | 50.000  | 47.882  | 4.2   | 98    | 0.00     |
| 41 T  | Methacrylonitrile           | 50.000  | 49.669  | 0.7   | 98    | 0.00     |
| 42 TM | 1,2-Dichloroethane          | 50.000  | 48.373  | 3.3   | 99    | 0.00     |
| 43 T  | Isopropyl Acetate           | 50.000  | 50.917  | -1.8  | 100   | 0.00     |
| 44 TM | Trichloroethene             | 50.000  | 48.079  | 3.8   | 98    | 0.00     |
| 45 C  | 1,2-Dichloropropane         | 50.000  | 49.120  | 1.8#  | 98    | 0.00     |
| 46 T  | Dibromomethane              | 50.000  | 47.082  | 5.8   | 96    | 0.00     |
| 47 T  | Bromodichloromethane        | 50.000  | 49.843  | 0.3   | 97    | 0.00     |
| 48 T  | Methyl methacrylate         | 50.000  | 52.039  | -4.1  | 101   | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX082522\  
 Data File : VX030784.D  
 Acq On : 25 Aug 2022 20:20  
 Operator : JC/MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 27 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 LabSampleId :  
 VSTDCCC050

Quant Time: Aug 26 02:42:08 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X082522W.M  
 Quant Title : SW846 8260  
 QLast Update : Fri Aug 26 02:03:28 2022  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | Amount   | Calc.    | %Dev  | Area% | Dev(min) |
|-------|-----------------------------|----------|----------|-------|-------|----------|
| 49 T  | 1,4-Dioxane                 | 1000.000 | 1149.114 | -14.9 | 117   | -0.01    |
| 50 S  | Toluene-d8                  | 50.000   | 47.388   | 5.2   | 96    | 0.00     |
| 51 T  | 4-Methyl-2-Pentanone        | 250.000  | 257.732  | -3.1  | 101   | 0.00     |
| 52 CM | Toluene                     | 50.000   | 47.864   | 4.3#  | 95    | 0.00     |
| 53 T  | t-1,3-Dichloropropene       | 50.000   | 48.402   | 3.2   | 91    | 0.00     |
| 54 T  | cis-1,3-Dichloropropene     | 50.000   | 48.153   | 3.7   | 92    | 0.00     |
| 55 T  | 1,1,2-Trichloroethane       | 50.000   | 49.106   | 1.8   | 96    | 0.00     |
| 56 T  | Ethyl methacrylate          | 50.000   | 52.763   | -5.5  | 98    | 0.00     |
| 57 T  | 1,3-Dichloropropane         | 50.000   | 48.336   | 3.3   | 96    | 0.00     |
| 58 T  | 2-Chloroethyl Vinyl ether   | 250.000  | 257.291  | -2.9  | 95    | 0.00     |
| 59 T  | 2-Hexanone                  | 250.000  | 269.581  | -7.8  | 103   | 0.00     |
| 60 T  | Dibromochloromethane        | 50.000   | 48.524   | 3.0   | 93    | 0.00     |
| 61 T  | 1,2-Dibromoethane           | 50.000   | 49.094   | 1.8   | 96    | 0.00     |
| 62 S  | 4-Bromofluorobenzene        | 50.000   | 49.964   | 0.1   | 98    | 0.00     |
| 63 I  | Chlorobenzene-d5            | 50.000   | 50.000   | 0.0   | 96    | 0.00     |
| 64 T  | Tetrachloroethene           | 50.000   | 46.127   | 7.7   | 94    | 0.00     |
| 65 PM | Chlorobenzene               | 50.000   | 46.467   | 7.1   | 96    | 0.00     |
| 66 T  | 1,1,1,2-Tetrachloroethane   | 50.000   | 48.206   | 3.6   | 95    | 0.00     |
| 67 C  | Ethyl Benzene               | 50.000   | 47.759   | 4.5#  | 96    | 0.00     |
| 68 T  | m/p-Xylenes                 | 100.000  | 97.151   | 2.8   | 97    | 0.00     |
| 69 T  | o-Xylene                    | 50.000   | 49.203   | 1.6   | 97    | 0.00     |
| 70 T  | Styrene                     | 50.000   | 50.462   | -0.9  | 96    | 0.00     |
| 71 P  | Bromoform                   | 50.000   | 48.390   | 3.2   | 95    | 0.00     |
| 72 I  | 1,4-Dichlorobenzene-d4      | 50.000   | 50.000   | 0.0   | 94    | 0.00     |
| 73 T  | Isopropylbenzene            | 50.000   | 47.642   | 4.7   | 95    | 0.00     |
| 74 T  | N-ethyl acetate             | 50.000   | 52.197   | -4.4  | 99    | 0.00     |
| 75 P  | 1,1,2,2-Tetrachloroethane   | 50.000   | 48.714   | 2.6   | 100   | 0.00     |
| 76 T  | 1,2,3-Trichloropropane      | 50.000   | 47.612   | 4.8   | 86    | 0.00     |
| 77 T  | Bromobenzene                | 50.000   | 47.048   | 5.9   | 97    | 0.00     |
| 78 T  | n-propylbenzene             | 50.000   | 48.087   | 3.8   | 95    | 0.00     |
| 79 T  | 2-Chlorotoluene             | 50.000   | 47.508   | 5.0   | 98    | 0.00     |
| 80 T  | 1,3,5-Trimethylbenzene      | 50.000   | 47.997   | 4.0   | 96    | 0.00     |
| 81 T  | trans-1,4-Dichloro-2-butene | 50.000   | 47.929   | 4.1   | 91    | 0.00     |
| 82 T  | 4-Chlorotoluene             | 50.000   | 47.922   | 4.2   | 95    | 0.00     |
| 83 T  | tert-Butylbenzene           | 50.000   | 47.935   | 4.1   | 92    | 0.00     |
| 84 T  | 1,2,4-Trimethylbenzene      | 50.000   | 49.727   | 0.5   | 95    | 0.00     |
| 85 T  | sec-Butylbenzene            | 50.000   | 49.519   | 1.0   | 94    | 0.00     |
| 86 T  | p-Isopropyltoluene          | 50.000   | 49.199   | 1.6   | 94    | 0.00     |
| 87 T  | 1,3-Dichlorobenzene         | 50.000   | 47.879   | 4.2   | 90    | 0.00     |
| 88 T  | 1,4-Dichlorobenzene         | 50.000   | 47.271   | 5.5   | 92    | 0.00     |
| 89 T  | n-Butylbenzene              | 50.000   | 46.978   | 6.0   | 85    | 0.00     |
| 90 T  | Hexachloroethane            | 50.000   | 44.761   | 10.5  | 86    | 0.00     |
| 91 T  | 1,2-Dichlorobenzene         | 50.000   | 47.212   | 5.6   | 93    | 0.00     |
| 92 T  | 1,2-Dibromo-3-Chloropropane | 50.000   | 46.738   | 6.5   | 91    | 0.00     |
| 93 T  | 1,2,4-Trichlorobenzene      | 50.000   | 46.331   | 7.3   | 85    | 0.00     |
| 94 T  | Hexachlorobutadiene         | 50.000   | 45.694   | 8.6   | 86    | 0.00     |
| 95 T  | Naphthalene                 | 50.000   | 49.966   | 0.1   | 88    | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX082522\  
Data File : VX030784.D  
Acq On : 25 Aug 2022 20:20  
Operator : JC/MD  
Sample : VSTDCCC050  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 27 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
LabSampleId :  
VSTDCCC050

Quant Time: Aug 26 02:42:08 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X082522W.M  
Quant Title : SW846 8260  
QLast Update : Fri Aug 26 02:03:28 2022  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 25% Max. Rel. Area : 150%

|      | Compound               | Amount | Calc.  | %Dev | Area% | Dev(min) |
|------|------------------------|--------|--------|------|-------|----------|
| 96 T | 1,2,3-Trichlorobenzene | 50.000 | 46.018 | 8.0  | 83    | 0.00     |

(#) = Out of Range                      SPCC's out = 0    CCC's out = 6