

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX082918\
 Data File : VX004277.D
 Acq On : 29 Aug 2018 08:08
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 30 03:11:24 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X082218W.M
 Quant Title : SW846 8260
 QLast Update : Thu Aug 23 05:39:44 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	89	0.00
2 T	Dichlorodifluoromethane	0.579	0.517	10.7	74	0.00
3 P	Chloromethane	0.675	0.585	13.3	81	0.00
4 C	Vinyl Chloride	0.655	0.597	8.9#	79	0.00
5 T	Bromomethane	0.397	0.283	28.7#	76	0.00
6 T	Chloroethane	0.476	0.425	10.7	87	0.00
7 T	Trichlorofluoromethane	0.898	0.805	10.4	79	0.00
8 T	Diethyl Ether	0.384	0.404	-5.2	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.562	0.502	10.7	82	0.00
10 T	Methyl Iodide	0.578	0.563	2.6	80	0.00
11 T	Tert butyl alcohol	0.139	0.143	-2.9	92	-0.01
12 CM	1,1-Dichloroethene	0.530	0.482	9.1#	84	0.00
13 T	Acrolein	0.033	0.039	-18.2	106	0.00
14 T	Allyl chloride	0.973	0.965	0.8	88	0.00
15 T	Acrylonitrile	0.344	0.350	-1.7	94	0.00
16 T	Acetone	0.310	0.297	4.2	96	0.00
17 T	Carbon Disulfide	1.557	1.229	21.1#	75	0.00
18 T	Methyl Acetate	0.967	1.156	-19.5	106	0.00
19 T	Methyl tert-butyl Ether	1.746	1.889	-8.2	98	0.00
20 T	Methylene Chloride	0.627	0.619	1.3	95	0.00
21 T	trans-1,2-Dichloroethene	0.586	0.546	6.8	87	0.00
22 T	Diisopropyl ether	1.817	1.914	-5.3	96	0.00
23 T	Vinyl Acetate	1.473	1.543	-4.8	93	0.00
24 P	1,1-Dichloroethane	1.059	1.059	0.0	89	0.00
25 T	2-Butanone	0.484	0.458	5.4	93	0.00
26 T	2,2-Dichloropropane	0.831	0.827	0.5	90	0.00
27 T	cis-1,2-Dichloroethene	0.665	0.665	0.0	92	0.00
28 T	Bromochloromethane	0.469	0.479	-2.1	88	0.00
29 T	Tetrahydrofuran	0.280	0.288	-2.9	92	0.00
30 C	Chloroform	1.062	1.062	0.0	91	0.00
31 T	Cyclohexane	0.914	0.804	12.0	78	0.00
32 T	1,1,1-Trichloroethane	0.885	0.851	3.8	86	0.00
33 S	1,2-Dichloroethane-d4	0.652	0.665	-2.0	95	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	91	0.00
35 S	Dibromofluoromethane	0.372	0.386	-3.8	97	0.00
36 T	1,1-Dichloropropene	0.562	0.513	8.7	83	0.00
37 T	Ethyl Acetate	0.553	0.568	-2.7	93	0.00
38 T	Carbon Tetrachloride	0.529	0.485	8.3	82	0.00
39 T	Methylcyclohexane	0.642	0.540	15.9	75	0.00
40 TM	Benzene	1.680	1.639	2.4	88	0.00
41 T	Methacrylonitrile	0.320	0.336	-5.0	94	0.00
42 TM	1,2-Dichloroethane	0.573	0.576	-0.5	92	0.00
43 T	Isopropyl Acetate	0.849	0.910	-7.2	95	0.00
44 TM	Trichloroethene	0.465	0.438	5.8	88	0.00
45 C	1,2-Dichloropropane	0.420	0.430	-2.4#	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX082918\
 Data File : VX004277.D
 Acq On : 29 Aug 2018 08:08
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 30 03:11:24 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X082218W.M
 Quant Title : SW846 8260
 QLast Update : Thu Aug 23 05:39:44 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.280	0.282	-0.7	92	0.00
47 T	Bromodichloromethane	0.521	0.540	-3.6	91	0.00
48 T	Methyl methacrylate	0.455	0.486	-6.8	93	0.00
49 T	1,4-Dioxane	0.010	0.010	0.0	88	0.00
50 S	Toluene-d8	1.404	1.417	-0.9	92	0.00
51 T	4-Methyl-2-Pentanone	0.617	0.618	-0.2	93	0.00
52 CM	Toluene	1.051	1.047	0.4#	88	0.00
53 T	t-1,3-Dichloropropene	0.575	0.631	-9.7	94	0.00
54 T	cis-1,3-Dichloropropene	0.627	0.684	-9.1	94	0.00
55 T	1,1,2-Trichloroethane	0.424	0.438	-3.3	92	0.00
56 T	Ethyl methacrylate	0.578	0.663	-14.7	97	0.00
57 T	1,3-Dichloropropane	0.715	0.745	-4.2	93	0.00
58 T	2-Chloroethyl Vinyl ether	0.296	0.338	-14.2	94	0.00
59 T	2-Hexanone	0.471	0.476	-1.1	93	0.00
60 T	Dibromochloromethane	0.414	0.442	-6.8	92	0.00
61 T	1,2-Dibromoethane	0.439	0.460	-4.8	93	0.00
62 S	4-Bromofluorobenzene	0.524	0.559	-6.7	98	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	95	0.00
64 T	Tetrachloroethene	0.494	0.475	3.8	90	0.00
65 PM	Chlorobenzene	1.255	1.263	-0.6	96	0.00
66 T	1,1,1,2-Tetrachloroethane	0.433	0.468	-8.1	99	0.00
67 C	Ethyl Benzene	2.038	2.131	-4.6#	93	0.00
68 T	m/p-Xylenes	0.797	0.833	-4.5	92	0.00
69 T	o-Xylene	0.754	0.814	-8.0	93	0.00
70 T	Styrene	1.221	1.393	-14.1	97	0.00
71 P	Bromoform	0.349	0.381	-9.2	97	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	92	0.00
73 T	Isopropylbenzene	3.284	3.277	0.2	87	0.00
74 T	N-amyl acetate	1.264	1.331	-5.3	93	0.00
75 P	1,1,2,2-Tetrachloroethane	1.149	1.141	0.7	93	0.00
76 T	1,2,3-Trichloropropane	1.017	1.066	-4.8	96	0.00
77 T	Bromobenzene	0.921	0.924	-0.3	93	0.00
78 T	n-propylbenzene	3.777	3.748	0.8	86	0.00
79 T	2-Chlorotoluene	2.325	2.309	0.7	90	0.00
80 T	1,3,5-Trimethylbenzene	2.720	2.739	-0.7	87	0.00
81 T	trans-1,4-Dichloro-2-butene	0.313	0.348	-11.2	97	0.00
82 T	4-Chlorotoluene	2.736	2.710	1.0	90	0.00
83 T	tert-Butylbenzene	2.736	2.706	1.1	85	0.00
84 T	1,2,4-Trimethylbenzene	2.792	2.905	-4.0	88	0.00
85 T	sec-Butylbenzene	3.249	3.117	4.1	84	0.00
86 T	p-Isopropyltoluene	2.911	2.904	0.2	85	0.00
87 T	1,3-Dichlorobenzene	1.734	1.730	0.2	93	0.00
88 T	1,4-Dichlorobenzene	1.829	1.747	4.5	92	0.00
89 T	n-Butylbenzene	2.367	2.352	0.6	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX082918\
Data File : VX004277.D
Acq On : 29 Aug 2018 08:08
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Aug 30 03:11:24 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X082218W.M
Quant Title : SW846 8260
QLast Update : Thu Aug 23 05:39:44 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.407	0.393	3.4	87	0.00
91 T	1,2-Dichlorobenzene	1.585	1.612	-1.7	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.202	0.209	-3.5	93	0.00
93 T	1,2,4-Trichlorobenzene	1.153	1.166	-1.1	95	0.00
94 T	Hexachlorobutadiene	0.566	0.437	22.8#	74	0.00
95 T	Naphthalene	3.262	3.603	-10.5	91	0.00
96 T	1,2,3-Trichlorobenzene	1.221	1.228	-0.6	92	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5