

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX082918\
 Data File : VX004315.D
 Acq On : 30 Aug 2018 02:04
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 30 07:47:16 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X082218W.M
 Quant Title : SW846 8260
 QLast Update : Thu Aug 23 05:39:44 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	93	0.00
2 T	Dichlorodifluoromethane	0.579	0.594	-2.6	89	0.00
3 P	Chloromethane	0.675	0.647	4.1	94	0.00
4 C	Vinyl Chloride	0.655	0.686	-4.7#	95	0.00
5 T	Bromomethane	0.397	0.328	17.4	92	0.00
6 T	Chloroethane	0.476	0.464	2.5	99	0.00
7 T	Trichlorofluoromethane	0.898	0.929	-3.5	95	0.00
8 T	Diethyl Ether	0.384	0.419	-9.1	103	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.562	0.566	-0.7	97	0.00
10 T	Methyl Iodide	0.578	0.668	-15.6	100	0.00
11 T	Tert butyl alcohol	0.139	0.161	-15.8	108	0.00
12 CM	1,1-Dichloroethene	0.530	0.544	-2.6#	99	0.00
13 T	Acrolein	0.033	0.036	-9.1	103	0.00
14 T	Allyl chloride	0.973	1.006	-3.4	96	0.00
15 T	Acrylonitrile	0.344	0.380	-10.5	107	0.00
16 T	Acetone	0.310	0.315	-1.6	107	0.00
17 T	Carbon Disulfide	1.557	1.423	8.6	91	0.00
18 T	Methyl Acetate	0.967	1.290	-33.4#	123	0.00
19 T	Methyl tert-butyl Ether	1.746	1.913	-9.6	104	0.00
20 T	Methylene Chloride	0.627	0.645	-2.9	104	0.00
21 T	trans-1,2-Dichloroethene	0.586	0.585	0.2	98	0.00
22 T	Diisopropyl ether	1.817	1.949	-7.3	103	0.00
23 T	Vinyl Acetate	1.473	1.525	-3.5	97	0.00
24 P	1,1-Dichloroethane	1.059	1.144	-8.0	101	0.00
25 T	2-Butanone	0.484	0.504	-4.1	107	0.00
26 T	2,2-Dichloropropane	0.831	0.487	41.4#	55	0.00
27 T	cis-1,2-Dichloroethene	0.665	0.693	-4.2	100	0.00
28 T	Bromochloromethane	0.469	0.479	-2.1	92	0.00
29 T	Tetrahydrofuran	0.280	0.322	-15.0	107	0.00
30 C	Chloroform	1.062	1.135	-6.9#	102	0.00
31 T	Cyclohexane	0.914	0.947	-3.6	96	0.00
32 T	1,1,1-Trichloroethane	0.885	0.950	-7.3	100	0.00
33 S	1,2-Dichloroethane-d4	0.652	0.648	0.6	97	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
35 S	Dibromofluoromethane	0.372	0.384	-3.2	102	0.00
36 T	1,1-Dichloropropene	0.562	0.569	-1.2	97	0.00
37 T	Ethyl Acetate	0.553	0.605	-9.4	103	0.00
38 T	Carbon Tetrachloride	0.529	0.557	-5.3	98	0.00
39 T	Methylcyclohexane	0.642	0.629	2.0	92	0.00
40 TM	Benzene	1.680	1.766	-5.1	99	0.00
41 T	Methacrylonitrile	0.320	0.356	-11.2	105	0.00
42 TM	1,2-Dichloroethane	0.573	0.598	-4.4	100	0.00
43 T	Isopropyl Acetate	0.849	0.953	-12.2	104	0.00
44 TM	Trichloroethene	0.465	0.469	-0.9	99	0.00
45 C	1,2-Dichloropropane	0.420	0.459	-9.3#	102	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX082918\
 Data File : VX004315.D
 Acq On : 30 Aug 2018 02:04
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 30 07:47:16 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X082218W.M
 Quant Title : SW846 8260
 QLast Update : Thu Aug 23 05:39:44 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.280	0.294	-5.0	100	0.00
47 T	Bromodichloromethane	0.521	0.572	-9.8	101	0.00
48 T	Methyl methacrylate	0.455	0.517	-13.6	104	0.00
49 T	1,4-Dioxane	0.010	0.012	-20.0	106	0.00
50 S	Toluene-d8	1.404	1.430	-1.9	97	0.00
51 T	4-Methyl-2-Pentanone	0.617	0.671	-8.8	106	0.00
52 CM	Toluene	1.051	1.104	-5.0#	98	0.00
53 T	t-1,3-Dichloropropene	0.575	0.583	-1.4	91	0.00
54 T	cis-1,3-Dichloropropene	0.627	0.649	-3.5	93	0.00
55 T	1,1,2-Trichloroethane	0.424	0.463	-9.2	102	0.00
56 T	Ethyl methacrylate	0.578	0.682	-18.0	105	0.00
57 T	1,3-Dichloropropane	0.715	0.773	-8.1	102	0.00
58 T	2-Chloroethyl Vinyl ether	0.296	0.324	-9.5	95	0.00
59 T	2-Hexanone	0.471	0.516	-9.6	106	0.00
60 T	Dibromochloromethane	0.414	0.464	-12.1	102	0.00
61 T	1,2-Dibromoethane	0.439	0.476	-8.4	101	0.00
62 S	4-Bromofluorobenzene	0.524	0.540	-3.1	100	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	102	0.00
64 T	Tetrachloroethene	0.494	0.517	-4.7	106	0.00
65 PM	Chlorobenzene	1.255	1.312	-4.5	107	0.00
66 T	1,1,1,2-Tetrachloroethane	0.433	0.471	-8.8	107	0.00
67 C	Ethyl Benzene	2.038	2.125	-4.3#	100	0.00
68 T	m/p-Xylenes	0.797	0.857	-7.5	101	0.00
69 T	o-Xylene	0.754	0.850	-12.7	105	0.00
70 T	Styrene	1.221	1.449	-18.7	108	0.00
71 P	Bromoform	0.349	0.393	-12.6	108	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	90	0.00
73 T	Isopropylbenzene	3.284	3.786	-15.3	99	0.00
74 T	N-amyl acetate	1.264	1.505	-19.1	103	0.00
75 P	1,1,2,2-Tetrachloroethane	1.149	1.280	-11.4	102	0.00
76 T	1,2,3-Trichloropropane	1.017	1.115	-9.6	99	0.00
77 T	Bromobenzene	0.921	1.018	-10.5	100	0.00
78 T	n-propylbenzene	3.777	4.339	-14.9	98	0.00
79 T	2-Chlorotoluene	2.325	2.569	-10.5	99	0.00
80 T	1,3,5-Trimethylbenzene	2.720	3.167	-16.4	99	0.00
81 T	trans-1,4-Dichloro-2-butene	0.313	0.317	-1.3	87	0.00
82 T	4-Chlorotoluene	2.736	2.984	-9.1	97	0.00
83 T	tert-Butylbenzene	2.736	3.121	-14.1	96	0.00
84 T	1,2,4-Trimethylbenzene	2.792	3.215	-15.2	96	0.00
85 T	sec-Butylbenzene	3.249	3.700	-13.9	98	0.00
86 T	p-Isopropyltoluene	2.911	3.280	-12.7	94	0.00
87 T	1,3-Dichlorobenzene	1.734	1.868	-7.7	99	0.00
88 T	1,4-Dichlorobenzene	1.829	1.847	-1.0	96	0.00
89 T	n-Butylbenzene	2.367	2.650	-12.0	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX082918\
Data File : VX004315.D
Acq On : 30 Aug 2018 02:04
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 42 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Aug 30 07:47:16 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X082218W.M
Quant Title : SW846 8260
QLast Update : Thu Aug 23 05:39:44 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.407	0.470	-15.5	102	0.00
91 T	1,2-Dichlorobenzene	1.585	1.746	-10.2	101	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.202	0.230	-13.9	100	0.00
93 T	1,2,4-Trichlorobenzene	1.153	1.314	-14.0	104	0.00
94 T	Hexachlorobutadiene	0.566	0.587	-3.7	97	0.00
95 T	Naphthalene	3.262	4.224	-29.5#	104	0.00
96 T	1,2,3-Trichlorobenzene	1.221	1.380	-13.0	101	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6