

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX082918\
 Data File : VX004279.D
 Acq On : 29 Aug 2018 09:10
 Operator : JC/MD
 Sample : VX0829MBL01
 Misc : 5.00g/10mL/100uL/5.0mL/MSVOA_X/MEOH
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0829MBL01

Quant Time: Aug 30 03:35:26 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X082218W.M
 Quant Title : SW846 8260
 QLast Update : Thu Aug 23 05:39:44 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.67	168	300516	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.86	114	470102	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.12	117	427059	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.08	152	238458	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.07	65	204864	52.30	ug/l	0.00
Spiked Amount	50.000		Recovery	=	104.60%	
35) Dibromofluoromethane	5.50	113	177983	50.89	ug/l	0.00
Spiked Amount	50.000		Recovery	=	101.78%	
50) Toluene-d8	8.71	98	656656	49.74	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.48%	
62) 4-Bromofluorobenzene	11.14	95	231862	47.07	ug/l	0.00
Spiked Amount	50.000		Recovery	=	94.14%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX082918\
Data File : VX004279.D
Acq On : 29 Aug 2018 09:10
Operator : JC/MD
Sample : VX0829MBL01
Misc : 5.00g/10mL/100uL/5.0mL/MSVOA_X/MEOH
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0829MBL01

Quant Time: Aug 30 03:35:26 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X082218W.M
Quant Title : SW846 8260
QLast Update : Thu Aug 23 05:39:44 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 5.67 min Scan# 833

Delta R.T. 0.01 min

Lab File: VX004279.D

Acq: 29 Aug 2018 09:10

Instrument :

MSVOA_X

ClientSampleId :


VX0829MBL01

Tot Ion:168 Resp: 300516

Ion Ratio Lower Upper

168 100

99 49.5 39.9 59.9



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.67

120000

100000

80000



60000

40000

20000

0

Time--> 5.50 5.60 5.70 5.80



#33

1,2-Dichloroethane-d4

Concen: 52.30 ug/l

RT: 6.07 min Scan# 899

Delta R.T. -0.00 min

Lab File: VX004279.D


Acq: 29 Aug 2018 09:10

Tgt Ion: 65 Resp: 204864

Ion Ratio Lower Upper

65 100

67 52.8 0.0 106.8



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0

6.07

80000


60000


40000

20000

0

Time--> 5.90 6.00 6.10 6.20 6.30





#34

1,4-Difluorobenzene

Concen: 50.00 ug/l

RT: 6.86 min Scan# 1029

Delta R.T. -0.00 min

Lab File: VX004279.D

Acq: 29 Aug 2018 09:10

Instrument :

MSVOA_X

ClientSampleId :

VX0829MBL01


Tot Ion:114 Resp: 470102

Ion Ratio Lower Upper

114 100

63 19.9 0.0 39.0




88 15.4 0.0 30.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 50.89 ug/l

RT: 5.50 min Scan# 806

Delta R.T. -0.00 min

Lab File: VX004279.D

Acq: 29 Aug 2018 09:10


Tgt Ion:113 Resp: 177983

Ion Ratio Lower Upper

113 100

111 102.4 82.4 123.6



192 24.4 19.4 29.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 49.74 ug/l
RT: 8.71 min Scan# 1333
Delta R.T. -0.00 min
Lab File: VX004279.D
Acq: 29 Aug 2018 09:10




Instrument :
MSVOA_X
ClientSampleId :
VX0829MBL01


Tot Ion: 98 Resp: 656656
Ion Ratio Lower Upper
98 100
100 65.8 52.9 79.3



#62
4-Bromofluorobenzene
Concen: 47.07 ug/l
RT: 11.14 min Scan# 1731
Delta R.T. -0.00 min
Lab File: VX004279.D
Acq: 29 Aug 2018 09:10

Tgt Ion: 95 Resp: 231862
Ion Ratio Lower Upper
95 100
174 92.9 0.0 185.2
176 90.1 0.0 178.6









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 10.12 min Scan# 1563
Delta R.T. -0.00 min
Lab File: VX004279.D
Acq: 29 Aug 2018 09:10

Instrument :
MSVOA_X
ClientSampled :
VX0829MBL01

Tot Ion:117 Resp: 427059
Ion Ratio Lower Upper
117 100
82 50.9 47.8 71.6
119 31.8 29.3 43.9




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VX0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 12.08 min Scan# 1885
Delta R.T. -0.00 min
Lab File: VX004279.D
Acq: 29 Aug 2018 09:10

Tgt Ion:152 Resp: 238458
Ion Ratio Lower Upper
152 100
115 54.4 39.0 117.0
150 158.9 0.0 351.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

