

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX083019\
 Data File : VX011927.D
 Acq On : 31 Aug 2019 01:23
 Operator : SY/SP
 Sample : K4472-18
 Misc : 4.93g/5.0mL/MSVOA X/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 T6-S2-(2.5)

Quant Time: Aug 31 03:22:56 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X082919S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 30 01:59:05 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.65	168	259718	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.85	114	327031	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.11	117	282292	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.07	152	139803	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	6.05	65	100124	40.24	ug/l	0.00
Spiked Amount			Recovery	=	80.48%	
35) Dibromofluoromethane	5.48	113	92583	44.15	ug/l	0.00
Spiked Amount			Recovery	=	88.30%	
50) Toluene-d8	8.71	98	367512	49.03	ug/l	0.00
Spiked Amount			Recovery	=	98.06%	
62) 4-Bromofluorobenzene	11.14	95	131538	40.00	ug/l	0.00
Spiked Amount			Recovery	=	80.00%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX083019\
Data File : VX011927.D
Acq On : 31 Aug 2019 01:23
Operator : SY/SP
Sample : K4472-18
Misc : 4.93g/5.0mL/MSVOA X/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
T6-S2-(2.5)

Quant Time: Aug 31 03:22:56 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X082919S.M
Quant Title : SW846 8260
QLast Update : Fri Aug 30 01:59:05 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.65 min Scan# 781

Delta R.T. 0.00 min

Lab File: VX011927.D

Acq: 31 Aug 2019 01:23

Instrument :

MSVOA_X

ClientSampleId :


T6-S2-(2.5)

Tot Ion:168 Resp: 259718

Ion Ratio Lower Upper

168 100

99 46.3 38.4 57.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.65

100000

80000

60000



40000

20000

0

Time-->

5.50 5.60 5.70 5.80



#33

1,2-Dichloroethane-d4

Concen: 40.237 ug/l

RT: 6.05 min Scan# 847

Delta R.T. 0.00 min

Lab File: VX011927.D


Acq: 31 Aug 2019 01:23

Tgt Ion: 65 Resp: 100124

Ion Ratio Lower Upper

65 100

67 51.5 0.0 102.2



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0

6.05

40000

30000


20000


10000

0

Time-->

5.90 6.00 6.10 6.20





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.85 min Scan# 978

Delta R.T. 0.00 min

Lab File: VX011927.D

Acq: 31 Aug 2019 01:23

Instrument :

MSVOA_X

ClientSampleId :

T6-S2-(2.5)


Tot Ion:114 Resp: 327031

Ion Ratio Lower Upper

114 100

63 19.4 0.0 38.8




88 15.7 0.0 31.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 44.149 ug/l

RT: 5.48 min Scan# 754

Delta R.T. 0.00 min

Lab File: VX011927.D

Acq: 31 Aug 2019 01:23


Tgt Ion:113 Resp: 92583

Ion Ratio Lower Upper

113 100

111 102.3 82.1 123.1



192 26.4 21.5 32.3




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 49.026 ug/l

RT: 8.71 min Scan# 1283

Delta R.T. 0.00 min

Lab File: VX011927.D

Acq: 31 Aug 2019 01:23

Instrument :

MSVOA_X

ClientSampled :


T6-S2-(2.5)

Tot Ion: 98 Resp: 367512

Ion Ratio Lower Upper




98 100

100 66.1 53.0 79.6



Abundance Ion 98.00 (97.70 to 98.70): VX0

Ion 100.00 (99.70 to 100.70): V



#62

4-Bromofluorobenzene

Concen: 40.001 ug/l

RT: 11.14 min Scan# 1681

Delta R.T. 0.00 min

Lab File: VX011927.D

Acq: 31 Aug 2019 01:23


Tgt Ion: 95 Resp: 131538

Ion Ratio Lower Upper

95 100

174 96.9 0.0 196.0



176 94.9 0.0 191.4




Abundance Ion 94.90 (94.60 to 95.60): VX0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.11 min Scan# 1513
Delta R.T. 0.00 min
Lab File: VX011927.D
Acq: 31 Aug 2019 01:23

Instrument :
MSVOA_X
ClientSampled :
T6-S2-(2.5)

Tot Ion:117 Resp: 282292
Ion Ratio Lower Upper
117 100
82 50.5 42.0 63.0
119 31.1 26.2 39.4



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.07 min Scan# 1835
Delta R.T. 0.00 min
Lab File: VX011927.D
Acq: 31 Aug 2019 01:23

Tgt Ion:152 Resp: 139803
Ion Ratio Lower Upper
152 100
115 53.2 37.1 111.3
150 154.7 0.0 339.6

